

Indian Powerplus Motorcycle and Side Car Parts

1916 · 1917 · 1918 · 1919 · 1920



Hendee Mfg. Company
SPRINGFIELD · MASSACHUSETTS · U.S.A

INTRODUCTION

This POWERPLUS Parts List covers all Powerplus models for 1916, 1917, 1918, 1919, 1920, 1921, 1922 and 1923.

We wish to emphasize the fact that dealers cannot be too explicit concerning particulars when ordering parts. It is very important that you read the instructions below very carefully. It will be to your advantage to do so inasmuch as you will know how to order parts correctly and will save both our time and yours.

READ THIS CAREFULLY

To distinguish the various models:

Year	Letter in Motor Number	Year	Letter in Motor Number
1916	H	1920 (NP Model)	RP
1917	J	1921 Regular)	S
1918	K	1921 NP Model)	SP
1919 (Regular)	M	1922 Regular)	T
1919 (Big Valve)	MP	1922 NP Model)	TP
1920 (Regular)	R	1923 Regular)	V
		1923 NP Model)	VP

(Example: Motor 72H460 is a 1916 POWERPLUS model.)

EXPLANATION OF LIST:

The letter "N" before the Part Number means that the part is common to all POWERPLUS models from 1916 to 1922 inclusive, except as follows:

When letter "H" is before the Part Number it means that the part is used only for 1916 and is common to both Models F (Spring Frame) and G (Rigid Frame). When "PH" precedes the part number, this part is used for Model F only. When "GH" precedes the part number, this part is used for Model G only. (Examples: H1550X, Cradle Spring Fork, complete, is for 1916, both Models F and G. PH2350X is Gas Tank for Model F only. GH2350X is Gas Tank for Model G).

Letter "K" after the part number signifies that this part is used on 1918 and later models unless otherwise stated. (Example: N3050KX, Rear Wheel, complete, used for 1918).

Letter "M" after the part number means that this part is used on 1919 models and later models, unless otherwise stated. (Example: N9234M Side Car Hub Shell, used for 1919).

Letter "P" after the part number means that this part is used on 1920 and later models unless otherwise stated. (Example: N1666P, Cradle Spring Fork Bell Crank, used on 1920).

Letter "Q" after the part number means that the part is used on 1921 and later models. (Example: N6860Q ammeter, only used for 1921).

Letter "R" after the part number means that the part is used on 1922 models. (Example: N1504R, head lower cup, 1922).

Letter "S" after the part number means that the part is used on 1923 models. (Example: N802S, Magneto and throttle control wire, 1923).

Letter "U" before the part number means that this part is for a Rigid Frame POWERPLUS model, 1917 or later. (Example: U1750X, Rigid Frame).

Letter "W" before the part number means that the part is for the Single Cylinder POWERPLUS Model only. (Example: W8X, Pitman Rod, complete for Powerplus Single only).

NOTE: Practically all parts for Models U and W are interchangeable with those for Model N, except when the part numbers are preceded by the letters "U" or "W".

Letter "NP" after the part number means that this part is used on the 72 cubic inch POWERPLUS motor, NP Model. (sample: NP, Piston, for 72 Cubic inch model only).

NOTE: Practically all parts for the 72 cubic inch motor, Model NP are interchangeable with those of the 1920 Model N. When they are different, the letters "NP" will follow the Part Number.

Letter "X" after a Part Number must always be given. It does not indicate any particular model to the dealer, but is essential to proper filling of the parts order.

USE PART NUMBER ONLY WHEN ORDERING. DO NOT ORDER BY FACTORY NUMBER

The same factory number covers several different parts in many cases. Therefore, use the Part Number for each item wanted.

FOR TELEGRAPH AND CABLE ORDERS use CODE WORDS. In such cases when the order can be wired within ten words, use PART NUMBER to avoid errors in transmitting messages.

STATE COLOR WHEN ORDERING ENAMELLED PARTS. RED IS STANDARD, AND WILL BE SENT UNLESS OTHERWISE SPECIFIED.

PARTS ORDER BLANKS should be used when ordering. We supply these blanks free on request. Confusion and delay frequently arise by not using these blanks.

PARTS FOR MODELS PREVIOUS TO 1916

Models 1909 to 1913 inclusive, refer to List No. 13. Models 1914, refer to 1914 list. Models 1915 refer to 1915 list.

Parts for Model O will be found in Model O Parts List.

Parts for SCOUT and CHIEF MODELS are issued in separate list.

WHEN IN DOUBT ABOUT THE MODEL OF MACHINE PARTS ARE WANTED FOR, GIVE MOTOR NUMBER. Motor numbers of machines prior to 1916 will be found on right side of motor base. For 1916 and subsequent models on left side of motor base.

TERMS

We do not open accounts except with our regularly established selling agents. Therefore, all individual orders must be accompanied by cash, without exception. This is not to be taken as a reflection on your personal credit; it is simply to avoid our carrying on the books a multitude of small accounts, the labor of which would in many cases cost more than the parts ordered.

In establishing this rule, time is saved which is an advantage to the person ordering the parts.

ALL C. O. D. ORDERS must be accompanied by sufficient remittance to cover transportation charges.

We are not responsible for goods after once shipped. For goods lost or damaged in express and freight shipments, claims should be made by the

We do not guarantee the delivery of Parcels Post shipment. All goods sent in this manner are at the consignee's risk. No Parcels Post shipments are sent forward insured unless so specified on your order.

CLAIMS FOR SHORTAGE. Each shipment is accompanied by a Packing Slip. In cases where parts check short, this Packing Slip MUST be returned for our inspection or no adjustment will be made.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

REPLACEMENTS

Dealers and riders in many instances, when parts are broken, take it for granted that said parts are replaceable under our guarantee. Such is not the case, and parts sent in to us to be replaced are subject to our inspection for approval or rejection.

No parts will be replaced gratis which have shown defects unless the parts are returned to the dealer from which the machine has been purchased, or to the factory.

GOODS RETURNED

Do not return any goods without our permission in writing. All returning charges must be prepaid or otherwise we positively refuse to accept them.

When returning goods to us, either for repairs or replacement, in all instances a letter giving full and detailed particulars should be sent us.

WARNING

In keeping your machine at its top efficiency, it is mighty important that only genuine INDIAN parts are used.

The spurious INDIAN parts now being marketed trade on the INDIAN good name and entirely disregard the value and service the owner is entitled to.

Genuine INDIAN parts are made uniform and interchangeable. They do not have to be hand-fitted. Their quality and workmanship are guaranteed.

Chemical analysis shows that counterfeit INDIAN parts on the market are in every instance made of material inferior in quality to that used by us. Among the many parts we have examined, we have found bearing bronze only half the hardness of INDIAN metal. Valves are made from cold rolled steel instead of chrome nickel steel and case hardened parts so brittle as to be utterly unsafe.

Bear in mind the strain to which every part of the machine is subjected to when running at high speed or on rough roads. Think of the possibilities of serious injury to yourself and wreckage of your machine from breakage of a vital part of counterfeit manufacture.

Is the risk worth the saving of a few cents more for the price of a genuine part and safety?

The market is flooded with inferior material to fit INDIAN machines, therefore insist on genuine INDIAN parts.

Remember also the guarantee becomes void immediately when a machine

1. All new INDIAN MOTOCYCLES, Sidecars and Component Parts are guaranteed to be free from defects in workmanship and material. Our obligation under this Guarantee is limited to the replacement without charge of any part or parts which shall, within ninety days from the date of the original sale by the Dealer, prove to be defective and which shall be promptly returned to us, transportation charges prepaid, for our examination and decision.

2. This Guarantee shall be terminated by the alteration of our construction in any way whatsoever, by the use of devices not approved by us, by the use of any but genuine INDIAN Parts for repair or replacement or by the subjecting of the Motorcycle to misuse, abuse or neglect.

3. We do not guarantee any parts of equipment or specialties not of our own manufacture, such as tires, Magneto, Saddles, etc. These parts are guaranteed by their respective manufacturers and, should they develop defects, should be sent direct to them.

4. When Motorcycles or assembled parts, in which defective parts are to be replaced, are sent to us, a reasonable charge for labor will be made.

5. This Guarantee is given by us in lieu of all other guarantees, expressed or implied, and all other obligations or liabilities on our part. The purchase of any INDIAN MOTOCYCLE, Sidecar or Component Part signifies acceptance by the purchaser of each of the provisions hereof. We neither assume nor authorize any other person to assume for us any other liability in connection with the sale or use of INDIAN MOTOCYCLES, Sidecars or Component Parts.

6. INDIAN MOTOCYCLES, Sidecars and Component Parts sold by other than our recognized Dealers are sold without our Guarantee, unless otherwise provided.


7. When sending in parts for replacement, customer must tag same with his name and address. A letter giving full and detailed particulars must be sent to us in each case, giving the engine number to avoid delay in identifying the consignment.

SERVICE


The sale of an INDIAN MOTOCYCLE does not mark the close of a transaction, but the beginning. Only through the co-operation of the dealer and his factory by the rendering of intelligent advice to the rider and mechanical attention to his machine when necessary, will the greatest satisfaction, pleasure and efficiency of operation be obtained. The purchaser of an INDIAN MOTOCYCLE commands the unapproached service facilities of factory branches supplemented by the service departments of our 2000 dealers. This organization maintained at great expense solely for the benefit of INDIAN riders offers prompt service on all orders sent to the factory.

Prices subject to change without notice.

"An amount equal to the amount of any excise or sales tax which may be payable, is to be added to all net prices based on this list."



Sectional View Powerplus Motor




FLY WHEEL AND CRANK MOTION GROUP

1916-17-18-19-20-21-22-23

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Abacked	16C111	*N1	Fly wheel right and left	2	5.00
Abacking	17C68	N1NP	Fly wheel right and left	2	6.00
Abacker	17C93	W1	Fly wheel right and left, power plus single	2	5.00
Abaffed	16A13	*N4	Fly wheel thrust washer	4	.10
Abandoned	16C4/7X1	*N8X	Pitman rod inner and outer complete with bushings and bearings	1	12.00
Abandoning	17C70X/71X1	N8NP	Pitman rod inner and outer complete with bushings and bearing	1	12.50
Abasing	17C83X1	W8X	Pitman rod with upper bushing and bearings, Power plus single	1	6.00
Abased	16C7X	N12X	Pitman rod inside with upper bushing	1	3.25
Abasen	17C70X	N12NP	Pitman rod inside with upper bushing	1	3.75
Abashed	16C7	N12	Pitman rod inside without upper bushing	1	2.30
Abated	16C4X	N16X	Pitman rod outside with upper bushing	1	4.50
Abating	17C71X	N16NP	Pitman rod outside with upper bushing	1	5.00
Abeted	16C4	N16	Pitman rod outside without upper bushing	1	3.75
Abhorred	16A143	*N20	Pitman rod upper bushing	2	.40
Abided	16A12	N24	Pitman rod inside roller bearing bushing	1	.40
Abiding	17A303	W26	Pitman rod inside roller bearing spacer	1	.30
Abjected	16A11	N28	Pitman rod outside roller bearing bushing	2	.30
Abled	16A15	N32	Pitman rod inner and outer roller bearing roller	44	.04
Aborded	16A14	*N36	Pitman rod inner and outer roller bearing roller retainer	4	.40
Aboded	16A16	*N40	Crank shaft	1	.90
Accepted	D180	*N44	Crank shaft nut (5/8" x 24")	2	.10
Acided	D200	N48	Crank shaft nut lock washer	2	.03
Abouted	16A185	N52	Crank shaft nut lock washer screw (10/32-32)	2	.01
Abored	F225	*N56	Driving shaft	1	.90
Acod	F235	N60	Driving shaft and fly wheel key	1	.15
Accepted	D180	N44	Driving shaft nut	1	.10
Acided	D200	N48	Driving shaft nut lock washer	1	.03
Abouted	16A185	N52	Driving shaft nut lock washer screw (10/32-32)	1	.01
Aburded	F240	*N64	Driving shaft oil deflector collar	1	.05
Abuser	19B31	N67	Driving shaft sprocket 14-tooth, 1"	1	1.25
Abused	16B41	*N68	Driving shaft sprocket 17-tooth, 1 1/2"	1	1.25
Abysed	G268	*N72	Driving shaft sprocket 18-tooth, 1 1/2"	1	1.25

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



Code	Factor No.	Part No.	DESCRIPTION	No. Used	Price Each
Abblushed	G273	*N76	Driving shaft sprocket 16-tooth, 1"	1	\$ 1.25
Abblushing	G255	N78	Driving shaft sprocket 15-tooth, 1"	1	1.25
Accessed	F269	N80	Driving shaft sprocket key	1	.04
Accepted	D150	N44	Driving shaft sprocket nut	1	.10
A-guts	20R157	S2275	Driving shaft sprocket nut lock washer	1	.01
Accorded	16A59	*N86	Pinion shaft	1	1.00
Aced	F235	N60	Pinion shaft key	1	.05
Accepted	D180	N44	Pinion shaft nut	1	.10
Acided	D200	N48	Pinion shaft nut lock washer	1	.03
Abouted	16A185	N52	Pinion shaft nut lock washer screw (10/32-32)	1	.01
Acorned	E92	N90	Pinion shaft roller bearing roller	22	.04
Acted	E93	N94	Pinion shaft roller bearing retainer	2	.40
Active	16A24	N98	Pinion shaft pinion	1	.90
Actored	16A72	N102	Pinion shaft pinion key	1	.05
Actual	16A52	N104	Pinion shaft pinion retainer washer	1	.03
Amuted	16A83	N108	Pinion shaft pinion retainer washer screw (1-24)	1	.03

NOTE:—Driving shafts, crank shafts, and pinion shafts are NOT MADE OVERSIZE

Oversize rollers are, however, supplied as follows:

N32 .001 .002 .003 .005 oversize

N90	.001	.002	.003	.005	oversize
-----	------	------	------	------	----------

N2120 .001 .002 .003 .005 exercise

In ordering specify oversize desired.

MOTOR BASE GROUP

1916-17-18-19-20-21-22-23

Afraid	16E3X4	H150X	Motor base right half (1916)	1	24.00
Afraidid	16E3X4	*N150X	Motor base right half (1917-18-19)	1	24.00
Afraider	20D65X4	N150PX	Motor base right half (1920-21-22-23)	1	24.00
Afraiding	17E28X4	W150X	Motor base right half, Power plus single	1	20.00
Affunded	17E46X4	N150NP	Motor base right half (1919 NP)	1	24.00
Affunder	20E67X4	N151NP	Motor base right half (1920 NP-21 NP-22NP-23NP)	1	24.00
Aigned	16A17	N154	Motor base right half roller bearing housing	1	.75
Aged	16A25	N158	Motor base right half roller bearing housing washer	1	.15
Aggressed	16D2X	*N162X	Motor base right half gear case cover (1916-17-18-19)	1	6.00
Aggressor	20D67X	N162PX	Motor base right half gear case cover (1920-21-22-23)	1	6.00
Aigled	16C53	N166	Motor base right half gear case cover gasket	1	.10
Aided	16A23	N170	Motor base right half gear case cover screw	12	.00

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Aimed	16A68	N174	Motor base right half gear case cover dowel pin	3	\$.03
Aired	16A9	N178	Motor base right half gear case cover compression release valve gear thrust block	1	.10
Aisle	16E4X2	H182X	Motor base left half (1916)	1	14.00
Aisled	16E4X2	*N182X	Motor base left half (1917-18-19)	1	14.00
Aisler	20D66X2	N182PX	Motor base left half (1920-21-22-23)	1	14.00
Aisling	17E29X2	W182X	Motor base left half Power plus single	1	12.00
Aislered	17E47X2	N182NP	Motor base left half (1919 NP)	1	14.00
Aislering	20E68X2	N183NP	Motor base left half (1920 NP-21 NP-22NP-23NP)	1	14.00
Akined	16A65	*N186	Motor base left half center bushing	1	.75
Alarmed	F1180	*N190	Motor base left half dust cap	1	.30
Alased	B4300	*N194	Motor base left half chain guard screw	2	.05
Aliened	16A147	*N198	Motor base top center bolt, ($\frac{1}{2}$ " (1916-17-18-19)	1	.10
Hammer	20B617	N198P	Motor base top center bolt (1920-21-22-23)	1	.10
Alleged	A1210	N202	Motor base top center bolt nut	2	.03
Alleyed	16A146	N206	Motor base oil well stud, ($\frac{1}{8}$ ")	1	.06
Allow	F1230	N210	Motor base oil well stud nut	2	.03
Allure	19B114S	N214	Motor base oil well stud nut lock washer	2	.01
Almonded	19A56	N218	Motor base front anchor plate bolt, ($\frac{1}{2}$ ") (1916-17-18-19)	3	.05
Almonder	20B450	N218P	Motor base front anchor plate bolt, (1920-21-22-23)	3	.08
Allowed:	19A58	N211	Motor base front anchor plate bolt nut (1916-17-18-19)	6	.03
Alluminad	20B228S	N211P	Motor base front anchor plate bolt nut (1920-21-22-23)	6	.03
Allure	19B114S	N214	Motor base front anchor plate bolt nut lock washer (1916-17-18-19)	6	.01
Flaked	19B115S	N1960	Motor base front anchor plate bolt nut lock washer (1920-21-22-23)	6	.01
Almonded	19A56	N218	Motor base upper front lug bolt ($\frac{1}{2}$ ")	1	.05
Alloweding	19A58	N211	Motor base upper front lug bolt nut	2	.03
Allure	19B114S	N214	Motor base upper front lug bolt nut lock washer	2	.01
Ashed	19A57	N222	Motor base rear anchor plate and kick starter bracket bolt ($\frac{1}{2}$), also muffler support bolt (1916-17-18-19)	3	.06
Asher	20B451	N222P	Motor base rear anchor plate and kick starter bracket bolt, also muffler support bolt (1920-21-22-23)	3	.08
Allowed:	19A58	N211	Motor base rear anchor plate and kick starter bracket bolt nut and muffler support bolt nut (1916-17-18-19)	6	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Alluminad	20B228S	N211P	Motor base rear anchor plate and kick starter bracket bolt nut and muffler support bolt nut (1920-21-22-23)	6	\$.03
Allure	19B114S	N214	Motor base rear anchor plate and kick starter bracket bolt nut lock washer, also muffler support bolt nut washer (1916-17-18-19)	6	.01
Flaked	19B115S	N1960	Motor base rear anchor plate and kick starter bracket bolt nut lock washer, also muffler support bolt nut washer (1920-21-22-23)	6	.01
Asked	16A145	N230	Motor base short bolt ($\frac{1}{2}$ ")	1	.03
Asided	A1250	N234	Motor base short bolt nut	2	.03
Assumed	16A150	*N238	Motor base front anchor plate and frame lug bolt ($\frac{1}{2}$ ")	1	.10
Attracted	G1320	N242	Motor base front anchor plate and frame lug bolt nut	2	.05
Auburned	19B116S	N246	Motor base front anchor plate and frame lug bolt nut lock washer	2	.01
Avoided	16A151	*N250	Motor base rear anchor plate and frame lug bolt ($\frac{1}{2}$ ")	2	.10
Attracted	G1320	N242	Motor base rear anchor plate and frame lug bolt nut	4	.05
Auburned	19B116S	N246	Motor base rear anchor plate and frame lug bolt nut lock washer	4	.01
Availed	16C2	*N254	Motor base and frame front anchor plate (1916-17-18-19)	2	.35
Availer	20C99	N254P	Motor base and frame front anchor plate (1920-21-22-23)	2	.35
Ask	16C1	H252	Motor base and frame rear anchor plate, left (1916) only	1	.48
Aside	16C41	H256	Motor base and frame rear anchor plate, right (1916) only	1	.48
Awarded	17C24	*N258	Motor base and frame rear anchor plate (1917-18-19)	2	.40
Awarder	20C100	N258P	Motor base and frame rear anchor plate (1920-21-22-23)	2	.40
Awaked	E35060	N262	Motor base oil drain screw	1	.05
Attuned	E35061	N266	Motor base oil drain screw leather washer	1	.01
Augered	A1380	*N270	Motor base oil gauge glass 1916-17-18	1	.05
Awaked	E35060	N262	Motor base oil level screw (1919-20-21-22-23)	2	.05
Attuned	E35061	N266	Motor base oil level screw leather washer (1919-20-21-22-23)	2	.01
Sectioned	D1375	*N274	Motor base oil gauge glass reflector (1916-17-18)	1	.05
Avenued	A1390	N278	Motor base oil gauge glass cork washer (1916-17-18)	2	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Awaited	F1405	N282	Motor base oil gauge glass paper washer (1916-17-18)	1	\$.01
Awful	A1410	*N285	Motor base oil gauge glass ring nut (1916-17-18)	1	.10
Awful	16C51X	N290X	Motor base air relief tube 1916-17	1	.60
Awful	18B16X	*N290KX	Motor base air relief tube with elbow complete (1918)	1	1.00
Awful	18B38X	N290MX	Motor base air relief tube complete (1919)	1	1.00
Awful	20B421X	N290PX	Motor base air relief tube complete (1920-21-22-23)	1	1.00
Azure	16A174	*N294	Motor base air relief tube sleeve (1916-17-18-19)	1	.15
Azure	16A172	*N295	Motor base air relief tube nipple (1916-17-18-19)	1	.45
Awayed	16A173	*N302	Motor base air relief tube union nut (1916-17-18-19)	1	.15
Acclaim	20B432	N293P	Motor base air relief tube gasket (1920-21-22-23)	1	.02
Acclaim	16A311	N294P	Motor base air relief tube screw (1920-21-22-23)	2	.04
Candle	19B113S	N736	Motor base air relief tube screw lock washer (1920-21-22)	2	.01
Adapted	G1495	N306	Motor base front cylinder oil scoop, right (1916-17-18-19)	1	.10
Adhered	G1500	N310	Motor base front cylinder oil scoop, left (1916-17-18-19)	1	.10
Adjoin	E1505	N314	Motor base front cylinder oil scoop rivet, (long) (1916-17-18-19)	2	.01
Adjudget	E1510	N318	Motor base front cylinder oil scoop rivet, (short) (1916-17-18-19)	2	.01
Adjusted	16B13	*N322	Motor base compression release valve gear	1	1.50
Admitted	16A5	*N324	Motor base compression release valve gear bushing	1	.50
Adorned	16A3	N326	Motor base and magneto pinion intermediate gear	1	1.25
Advented	16A53	N330	Motor base and magneto pinion intermediate gear bushing	1	.40

CYLINDER AND PISTON GROUP
1916-17-18-19-20-21-22-23

Adapt	16E6X	H370X	Cylinder rear (1916)	1	18.00
Affair	17E12X	N370X	Cylinder front (1917)	1	18.00
Affair	17E12X	N370KX	Cylinder front (1918-19)	1	18.00
Affair	16E22X	N370P	Cylinder front (1920-21-22-23)	1	18.00
Affair	17E37X	N370NP	Cylinder front	1	18.00

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Adapted	16E7X	H374X	Cylinder front (1916)	1	\$18.00
Adapted	17E13X	N374X	Cylinder rear (1917)	1	18.00
Adapted	17E13X	N374KX	Cylinder rear (1918-19)	1	18.00
Adapted	17E19X	N374P	Cylinder rear (1920-21-22-23)	1	18.00
Adapted	17E19X	N374NP	Cylinder rear	1	18.00
Adapted	17E19X	W374KX	Cylinder Power plus single	1	18.00
Adapted	18A19	N376K	Cylinder head plug (1918-19-20-21-22-23)	2	.25
Adapted	18A140	*N378	Cylinder stud (17-24)	8	.05
Adapted	17A280	W378	Cylinder stud Power plus single	8	.15
Adapted	16A61	*N382	Cylinder stud nut (17-24)	8	.08
Adapted	19B115S	N1990	Cylinder stud nut lock washer	7	.01
Adapted	16B59	*N386	Cylinder seat gasket	2	.02
Adapted	16A21	N390	Cylinder carburetor tube nipple (1916-17-18-19)	2	.30
Adapted	16A364	N390P	Cylinder carburetor tube nipple (1920-21-22-23)	2	.30
Adapted	17A70	N394	Cylinder exhaust tube nipple (1916-17-18-19)	2	.40
Adapted	20B460	N394P	Cylinder exhaust tube nipple (1920-21-22-23)	2	.40
Adapted	16A367	N394NP	Cylinder exhaust tube nipple (1919 NP)	2	.30
Adapted	J2246X	N398X	Cylinder exhaust tube rear with nut (1916-17) and Power plus single	1	1.25
Adapted	K2246X	*N398KX	Cylinder exhaust tube rear with nut (1918-19)	1	1.25
Adapted	20D69X	N398PX	Cylinder exhaust tube rear with nut (1920-21-22-23) and NP models	1	1.50
Adapted	J2246X	N402X	Cylinder exhaust tube front with nut (1916-17)	1	1.50
Adapted	K2246X	*N402KX	Cylinder exhaust tube front with nut (1918-19)	1	1.50
Adapted	20D68X	N402PX	Cylinder exhaust tube front with nut (1920-21-22-23) and NP models	1	2.00
Adapted	A2260	H401	Cylinder exhaust tube union nut (1916)	2	.35
Adapted	17A71	N406	Cylinder exhaust tube union nut (1917)	2	.50
Adapted	18A5	N406K	Cylinder exhaust tube union nut (1918-19)	2	.40
Adapted	20B461	N406P	Cylinder exhaust tube union nut (1920-21-22-23) and NP models	2	.40
Adapted	A2260	W406K	Cylinder exhaust tube union nut, Power plus single	1	.35
Adapted	16A19	*N410	Cylinder inlet valve hole plug (1916-17-18-19)	2	.75
Adapted	16A370	N410P	Cylinder inlet valve hole plug (1920-21-22-23)	2	.80
Adapted	17A141	*N414	Cylinder exhaust valve hole plug (1916-17-18-19)	2	.65
Adapted	16A369	N414P	Cylinder exhaust valve hole plug (1920-21-22-23)	2	.75

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

INDIAN MOTORCYCLE PARTS LIST

15

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Based	16A1	*N418	Cylinder valve hole plug gasket (1916-17-18-19)	4	\$.05
Based	16A308	N418P	Cylinder valve hole plug gasket (1920-21-22-23)	4	.05
Based	16C25	H410	Piston (1916)	2	3.00
Based	17C20	*N422	Piston (1917-18-19-20-21-22-23)	2	2.50
Based	17C103	N422NP	Piston	2	2.50
Based	20C149	N424	Piston ring	6	.30
Based	A2090	N424NP	Piston ring	6	.30
Based	16A141	*N428	Piston crosshead pin	2	.45
Based	17A367	N428NP	Piston crosshead pin	2	.45
Based	16A140	N432	Piston crosshead pin dowel pin	2	.05

NOTE:—Pistons can be furnished oversize as follows: .005—.010—.015—.020—.031

Piston rings furnished oversize as follows: .015 and .031

Piston crosshead pins furnished oversize as follows: .005 and .010

INTAKE AND EXHAUST VALVE GROUP

1916-17-18-19-20-21-22-23

Based	16B5	*N450	Intake and exhaust valve (1916-17-18-19)	4	2.00
Based	20B416	N450P	Intake valve (1920-21)	2	2.00
Based	20B956	N450R	Intake valve (1922-23)	2	2.00
Based	20B417	N451P	Exhaust valve (1920-21-22-23)	2	2.25
Based	16A192	*N458	Intake and exhaust valve spring	4	.15
Based	16A379	N458NP	Intake and exhaust valve spring (1919 NP)	4	.30
Based	20B489	N459NP	Intake and exhaust valve spring (1920 NP-1921NP-22NP-23NP)	4	.15
Based	16A50	N462	Intake and exhaust valve spring collar	4	.10
Based	20B978	N462R	Intake and exhaust valve spring collar (1922-23)	4	.10
Based	16A51	N466	Intake and exhaust valve spring collar key	8	.07
Based	16A49	N470	Intake and exhaust valve perforated sleeve (1916-17-18-19)	4	.15
Based	20B418	N470P	Intake and exhaust valve perforated sleeve (1920-21-22-23)	4	.15
Based	16A59	N474	Intake and exhaust valve upper dust cover sleeve	4	.20
Based	16A60	*N478	Intake and exhaust valve lower dust cover sleeve	4	.45
Based	16B11X	*N482X	Intake and exhaust cam	1	3.50
Based	16A27	*N486	Intake and exhaust cam shaft	1	.50
Based	16A28	N490	Intake and exhaust cam shaft motor base bushing	1	.30
Based	16A29	*N494	Intake and exhaust cam shaft gear case cover bushing	1	.30

Order by Number. Give Motor Number. *Indicates part is illustrated

Code	Factory No.	Part No.	DESC. FIUN	No. Use	Price Each
Banded	16A18	*N498	Intake valve guide	2	\$.50
Band	16A57	H501	Intake valve push rod (1916)	2	.30
Benefite	17A84	*N502	Intake valve push rod (1917-18-19-20-21-22-23)	2	.30
	17A330X	N502NP	Intake valve push rod (1919NP)	2	.30
Bending	16A58	W502	Intake valve push rod, Powerplus single	1	.30
Berryed	16A55	N506	Intake valve push rod adjusting screw	2	.05
Besetting	16A375	N506NP	Intake valve push rod adjusting screw (1919NP)	2	.15
Besetted	16A56	N510	Intake valve push rod adjusting screw lock nut	2	.03
Beauty	16A64	H512	Intake valve push rod guide (1916)	2	.72
Beyonded	17A85	*N514	Intake valve push rod guide (1917-18-19-20-21-22-23)	2	.60
Beyonder	16A373	N514NP	Intake valve push rod guide (1919 NP)	2	.60
Bidding	17A284	W514	Intake valve push rod guide Power plus single	1	.60
Bidded	16A35X	N518	Intake valve lift front	1	.75
Birded	16A36X	*N522	Intake valve lift rear	1	.75
Bittered	A5291	N526	Intake valve lift hardened block	2	.05
Barbed	16A183	N530	Intake valve lift hardened block rivet	2	.01
Blanker	16A32	*N534	Intake valve lift lever front (1916-17-18-19)	1	.70
Blanket	20B414	N534P	Intake valve lift lever front (1920-21-22-23)	1	.70
Blanketed	16A33	*N538	Intake valve lift lever rear (1916-17-18-19)	1	.70
Blankes	20B415	N538P	Intake valve lift lever rear (1920-21-22-23)	1	.70
Blazed	16A34	*N542	Intake valve lift lever stud	2	.20
Bleaker	16A37	*N546	Intake valve lift lever stud motor base bushing	2	.20
Blased	16A38	N550	Intake valve lift lever stud gear case cover bushing	2	.20
Blinked	16A180	N554	Exhaust valve guide	2	.30
Blinker	16A58	H558	Exhaust valve push rod (1916)	2	.30
Blinded	17A86	*N558	Exhaust valve push rod (1917-18-19-20-21)	2	.30
			Exhaust valve push rod (1922-23)	2	.30
Blindage	17A331X	N558NP	Exhaust valve push rod (1919NP)	2	.30
Blinding	17A281	W558	Exhaust valve push rod Power plus single	1	.30
Blinded	16A55	N506	Exhaust valve push rod adjusting screw	2	.05
Besetting	16A375	N506NP	Exhaust valve push rod adjusting screw (1919NP)	2	.15
Besetted	16A56	N510	Exhaust valve push rod adjusting screw lock nut	2	.03
Blondie	16A63	H561	Exhaust valve push rod guide (1916)	2	.72
Blotted	17A87	*N562	Exhaust valve push rod guide (1917-18-19-20-21-22-23)	2	.60

Order by Number. Give Motor Number. *Indicates part is illustrated

	Factory No.	Part No.	DESCRIPTION	No. Use	Price Each
Blotter	16A374	N562NP	Exhaust valve push rod guide (1919NP)	2	\$.60
Blotting	17A282	W562	Exhaust valve push rod guide Power plus single	1	.60
Blot	16B3X	*N566X	Exhaust valve lift front (1916-17-18-19)	1	1.00
Blot	20B432X	N566PX	Exhaust valve lift front (1920-21-22-23)	1	1.00
Blot	16B4X	*N570X	Exhaust valve lift rear (1916-17-18-19)	1	1.00
Blot	20B433X	N570PX	Exhaust valve lift rear (1920-21-22-23)	1	1.00
Blotting	A5060	N574	Exhaust valve lift roller	2	.12
Blot	A5070X	N578X	Exhaust valve lift roller rivet	2	.03
Blot	16A34	*N542	Exhaust valve lift stud	2	.20
Blot	16A37	N546	Exhaust valve lift stud motor base bushing	2	.20
Blotted	16A38	N550	Exhaust valve lift stud gear case cover bushing	2	.20
Banded	16B9X	*N582	Exhaust valve relief pinion shaft	1	.75
Bangled	16A67	N586	Exhaust valve relief pinion shaft motor base bushing	1	.20
Booted	16A7	*N590	Exhaust valve relief pinion shaft gear case cover bushing	1	.20
Borrowed	16A179	N594	Exhaust valve relief pinion shaft felt washer	1	.03
Bossed	16A8	N600	Exhaust valve relief pinion shaft sleeve	1	.10
Bounded	A5250	N604	Exhaust valve relief pinion shaft lever (1916-17)	1	.45
Bossing	18A27	N604K	Exhaust valve relief pinion shaft lever (1918-19)	1	.45
Bosses	20B474	N604P	Exhaust valve relief pinion shaft lever (1920-21-22-23)	1	.45
Brinked	A1250	N608	Exhaust valve relief pinion shaft lever nut (1916-17-18-19)	1	.03
Botted	A28160	N2252	Exhaust valve relief pinion shaft lever nut (1920-21-22-23)	1	.03
Browed	A3230	N614	Exhaust valve relief pinion shaft lever nut cotter pin	1	.01
Bucketed	16A30	*N616	Exhaust valve relief cam	1	.60
Bucketter	16A397	N616NP	Exhaust valve relief cam (1919 NP)	1	.60
Bodded	16A31	*N620	Exhaust valve relief cam bushing	1	.25
Boddes	20B490X	N622PX	Exhaust valve relief rod and knob (1920-21-22-23)	1	.75
Boman	19B84	N623	Exhaust valve relief rod knob (1920-21-22-23)	1	.25
Buider	19B96	N624P	Exhaust valve relief rod spring (1920-21-22-23)	1	.04
Bromed	A3230	N614	Exhaust valve relief rod cotter pin (1920-21-22-23)	1	.01
Bossled	C19900	N2292	Exhaust valve relief rod clevis (1920-21-22-23)	1	.22
Battered	A26190	N2294	Exhaust valve relief rod clevis pin (1920-21-22-23)	1	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	Qts. Used	Price Each
Browed	A3230	N614	Exhaust valve relief rod clevis pin cotter pin (1920-21-22-23)	1	\$.01
Prigiled	B3280	N2302	Exhaust valve relief rod nut (1920-21-22-23)	1	.03

SPARK PLUG GROUP

1916-17-18-19-20-21-22-23

Bugled	H13000X	N630X	Spark plug complete	2	1.00
Bulked	16A288	N634	Spark plug gasket	2	.05
Bumped	A13030	N638	Spark plug and cable clip	2	.05
	A12080	N639	Spark plug and cable clip wire connection	2	.05

COMPRESSION RELEASE GROUP

1918-1919

	18B7X	N640KX	Exhaust valve relief hand lever with knob	1	1.25
Bonding	18B7	N640K	Exhaust valve relief hand lever	1	1.00
Pulled	D19790	N2240	Exhaust valve relief hand lever knob	1	.25
Fumbled	B21520	N2244	Exhaust valve relief hand lever knob screw	1	.05
Bangling	18A17	N642K	Exhaust valve relief hand lever bracket	1	.10
Capered	A7140	N752	Exhaust valve relief hand lever bracket rivet	2	.01
Booting	C36070	N644	Exhaust valve relief hand lever pin	1	.05
Limped	B16480	N4132	Exhaust valve relief hand lever pin cotter pin	1	.01
Brinking	18A30	N648K	Exhaust valve relief hand lever spring	1	.03
Budding	18A28	N650K	Exhaust valve relief hand lever rod	1	.20
Browed	A3230	N614	Exhaust valve relief hand lever rod cotter pin	1	.01
Childed	A8070	N820	Exhaust valve relief hand lever rod clevis	1	.20
Chimed	A8080	N824	Exhaust valve relief hand lever rod clevis screw	1	.05
Browed	A3230	N614	Exhaust valve relief hand lever rod clevis screw cotter pin	1	.01
Aliaged	A1210	N202	Exhaust valve relief hand lever rod clevis screw nut	1	.03
Bossing	18A27	N604K	Exhaust valve relief pinion shaft lever	1	.45

MUFFLER GROUP
1916-17-18-19-20-21-22-23

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Blink	J7026X	PH704X	Muffler complete (1916-F)	1	\$5.00
Blind	J7027X	GH704X	Muffler complete (1916-G)	1	8.00
Burned	J7026X	N700X	Muffler complete (1917)	1	5.00
Burning	K7026X	N700KX	Muffler complete (1918-19)	1	5.00
Cadeting	E7015X	W700RX	Muffler complete, Power plus single	1	5.00
Cadeted	20E69X	N700PX	Muffler complete (1920-21-22-23 and NP models)	1	6.50
Blond	G7055X	PH700X	Muffler front head (1916-F)	1	3.30
Bloom	16D15X	GH700X	Muffler front head (1916-G)	1	6.00
Buried	J7055X	N704X	Muffler front head (1917)	1	2.75
Burying	18C2X	*N704KX	Muffler front head (1918-1919)	1	2.75
Carvoting	C7035X	W704KX	Muffler front head, Power plus single	1	2.75
Carvter	20C127X	N704PX	Muffler front head (1920-21-22-23 and NP models)	1	3.50
Cag	18H20	*N706K	Muffler front head shell stop (1918-19)	1	.15
Bushed	17H74	N708	Muffler front head clip (1916-F) and (1917) and power plus single	1	.25
Blow	G7062	GH708	Muffler front head clip (1916-G) and (1919 NP)	1	.30
Bushing	18B9	*N706K	Muffler front head clip (1918-19)	1	.25
Busher	20B481	N708P	Muffler front head clip (1920-21-22-23)	1	.30
Cag	A7070	N712	Muffler front head clip rivet (1916-17-18-19)	4	.01
Cager	B7075	N712P	Muffler front head clip rivet (1920-21-22-23)	4	.01
Candied	17A178	N716	Muffler front head clip rivet washer (1917-18-19)	1	.02
Blur	G7082	GH719	Muffler shell (1916-G)	1	.75
Cadded	G7086	N720	Muffler shell (1916-F) and (1917)	1	.75
Cadding	18C19	*N720K	Muffler shell (1918-19)	1	.75
Cadder	E7086	W720K	Muffler shell, power plus single	1	.90
Bluser	20C219	N720P	Muffler shell (1920-21-22-23)	1	.75
Bluser	20C219	N720NP	Muffler shell (1919 NP)	1	.75
Blush	G7095X1	H723X1	Muffler rear head complete (1916) and (1919 NP)	1	1.80
Cadent	J7095X1	N724X1	Muffler rear head complete (1917) and power plus single	1	1.50
Carvorter	18C18X1	N724KX1	Muffler rear head complete (1918-19)	1	1.50
Candter	20C128X	N724PX1	Muffler rear head complete with tail pipes (1920-21-22-23)	1	2.25
Cal	J7095X	N724X	Muffler rear head complete with exhaust tube (1917)	1	1.25
Caning	18C18X	*N724KX	Muffler rear head complete with exhaust tube (1918-19)	1	1.25
Callowed	G7095	N724	Muffler rear head (1916-17) and power plus single	1	.25


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blank which will be furnished on application

Code	Pa. No.	Part No.	DESCRIPTION	No. Used	Price Each
Callowing	18C18	N724K	Muffler rear head (1918-19)	1	\$.25
Callower	20C157	N724P	Muffler rear head (1920-21-22-23)	1	.50
Call	16C42	GH727	Muffler rear head clip (1916-G)	1	.24
	16H61	N728	Muffler rear head clip (1916-F, 1917-20) power plus single (21-22-23)	1	.20
Callant	18B10	N728K	Muffler rear head clip (1918-19)	1	.20
Called	D33500	N732	Muffler rear head clip screw	2	.08
Canfled	19B1138	N736	Muffler rear head clip screw lock washer	2	.01
Canaryed	G7125X	N740X	Muffler rear head cutout disc with lever (1916-17) power plus single	1	.50
Canaring	18A36X	N740KX	Muffler rear head cutout disc with lever (1918-19)	1	.50
Chanted	G7125	N740	Muffler rear head cutout disc (1916-17) and power plus single	1	.40
Chanting	18A36	*N740K	Muffler rear head cutout disc (1918-19)	1	.40
Bout	A7130	H743	Muffler rear head cutout disc center (1916) and power plus single	1	.18
Chaired	17A68	*N744	Muffler rear head cutout disc center (1917-18-19)	1	.15
Caned	17A69	*N748	Muffler rear head cutout disc center washer (1917-18-19)	1	.02
Capered	A7140	N752	Muffler rear head cutout disc center rivet	2	.01
Capereding	B7156	N754	Muffler rear head cutout lever (1916-17) and power plus single	1	.15
Capering	18B8	*N754K	Muffler rear head cutout lever (1918-19)	1	.20
Capered	A7140	N752	Muffler rear head cutout lever rivet (1916-17)	1	.01
Cansing	P35810	N758K	Muffler rear head cutout lever rivet (1918-19)	1	.01
Capped	E7175	N760	Muffler center bolt (1916-17-20-21-22-23)	1	.15
Capping	18A35	*N760K	Muffler center bolt (1918-19)	1	.15
Allowed	P1230	N210	Muffler center bolt nut	1	.03
Allowed	P1230	N210	Muffler center bolt nut lock nut	1	.03
Allured	19B1148	N214	Muffler center bolt nut washer	1	.01
Bad	P7209	H763	Muffler exhaust tube (1916) and power plus single	1	1.20
Cellaried	17C34	N764	Muffler exhaust tube (1917)	1	1.00
Cellaring	18C20	*N764K	Muffler exhaust tube (1918-19)	1	1.00
Cellared	17C34	N764	Muffler exhaust tube (1920-21-22-23)	2	1.00

SPEED LEVER AND THROTTLE CONTROL GROUP
1916-17

Celleb	B8000	H800	Speed and throttle control lever (1916)	2	1.00
Celled	17B6	*N800X	Speed and throttle control lever (1917)	2	1.50
Celleding	D8030X	H801X	Speed and throttle control lever frame stud (1916)	2	.30

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blank which will be furnished on application



Part No.	Part No.	Description	No. Used	Price Each
Collage	B8031	Speed and throttle control lever frame stud pin (1916)	2	\$.01
Collage	B8032	Speed and throttle control lever frame stud stop pin (1916)	2	.01
Collage	B8031	Speed and throttle control lever frame stud lock pin (1916)	2	.01
Canted	17A1	Speed and throttle control lever stop pin (1917)	2	.01
Canted	17A72	Speed and throttle control lever shaft (1917)	1	.30
Canted	17A6	Speed and throttle control lever lock screw (1917)	2	.05
Canted	D8060	Speed control lever upper rod (1916)	1	.24
Canted	17A216	Speed control lever upper rod (1917)	1	.30
Canted	A8070	Speed control lever upper rod clevis (1916-17)	1	.20
Canted	A8080	Speed control lever upper rod clevis screw (1916-17)	1	.05
Browed	A3230	Speed control lever upper rod screw cotter pin (1916-17)	1	.01
Alleged	A1210	Speed control lever upper rod clevis nut (1916-17)	1	.03
Browed	A3230	Speed control lever upper rod cotter pin (1916-17)	1	.01
Canted	A8110	Speed control lever upper rod and frame lever (1916-17)	1	.50
Prinked	A1250	Speed control lever upper rod and frame lever nut (1916-17)	1	.03
Canted	16C48	Speed control lever lower rod (1916-17)	1	.25
Canted	A8160	Speed control lever lower rod clevis (1916-17)	1	.20
Alleged	A1210	Speed control lever lower rod clevis nut (1916-17)	1	.03
Canted	D8170	Speed control lever lower rod socket (1916-17)	1	.40
Canted	A8180	Speed control lever lower rod socket pin (1916-17)	1	.02
Canted	F8200	Speed control lever frame shaft (1916-17)	1	.30
Canted	A8210	Speed control lever frame shaft mag-neto advance lever (1916-17)	1	.50
Prinked	A1250	Speed control lever frame shaft advance lever nut (1916-17)	1	.03
Canted	F8205	Speed control lever frame shaft mag-neto advance lever tension spring (1916-17)	1	.02
Canted	16A191X	Speed control lever frame shaft mag-neto advance rod (1916-17)	1	.20

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Browed	A3230	N614	Speed control lever frame shaft magneto advance rod cotter pin (1916-17)	1	.01
Certam	A8230	*N864	Speed control lever frame shaft magneto advance rod spring (1916-17)	1	.15
Alleged	A1210	N202	Speed control lever magneto advance rod spring adjusting nut (1916-17)	1	.03
Alleged	A1210	N202	Speed control lever magneto advance rod spring adjusting nut lock nut (1916-17)	1	.03
Certameu	A9010	H579	Throttle control lever rod (1916)	1	.25
Certamer	17A217	*N880	Throttle control lever rod (1917)	1	.30
Cementing	A8070	N820	Throttle control lever rod clevis (1916-17)	1	.20
Cemer	A8080	N824	Throttle control lever rod clevis screw (1916-17)	1	.05
Browed	A3230	N614	Throttle control lever rod clevis screw cotter pin (1916-17)	1	.01
Alleged	A1210	N202	Throttle control lever rod clevis nut (1916-17)	1	.03
Browed	A3230	N614	Throttle control lever rod cotter pin (1916-17)	1	.01
Certaming	A9020	*N884	Throttle control frame shaft lever (1916-17)	1	.50
Certape	16A190	H887	Throttle control carburetor rod (1916)	1	.35
Certaped	17A218	*N888	Throttle control carburetor rod (1917)	1	.45
Cert	A8160	N836	Throttle control carburetor rod clevis (1916-17)	1	.20
Alleged	A1210	N202	Throttle control carburetor rod clevis nut (1916-17)	1	.03
Browed	A3230	N614	Throttle control carburetor rod cotter pin (1916-17)	1	.01


MAGNETO AND THROTTLE GRIP CONTROL GROUP 1918-19-20-21-22-23

Chaffir	18A48	N802K	Magneto and throttle control cable (1918)	2	.15
Charteding	18A222	N802M	Magneto and throttle control wire 53" long (1919)	2	.15
Charter	20B447	N802P	Magneto and throttle control wire 52 1/2" long (1920-21-22)	2	.15
Charten	23B91	N802S	Magneto and throttle control wire 53 1/2" long (1923)	2	.15
Cheering	18A24X	N810K	Control cable upper spiral block	2	.40
Checking	18A72	N814K	Control cable upper spiral block screw	2	.02
Chessing	18A47	N818K	Magneto control cable casing (1918)	1	.50
Childing	18A49	N822K	Throttle control cable casing (1918)	1	.50
Childeding	18A223	N818M	Magneto and throttle control casing 49" long (1919)	2	.50

Order by Number. Give Motor Number. *Indicates part is illustrated
See order blanks which will be furnished on application

Code	Factor No.	Part No.	DESCRIPTION	No. Used	Price Each
Chimer	20B446	N818P	Magneto and throttle control casing 48 1/2" long (1920-21-22)	2	.50
Chimera	23B92	N818S	Magneto and throttle control casing 49 1/2" long (1923)	2	.50
Chiming	18A23X	N826K	Grip control cable casing upper stop with pins (1918-19)	2	.15
Chirper	20B392X	N826P	Grip control cable casing upper stop with pins (1920-21-22-23)	2	.15
Chirping	18A37	N830K	Grip control cable casing upper stop pin	4	.03
Choking	18C25	N838K	Grip control cable casing bracket (Schubler)	1	.35
Cymbaled	A13010	N1332	Grip control casing lower bracket gasket	1	.05
Circusing	18C48X	W838KX	Grip control cable casing bracket (Schubler) Power plus single	1	.35
Choosing	18A74	N842K	Grip control cable casing bracket clip	2	.05
Chopping	A6020	N846K	Grip control cable casing bracket clip screw (1918-19)	4	.01
Chucker	B8257	N846P	Grip control cable casing bracket clip screw (1920-21-22-23)	4	.01
Chueiding	18A75	N850K	Grip control cable casing carburetor and magneto clevis (1918-19)	2	.40
Chumper	20B404	N850P	Grip control cable casing carburetor and magneto clevis (1920-21-22)	2	.50
Chumpen	23B76	N850S	Grip control casing sleeve (1923)	2	.15
Chumping	18A76	N854K	Grip control cable casing carburetor and magneto clevis pin (1918-19)	2	.03
Posterod	A26190	N2294	Grip control cable casing carburetor and magneto clevis pin (1920-21-22)	2	.05
Chunker	23B77	N854S	Grip control casing sleeve stud (1923)	2	.10
Browed	A3230	N614	Grip control cable casing carburetor and magneto clevis pin cotter pin	2	.01
	C13725		Grip control casing sleeve stud cotter pin (1923)	2	.01
Cirding	D34370	N862K	Grip control cable casing carburetor and mag. clevis and sleeve binding screw	2	.01
Chunking	18B19	N858K	Grip control cable casing handle bar clip (1918-19)	2	.05
Cirding	D34370	N862K	Grip control cable casing handle bar clip screw (1918-19)	2	.01
Civiling	19B111S	N863K	Grip control cable casing handle bar clip screw lock washer (1918-19)	2	.01
Curred	A6210	N1298	Grip control cable casing handle bar clip screw nut (1920-21-22)	2	.03
Chopping	A6020	N846K	Grip control cable casing handle bar clip binding screw (1918-19)	3	.01
Clading	A6150	N870K	Grip control cable casing handle bar clip binding screw nut (1918-19)	3	.01
Clanking	19B110S	N872K	Grip control cable casing handle bar clip binding screw nut lock washer (1918-19)	3	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
See order blanks which will be furnished on application



Code	Part N	Part Nr	DESCRIPTION	No. Used	Price Each
Clattered	20	N87	Grip control wire casing stop (1920-21-22-23)	2	\$.05
Clatterer	A6230	N875P	Grip control wire casing stop clip screw (1920-21-22-23)	1	.01
Control	A6210	N1298	Grip control wire casing stop clip screw nut (1920-21-22-23)	1	.02
Cliling	19B1118	N863K	Grip control wire casing stop clip screw nut lock washer (1920-21-22-23)	2	.01
Clattering	18A88	N874K	Grip control cable casing frame clip	2	.03
	A10470	N4026	Grip control cable casing frame clip screw	1	.03
Hooked	19B1125	N2808	Grip control cable casing frame clip screw lock washer	2	.01
Claying	18A26	N882K	Grip con. magneto advance lever swivel	1	.15
Cleaning	A29350	N886K	Grip control magneto advance lever swivel washer	1	.02
Cleaner	20B400	N888P	Grip con. casing cover (1920-21-22-23)	2	.40

SCHEBLER CARBURETOR GROUP

1916-17-18-19-20-21-22-23

Coarsed		N1000X1	Carburetor complete with manifold and tubes and nuts (1916-17-18-19)	1	15.00
Coarser	20Q351X1	N1000PX1	Carburetor complete with manifold and tubes and nuts (1920-21-22-23)	1	15.00
	22Q366X1	N1000NPX1	Carburetor complete with manifold tubes and nuts (NP model)	1	15.00
Humane	20Q351X	N1000PX	Carburetor complete less manifold (1920-21-22-23)	1	13.50
	22Q366X	N1000NPX	Car. complete less manifold (NP model)	1	13.50
Coated		N1004	Body complete (1916-17-18-19)	1	10.00
Coasting		N1004P	Body complete (1920-21-22-23)	1	10.00
Coated		N1008	Bowl complete (1916-17-18-19)	1	5.00
Costriding		N1008P	Bowl complete (1920-21-22-23)	1	5.00
Coaxed	A	N1012	Leather air valve disc (1916-17-18-19)	1	.40
Coaxeding		N1012P	Leather air valve disc (1920-21-22-23)	1	.10
Cobbed	B	N1016	Bowl casting (1916-17-18-19)	1	4.00
Cobbing		N1016P	Bowl casting (1920-21-22-23)	1	4.00
Cobbed	C	N1020	Body casting (1916-17-18-19)	1	6.00
Cobbling		N1020P	Body casting (1920-21-22-23)	1	6.00
Clided	D	N1024	Spray nozzle (1916-17-18-19)	1	.15
Chiding		N1024P	Spray nozzle (1920-21-22-23)	1	.15
Coined	E	N1028	Needle valve (1916-17-18-19)	1	.20
Coineding		N1028P	Needle valve (1920-21-22-23)	1	.20
Coked	F	N1032	Cork disc	1	.50
Colded	G	N1036	Gasoline union parts R and S	1	.20
Colened	H	N1040	Float valve	1	.20
Colonyed	I	N1044	Needle valve adjusting knurl	1	.20
Combed	J	N1048	Float lever	1	.20
Comaed	KM	N1052	Throttle disc (1916-17-18-19)	1	.05
Comading		N1052P	Throttle disc (1920-21-22-23)	1	.05
Combatted	LM	N1056	Low speed adj. screw (1916-17-18-19)	1	.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Combating		N1056P	Low speed adj. screw (1920-21-22-23)	1	.10
Comedyed	MM	N1060	Air valve starting stem complete	1	.50
Cometed	N	N1064	Cork gasket for bowl (1916-17-18-19)	1	.02
Cometing		N1064P	Cork gasket for bowl (1920-21-22-23)	1	.02
Comelyed	O	N1068	Air valve spring (1916-17-18-19)	1	.05
Comeling		N1068P	Air valve spring (1920-21-22-23)	1	.05
Comforted	P	N1072	Needle valve lift lever with roller (1916-17-18-19)	1	.60
Comforag		N1072P	Needle valve lift lever with roller (1920-21-22-23)	1	.60
Comice..	Q	N1076	Throttle lever	1	.30
Concerted	R	N1080	Gasoline union nut	1	.10
Confered	S	N1084	Gasoline union nipple	1	.05
Confessed	T	N1088	Needle valve spring	1	.05
Confused	U	N1092	Bowl cap	1	.20
Congeted	V	N1096	Flusher	1	.30
Consisto	W	N1100	Needle valve lift lever pin	1	.02
Conveyed	X	N1104	Needle valve guide	1	.20
Convicted	Y	N1108	Needle valve lift lever spring	1	.05
Cooked	Z	N1112	Cam complete (1916-17-18-19)	1	1.00
Cooking		N1112P	Cam complete (1920-21-22-23)	1	1.00
Cooled	1	N1116	Low speed lock screw	1	.02
Cooped	2	N1120	Air bend regular style (1916-17-18-19)	1	.50
Cooping		N1120P	Air bend regular style (1920-21-22-23)	1	.50
Coped	3	N1124	Air valve casting (1916-17-18-19)	1	1.50
Coping		N1124P	Air valve casting (1920-21-22-23)	1	1.50
Cornd	4	N1128	Float washer and screw	1	.10
Coeyed	5	N1132	Throttle lever lock nut	1	.02
Cotted	6	N1136	Float valve retainer nut	1	.03
Covered	7	N1140	Float lever screw	1	.05
Courted	8	N1144	Throttle shaft (1916-17-18-19)	1	.30
Courting		N1144P	Throttle shaft (1920-21-22-23)	1	.30
Coursed	9	N1148	Bowl lock nut (1916-17-18-19)	1	.10
Courseding		N1148P	Bowl lock nut (1920-21-22-23)	1	.10
Crabbe	10	N1152	Air valve spring retainer nut	1	.05
Crafted	11	N1156	Needle valve lock screw	1	.05
Crawled	12	N1160	Air valve adjusting screw	1	.15
Cragged	13	N1164	Lift lever pin lock screw	1	.02
Crammed	14	N1168	Friction spring	1	.05
Crashed	15	N1172	Throttle disc friction washer (1916-17-18-19)	1	.02
Craned	16	N1176	High speed auxiliary air valve	1	.10
Crayoned	17	N1180	Pivot screw for high speed auxiliary air valve	1	.10
Crazed	18	N1184	Washer for pivot screw	1	.02
Creamed	19	N1188	Lock washer for pivot screw	1	.02
Creeped	16C73	N1192	Manifold (1916-17-18-19)	1	1.75
Creepent	20Q352	N1192P	Manifold (1920-21-22-23)	1	2.00
Creeping	17C89	W1192	Manifold (curved) Power plus single	1	1.75
Creeted	D10472	N1196	Manifold clamping screws	2	.03

Order by Number. Give Motor Number. *Indicates part is illustrated

Use order blanks which will be furnished on application

	Factor No.	Part No.	DESCRIPTION	No. Used	Price Each
Fixed	22	N1200	Manifold cap screws (1916-17-18-19)	3	.10
Flowing	20Q353	N1200P	Manifold cap screws (1920-21-22-23)	3	.10
Flashed	23	N1204	Manifold gasket (1916-17-18-19)	1	.05
Flowed	20Q354	N1204P	Manifold gasket (1920-21-22-23)	1	.05
Flowing	17A278	N1208	Manifold tubes (1916-17-18-19)	2	.20
Flowing	16A366	N1208P	Manifold tubes (1920-21-22-23)	2	.20
Flowed	16A20	N1212	Manifold tube nuts (1916-17-18-19)	2	.30
Flowing	16A365	N1212P	Manifold tube nuts (1920-21-22-23)	2	.30
Flowing	26	N1216	Float lever pin bearing	1	.10
Flowing	27	N1220	Needle valve lift lever roller and pin	1	.10


GASOLINE INJECTOR GROUP

1916-17-18-19-20-21-22-23

Flowed	G13600X	H1230X	Gasoline injector complete (1916)	1	\$1.20
Flowed	J13600X	N1250X	Gasoline injector complete (1917-18-19)	1	1.25
Flowing	20B247X	N1250PX	Gas. injector complete (1920-21-22-23)	1	1.35
Flowing	G13610X	H1234X	Gasoline injector cylinder with nose and tank cap (1916)	1	.60
Flowed	J13610X	N1254X	Gasoline injector cylinder with nose and tank cap (1917-18-19)	1	.60
Flowed	C13620X	H1258X	Gasoline injector cylinder with nose (1916)	1	.24
Flowed	J13620X	N1258X	Gasoline injector cylinder with nose (1917-18-19)	1	.20
Flowed	C13620	H1258	Gasoline injector cylinder (1916)	1	.12
Flowed	17A171	N1258	Gasoline injector cylinder (1917-18-19)	1	.15
Flowing	20B249	N1258P	Gas. injector cylinder (1920-21-22-23)	1	.15
Flowed	C13630	N1262	Gasoline injector cylinder nose	1	.10
Flowed	G13640	N1266	Gasoline injector tank cap (1916-17-18-19)	1	.45
Flowing	20B246	N1266P	Gas. injector tank cap (1920-21-22-23)	1	.60
Flowing	20B244	N1267P	Gasoline injector tank cap washer (1920)	1	.03
Flowed	C13650X	N1270X	Gasoline injector plunger rod with knob	1	.20
Flowed	C13660	N1270	Gasoline injector plunger rod	1	.05
Flowed	C13670	N1274	Gasoline injector plunger rod knob	1	.05
Flowed	C13680	N1278	Gasoline injector plunger rod guide	1	.10
Flowed	C13690	N1282	Gasoline injector plunger rod spring	1	.03
Flowed	C13700	N1286	Gasoline injector plunger rod upper washer	1	.01
Flowed	C13710	N1290	Gasoline injector plunger rod leather washer	2	.01
Flowed	C13720	N1294	Gasoline injector plunger rod lower washer	1	.03
Flowed	A6210	N1298	Gasoline injector plunger rod nut	2	.03

Order by Number. Give Motor Number. *Indicates part is illustrated

Use order blanks which will be furnished on application



PRIMER GROUP

1916-17-18-19-20-21-22-23

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Curfewed	H13500X	N1300X	Primer cup complete with head plug (1916-17)	2	\$1.00
Curfewing	18A12X	N1300KX	Primer complete (1918-19-20-21-22-23)	2	.40
Curioused	H13501X	N1304X	Primer cup complete without head plug (1916-17)	2	.80
Cuttled	C13550	N1324	Primer cup gasket (1916-17)	2	.02
Cutting	18A123	N1324K	Primer gasket (1918-19-20-21-22-23)	2	.01
Cuttled	C13560X	N1328X	Primer cup head plug (1916-17)	2	.25
Cymbaled	A13010	N1332	Primer cup head plug gasket (1916-17)	2	.05

HANDLE BAR GROUP

1916-17

Craft	G14000X	H1350X	Handle bar complete (1916)	1	20.00
Cymiced	17E19X1	N1350X	Handle bar complete (1917)	1	20.00
Crag	F14020X	H1354X	Handle bar top with cross brace (1916)	1	7.80
Cypressad	17E19X	*N1354X	Handle bar top (1917)	1	7.50
Crusted	A14040	N1358	Handle bar top flexible shaft bushing (1916-17)	2	.05
Damped	G14045	N1362	Handle bar top flexible shaft bearing (1916-17)	2	.25
Craze	F14050X	H1363X1	Handle bar stem complete (1916)	1	4.50
Crawl	F14060X	H1363X	Handle bar stem with upper clamp (1916)	1	3.50
Crayon	F14063	H1363A	Handle bar stem clamping sleeve (1916)	1	.12
Craze	F14065	H1363H	Handle bar stem clamping sleeve nut (1916)	1	.06
Daubed	F14070	N1386	Handle bar stem top binder bolt (1916)	1	.15
Creep	C14080	H1364	Handle bar stem expander plug (1916)	1	.12
Crest	C14090	H1364A	Handle bar stem expander plug bolt (1916)	1	.12
Crew	F14093	H1364B	Handle bar stem expander plug bolt washer (1916)	1	.03
Crib	F14095	H1365	Handle bar stem clamp (1916)	1	.70
Crimp	D14070	H1365A	Handle bar stem clamp binder bolt (1916)	1	.10
Darked	17A4	N1366	Handle bar top sleeve (1917)	2	.15
Dandied	17B5A	*N1370	Handle bar clamp upper (1917)	2	.80
Dangered	17B5B	*N1374	Handle bar clamp lower (1917)	2	.85
Dangled	17A221	N1378	Handle bar clamp screw (reg. 1917)	2	.50
Dred	17A5	N1382	Handle bar clamp screw (electrical equip. 1917)	2	.35
Daubed	F14070	*N1386	Handle bar clamp rear screw (1917)	2	.15
Crook	A14110	H1406	Handle bar long Indian grip (1916)	2	.60
	J14110	N1393K	Handle bar long Indian grip (1917)	2	.50

Order by Number. Give Motor Number. *Indicates part is illustrated

Code	Factor No.	Part No.	DESCRIPTION	No. Used	Price Each
Dawned	17B48	*N1392	Handle bar grips (1917)	2	\$.30
Crow	A14120X	H1396	Handle bar grip control sleeve (1916)	2	.30
Dassled	17A118X	*N1396X	Handle bar grip control sleeve (1917)	2	.45
Cub	B16610	H1400	Handle bar grip control sleeve washer (1916)	2	.03
Dazed	17A115	N1400	Handle bar grip control sleeve washer (1917)	2	.05
Crowd	A14130	H1404	Handle bar grip control sleeve wooden bushing (1916)	2	.02
Deaned	17A119	*N1404	Handle bar grip control sleeve wooden bushing (1917)	2	.03
Deared	A14140	*N1408	Handle bar grip control sleeve nut (1916-17)	2	.01
Debated	A14150	*N1412	Handle bar grip control sleeve nut lock washer (1916-17)	2	.03
Debted	A14160	N1416	Handle bar grip control sleeve nut lock washer screw (1916-17)	2	.03
Crumb	A14170	H1420	Handle bar grip control sleeve spring (4 coils) (1916)	2	.03
Debated	17A120	*N1420	Handle bar grip control sleeve spring (4 coils) (1917)	2	.05
Cry	A14171	H1424	Handle bar grip control sleeve spring (3 coils) (1916)	2	.03
Decamped	17A121	N1424	Handle bar grip control sleeve spring (3 coils) (1917)	2	.05
Decayed	A14190X	*N1428X	Handle bar grip control flexible shaft complete (1916-17)	2	1.50
Decked	A14210	N1432	Handle bar grip control sleeve connection (1916-17)	2	.25
Decoyed	A14230	N1436	Handle bar grip control flexible shaft universal connection (1916-17)	2	.15
Decret	A14240	N1440	Handle bar grip control flexible shaft universal conn. taper rivet (1916-17)	2	.03
Deemed	A14250	N1448	Handle bar grip control flexible shaft milled connection (1916-17)	8	.25
Dreped	A14260	N1452	Handle bar grip control flexible shaft milled connection rivet (1916-17)	16	.01
Defeated	A14270	N1456	Handle bar grip control flexible shaft twisted link (long) (1916-17)	4	.05
Defensua	A14280	N1460	Handle bar grip control flexible shaft twisted link (short) (1916-17)	2	.05
Deferred	A14290	*N1464	Handle bar grip control upper universal connection (1916-17)	2	.15
Defined	17A74	*N1468	Handle bar grip control outer telescoping shaft (1916-17)	2	1.00
Curry	A14310	H1472	Handle bar grip control inner telescoping shaft (1916)	2	.90
Dejecter	17A75	*N1472	Handle bar grip control inner telescoping shaft (1917)	2	.85


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factor No.	Part No.	DESCRIPTION	No. Used	Price Each
Dilled	D14320	*N1476	Handle bar grip control ball for universal joint (1916-17)	4	\$.10
Deltard	D14330	*N1480	Handle bar grip control straight pin for universal joint (1916-17)	4	.03
L-D-Jed	A14340	*N1484	Handle bar grip control taper pin for universal joint (1916-17)	4	.03
Droned	17A212	N1488	Handle bar clamp spacer (1917)	2	.15

HANDLE BAR GROUP 1918-19-20-21-22-23

Cynching	18E10X1	N1350KX	Handle bar complete with controls (1918)	1	15.00
Defleding	18E25X1	N1350MX	Handle bar complete with controls (1919)	1	15.00
Defleder	23E19X	N1350PX	Handle bar complete with controls (1920-21-22-23)	1	20.00
Cypressing	18E10X	*N1354KX	Handle bar top (1918)	1	8.00
Cypresset	18E25X	N1354MX	Handle bar top (1919)	1	8.00
Cypressent	20E34X	N1354PX	Handle bar top assembled (1920-21-22)	1	14.00
Cyme	23E20X	N1354SX	Handle bar top assembled (1923)	1	14.00
Darked	17A4	N1366K	Handle bar top sleeve (1918-19)	2	.20
Dandying	18C6	*N1368K	Handle bar bracket (1918-19)	1	4.00
Dreaming	17A2	N1372K	Handle bar bracket and fork side clamping screw (1918-19)	2	.15
Wasping	E60310	N1372P	Handle bar bracket and fork side clamping screw (1920-21-22-23)	2	.10
Wesper	20B7198	N1373P	Handle bar bracket and fork side clamping screw (1920) Elec. Equip.	2	.10
Langering	18A14	*N1370K	Handle bar bracket cap (1918-19)	2	.90
Luneling	18A73	N1371K	Handle bar bracket cap for electrical equipped (1918-19)	2	.75
Daubed	F14070	*N1386	Handle bar bracket cap screw (1918-19)	4	.15
Dawned	17B48	*N1392	Handle bar grip (short) (1918-19)	2	.30
Dawneding	J14110	N1393K	Handle bar grip (long) (1918-19)	2	.50
Dawnoder	20B385	N1392P	Handle bar grip (1920-21-22-23)	2	.30
Dazzling	18A33	*N1394K	Handle bar grip rubber cap extension (1918-19)	2	.08
Dazreler	20B389	N1394P	Handle bar grip extension (1920-21-22)	2	.08
Daw	23B7	N1394S	Handle bar grip extension (1923)	2	.08
Dawning	18A34	*N1398K	Handle bar grip extension sleeve (1918-19)	2	.10
Dawner	20B390	N1398P	Handle bar grip extension sleeve (1920-21-22)	2	.10
Dawris	23B8	N1398S	Handle bar grip extension sleeve (1923)	2	.10
Dearing	18A20X	*N1402KX	Handle bar grip control sleeve (1918-19) Assembled	2	1.25
Dearer	20B386X	N1402PX	Handle bar grip control sleeve (1920-21-22) Assembled	2	1.50

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



Code	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Deaden	23B9X	N1402SX	Handle bar grip control sleeve assembled (1923)	2	1.50
Defeating	D35469	N1406K	Handle bar grip control sleeve pin (1918-19)	6	.02
Deflector	20B391	N1406P	Handle bar grip control sleeve pin (1920-21-22-23)	6	.02
Decapting	18A21	*N1410K	Handle bar grip control sleeve screw (1918-19)	2	.02
Decapent	20B387	N1410P	Handle bar grip control sleeve block screw (1920-21-22)	2	.02
Decade	23B11	N1410S	Handle bar grip control sleeve block screw (1923)	2	.02
Decayer	20B388	N1411P	Handle bar grip control sleeve block (1920-21-22)	2	.10
Decagon	23B10	N1411S	Handle bar grip control sleeve block (1923)	2	.10
Decking	18A23	N1414K	Handle bar grip control spiral	2	.70
Cherring	18A24X	*N810K	Handle bar grip control spiral block	2	.40
Decker	18A71	N1417K	Handle bar grip control spiral block pin	2	.02

HEAD FITTING GROUP 1916-17-18-19-20-21-22-23

Depressed	E15000	N1500	Head upper cup (1916-17-18)	1	.60
Depressing	18B47	N1500M	Head upper cup (1919-20-21-22-23)	1	.60
Desked	G15010	N1504	Head lower cup (1916-17-18)	1	.70
Desking	18B48	N1504M	Head lower cup (1919-20-21)	1	.70
Glimmerer	22B209	N1504R	Head lower cup (1922-23)	1	.70
Detaining	18B3	N1508K	Head adjusting cone (1916-17-18)	1	1.25
Detainer	18B49	N1508M	Head adj. cone (1919-20-21-22-23)	1	.80
Cynic	G15030	H1512	Head adjusting cone nut (1916)	1	.48
Divested	17B3	N1512	Head adjusting cone nut (1917-18-19-20-21-22-23)	1	.70
Divesting	18A221	N1514M	Head adjusting cone nut lock washer (1919-20-21-22-23)	1	.03
Devoted	G15050	N1516	Head lower fork cone (1916-17-18)	1	.55
Devoting	18B50	N1516M	Head lower fork cone (1919-20-21)	1	.55
Glimmeret	22B2	N1516R	Head lower fork cone (1922-23)	1	.55
Dejected	C18120	N1520	Head $\frac{1}{2}$ " ball (1916-17)	38	.01
			(1918-19)	39	
			(1920)	42	
			(1921)	42	
Dejected	C18120	N1520	Head upper bearing ball $\frac{1}{2}$ " (1922-23)	21	.01
Greeded	A21140S	N2498	Head lower bearing ball $\frac{1}{4}$ " (1922-23)	20	.01

Order by Number. Give Motor Number. *Indicates part is illustrated


Use order blanks which will be furnished on application


CRADLE SPRING FORK GROUP

1916-17-18-19-20-21-22-23

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Drop	H16300X	H1550X	Cradle spring fork complete (1916)	1	\$30.00
Butter	J16300X	N1550X	Cradle spring fork complete (1917)	1	35.00
Differing	18E5X2	N1550KX	Cradle spring fork complete (1918-19)	1	35.00
Differet	20E50X1	N1550PX	Cradle spring fork complete (1920-21)	1	35.00
Large	22D19X	N1550RX	Cradle spring fork complete (1922-23)	1	35.00
Dark	H16305X1	H1554X	Cradle spring fork main frame (1916)	1	16.80
Dimmed	17E8X1	*N1554X	Cradle spring fork main frame (1917)	1	18.00
Dimming	18E5X1	*N1554KX	Cradle spring fork main frame (1918-19)	1	18.00
Dimmet	20E55X1	N1554PX	Cradle spring fork main frame (1920-21)	1	18.00
Gorgeous	22C36X1	N1554RX	Cradle spring fork main frame (1922-23)	1	18.00
Dandy	G16315	H1558	Cradle spring fork stem (1916)	1	1.25
Dined	17B8	N1558	Cradle spring fork stem (1917)	1	1.25
Doeling	18B1	N1558K	Cradle spring fork stem (1918-19-20-21-22-23)	1	1.25
Danger	G16321	N1562	Cradle spring fork stem first reinforcement (1916-17)	1	.60
Dingying	18A15	N1562K	Cradle spring fork stem first reinforcement (1918-19-20-21-22-23)	1	.60
Dangle	G16322	H1566	Cradle spring fork stem 2nd reinforcement (1916)	1	.48
Dipped	17A73	N1566	Cradle spring fork stem 2nd reinforcement (1917-18-19-20-21-22-23)	1	.30
Dare	G16323	H1567	Cradle spring fork stem 3rd reinforcement (1916)	1	.24
Daub	16B34	H1568	Cradle spring fork upper crown (1916)	1	1.20
Dawn	16C28	H1569	Cradle spring fork lower crown (1916)	1	2.10
Dived	17C1	N1570	Cradle spring fork upper crown (1917)	1	1.00
Docited	17D1	N1574	Cradle spring fork lower crown (1917)	1	2.25
Diving	18D1	N1570K	Cradle spring fork crown (1918-19-20-21-22-23)	1	2.25
Dazle	16D13	H1577	Cradle spring fork, right side (1916)	1	1.50
Docked	17E2	N1578	Cradle spring fork, right side (1917)	1	2.00
Docking	18E1	N1578K	Cradle spring fork, right side (1918-19)	1	2.25
Dooker	20E48	N1578P	Cradle spring fork, right side (1920-21)	1	2.25
Extenuate	22E13	N1578R	Cradle spring fork right side (1922-23)	1	2.25
Daze	16D14	H1581	Cradle spring fork, left side (1916)	1	1.50
Dodged	17E1	N1582	Cradle spring fork, left side (1917)	1	2.00
Dodging	18E2	N1582K	Cradle spring fork, left side (1918-19)	1	2.25
Dodger	20E49	N1582P	Cradle spring fork, left side (1920-21)	1	2.25
Dterior	22E14	N1582R	Cradle spring fork left side (1922-23)	1	2.25
Doffing	18A16	N1583K	Cradle spring fork side end cap (1918-19-20-21-22-23)	2	.10
Also:	16A396	5396	Cradle spring fork side end cap pin	2	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application





	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Dean	G16370	H1585	Cradle spring fork truss rod, right (1916)	1	.60
Delled	17B6	N1586	Cradle spring fork truss rod, right (1917)	1	.90
Dell	18E3	N1586K	Cradle spring fork truss rod, right (1918-19)	1	.90
Delle	20E50	N1586P	Cradle spring fork truss rod, right (1920-21)	1	.90
Dell	22E12	N1586R	Cradle spring fork truss (1922-23)	2	.90
Dell	G16380	H1588	Cradle spring fork truss rod, left (1916)	1	.60
Dell	17E5	N1590	Cradle spring fork truss rod, left (1917)	1	.90
Dell	18E4	N1590K	Cradle spring fork truss rod, left (1918-19)	1	.90
Dell	20E51	N1590P	Cradle spring fork truss rod, left (1920-21)	1	.90
Dell	G16390	H1591	Cradle spring fork truss rod "Y" connection (1916)	1	.60
Dell	G16400	H1592	Cradle spring fork truss rod "Y" connection plate (1916)	1	.48
Dell	G16405	H1593	Cradle spring fork truss rod "Y" connection plate nut, upper (1916)	1	.24
Dell	G16410	H1594	Cradle spring fork truss rod "Y" connection plate nut, lower (1916)	1	.05
Dell	17B7	*N1594	Cradle spring fork stem and side connecting plate (1917)	1	1.75
Dell	17A2	*N1598	Cradle spring fork stem and side connecting plate screw (1917)	2	.15
Dell	22C105X1	N1620KX	Cradle spring fork springs assembled (1918-19-20-21-22-23)	1	4.50
Dell	E16415	*N1602	Cradle spring fork upper spring (1916-17) (state color)	1	.60
Dell	22C105A	*N1602K	Cradle spring fork upper spring (1918-19-20-21-22-23) (state color)	1	.60
Dell	22C105B	*N1606K	Cradle spring fork safety pin spring (1916-17-18-19-20-21-22-23) (state color)	1	.75
Dell	B16430	N1610	Cradle spring fork safety pin spring safety pin	1	.03
Dell	B16440	N1614	Cradle spring fork safety pin sleeve	1	.03
Dell	B16450	N1618	Cradle spring fork center spring (1916-17) (state color)	1	.75
Dell	22C105C	*N1618K	Cradle spring fork center spring (1918-19-20-21-22-23) (state color)	1	.75
Dell	B16460	*N1622	Cradle spring fork main spring (1916-17) (state color)	1	1.25
Dell	22C105D	*N1622K	Cradle spring fork main spring (1918-19-20-21-22-23) (state color)	1	1.25
Dell	16C44	*N1626	Cradle spring fork main spring reinforcing spring (1916-17)	1	1.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Drooping	18C30	*N1626K	Cradle spring fork main spring reinforcing spring (1918-19-20-21-22)	1	\$ 1.10
Droopy	22C105B	N1626S	Cradle spring fork main spring reinforcing spring, (1923)	1	1.10
Droopy	E16471	*N1630	Cradle spring fork main spring stud	1	.40
Droopy	D24303	N1634	Cradle spring fork main spring stud oil hole screw	1	.03
Turner	22B274	N1634R	Cradle spring fork main spring stud oil hole screw (1922-23)	1	.03
Drooping	18A136	N1635	Cradle spring fork main spring stud oil hole screw washer	1	.01
Droopy	A19040	N1638	Cradle spring fork main spring stud oil hole screw leather washer	1	.01
Droopy	A1320	N1642	Cradle spring fork main spring stud nut	2	.05
Droopy	E16485	N1646	Cradle spring fork main spring stud nut lock ring	2	.01
Droopy	C16490X	*N1650	Cradle spring fork main spring lower bumper	1	.10
Droopy	16A144	*N1654	Cradle spring fork spring plate (1916-17)	1	.25
Droopy	18A18	*N1654K	Cradle spring fork spring plate (1918-19-20-21-22-23)	1	.20
Droopy	C16532	*N1658	Cradle spring fork spring plate leather washer	1	.05
Droopy	E16550	*N1662	Cradle spring fork spring bolt (1/8") (1916-17-18-19)	4	.10
Droopy	E16550	*N1662	Cradle spring fork spring front bolt (1920-21-22-23)	2	.10
Droopy	A1230	*N210	Cradle spring fork spring bolt nut	4	.03
Droopy	19B114S	N214	Cradle spring fork spring bolt nut lock washer	4	.01
Droopy	18A122	N1663P	Cradle spring fork spring rear bolt (1920-21-22-23)	2	.08
Droopy	19A58	N211	Cradle spring fork spring rear bolt nut (1920-21-22-23)	2	.03
Droopy	19B114S	N214	Cradle spring fork spring bolt nut lock washer	4	.01
Droopy	G16560X	H1665X	Cradle spring fork bell crank (1916)	2	1.20
Droopy	17B9	*N1666	Cradle spring fork bell crank (1917-18-19)	2	1.00
Droopy	20B253X	N1666PX	Cradle spring fork bell crank with bushing assembled (1920-21)	2	1.85
Droopy	22B154X	N1666RX	Cradle spring fork bell crank with bushings assembled (1922-23)	2	1.85
Droopy	F16580X	H1669	Cradle spring fork bell crank oiler (1916)	2	.15
Droopy	A3160X	N1670X	Cradle spring fork bell crank oiler (1917-18-19)	4	.10
Droopy	20B266X	N1670PX	Cradle spring fork bell crank grease cup (1920-21-22-23)	2	.30

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Droopy	20B267	N1671P	Cradle spring fork bell crank grease cup lock wire (1920-21-22-23)	2	\$.03
Droopy	G16590	H1673	Cradle spring fork bell crank and fork side stud (1916)	2	.35
Droopy	17A7	*N1674	Cradle spring fork bell crank and fork side stud (1917)	2	.50
Droopy	18A4	*N1674K	Cradle spring fork bell crank and fork side stud (1918-19)	2	.50
Droopy	20B159	N1674P	Cradle spring fork bell crank and fork side stud (1920-21)	2	.35
Droopy	20B425	N4585P	Cradle spring fork bell crank and fork side stud (1922-23)	2	.50
Droopy	22B177	N1675R	Cradle spring fork bell crank and fork side stud mud guard brace spacing washer (1922-23)	2	.06
Droopy	20B161	N1667P	Cradle spring fork bell crank pin hole bushing (1920-21-22-23)	2	.25
Droopy	20B162	N1668P	Cradle spring fork bell crank stud bushing (1920-21-22-23)	2	.30
Droopy	B16600	*N1678	Cradle spring fork bell crank and fork side stud inside washer (1916-17-18-19)	2	.04
Droopy	20B163	N1678P	Cradle spring fork bell crank and fork side stud inside washer (1920-21-22-23)	2	.03
Droopy	A1320	N1642	Cradle spring fork bell crank and fork side stud inside nut (1916-17-18-19)	2	.05
Droopy	20B164S	N1642P	Cradle spring fork bell crank and fork side stud inside nut (1920-21-22-23)	2	.08
Droopy	E16485	N1646	Cradle spring fork bell crank and fork side stud inside nut lock ring (1916-17-18-19)	2	.01
Droopy	B16481	N1679P	Cradle spring fork bell crank and fork side stud inside nut cotter pin (1920-21-22-23)	2	.01
Droopy	B16610	N1688	Cradle spring fork bell crank and fork side stud outside washer (1916-17-18-19)	2	.03
Droopy	B16620	N1690	Cradle spring fork bell crank and fork side stud outside nut (1916-17-18-19)	2	.06
Droopy	20B165S	N1690P	Cradle spring fork bell crank and fork side stud outside nut (1920-21-22-23)	2	.10
Droopy	E16425	N1694	Cradle spring fork bell crank and fork side stud outside nut lock ring (1916-17-18-19)	2	.01
Droopy	20B238S	N1694P	Cradle spring fork bell crank and fork side stud outside nut cotter pin (1920-21-22-23)	2	.01
Droopy	G16630X	H1697	Cradle spring fork bell crank and spring connecting link (1916)	2	1.80

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Earlyed	17C102	*N1698X	Cradle spring fork bell crank and spring connecting link (1917)	2	\$ 2.50
Earlying	18C22	*N1698KX	Cradle spring fork bell crank and spring connecting link (1918-19)	2	2.50
Earlet	20C102	N1698PX	Cradle spring fork bell crank and spring connecting link (1920-21)	2	2.50
Fortrest	22C15	N1698R	Cradle spring fork bell crank and spring connecting link (1922-23)	2	2.50
Docile	E16660	H1703	Cradle spring fork bell crank and spring connecting link lower fitting pin (1916)	2	.12
Eeled	17A62	*N1704	Cradle spring fork bell crank and spring connecting link lower fitting pin (1917-18-19)	2	.15
Eeler	20B160	N1704P	Cradle spring fork bell crank and spring connecting link lower fitting pin (1920-21-22-23)	2	.15
Dock	E16665	N1707	Cradle spring fork bell crank and spring connecting link lower fitting pin lock ring (1916)	2	.01
Emb- ked	E17730	N1708	Cradle spring fork bell crank and spring connecting link lower fitting pin lock ring (1917-18-19)	2	.01
Eclipsing	B16481	N1679P	Cradle spring fork bell crank and spring connecting link lower fitting pin cotter pin (1920-21-22-23)	2	.01
Emptyed	E16680	*N1716	Cradle spring fork connecting link upper fitting stud	1	.30
Duclel	A1320	N1642	Cradle spring fork connecting link upper fitting stud nut	2	.05
Duded	E16485	N1646	Cradle spring fork connecting link upper fitting stud nut lock ring	2	.01
Encored	16A310	*N1728	Cradle spring fork connecting link upper fitting stud fibre sleeve	1	.10

FRAME GROUP 1916 RIGID

Drag	16E5X	GH1750X	Frame	1	37.00
Drama	G17510	GH1754	Frame head	1	6.00
Drain	16B1	GH1758	Frame upper top tube	1	1.50
Dray	16A4	GH1762	Frame upper top tube saddle spring lug	1	.60
Dream	16B2	GH1766	Frame lower top tube	1	1.50
Drift	16E2	GH1770	Frame lower curved tube	1	4.50
Drip	A17150	GH1774	Frame lower curved tube spark and throttle lug	1	.80
Drole	A3160X	N1670X	Frame lower curved tube spark and throttle lug oiler	1	.10


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
G17170	GH1782	Frame lower curved tube motor lug	1	\$ 1.00
A17180	GH1786	Frame lower curved tube motor lug reinforcement	2	.10
16D3	GH1790	Frame hanger bracket	1	4.80
16C6	GH1794	Frame saddle post cluster	1	2.70
16A2	GH1798	Frame upright tube	1	.90
16D3	GH1802	Frame rear stay crown	1	1.50
16C11	GH1806	Frame rear stay and fork tube	4	.60
16C5	GH1810	Frame rear fork end right	1	1.50
16C8	GH1814	Frame rear fork end left	1	1.50
16A160	N1856	Frame rear fork end chain adjusting screw	1	.05
A17350	N1860	Frame rear fork end chain adjusting screw washer	1	.05

RIGID FRAME GROUP 1917-18-19-20-21-22-23

Eded	17E30X	U1750X	Frame complete, state color, (1917)	1	45.00
E- ed	18E27X1	U1750KX	Frame complete, state color, (1918-19)	1	50.00
E- and	20E88X	U1750PX	Frame complete (1920-21-22-23)	1	50.00
E- ed	18E27X	U1751KX	Frame front section (1918-19)	1	35.00
E- ed	20E89X	U1751PX	Frame front section (1920-21-22-23)	1	35.00
E- ed	18E19X	U1752KX	Frame rear section (1918-19)	1	15.00
E- ed	20E90X	U1752PX	Frame rear section (1920-21-22-23)	1	15.00
E- ed	17D2	U1754	Frame head with lugs (1917)	1	6.50
E- ed	18D3	N1754K	Frame head lug (1918-19-20-21-22-23)	1	6.50
E- ed	17C2	U1758	Frame upper top tube	1	1.75
E- ed	17B1	U1762	Frame lower top tube	1	1.25
E- ed	17E3	U1766	Frame lower curved tube	1	4.50
E- ed	A17150	U1770	Frame lower curved tube spark and throttle lug (1917) only	1	.80
E- ed	A3160X	N1670X	Frame lower curved tube spark and throttle lug oiler (1917)	1	.10
E- ed	G17170	U1778	Frame lower curved tube motor lug	1	1.00
E- ed	A17180	U1782	Frame lower curved tube motor lug reinforcement	2	.10
E- ed	17B57	U1786	Frame lower curved tube and head lug reinforcement	1	.10
E- ed	17D6	U1790	Frame hanger lug and speed box bracket	1	7.00
E- ed	F17350	U1794	Frame upright tube	1	.90
E- ed	17D3	U1802	Saddle post cluster (1917)	1	4.00
E- ed	18D4	N1802K	Frame saddle post cluster (1918-19-20-21-22-23)	1	4.50
E- ed	17A262	U1803	Saddle post cluster cap	1	.15
E- ed	17B84	U1796	Saddle post cluster and rear stay crown bracket	1	2.00

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Factor, No.	Part No.	DESCRIPTION	No. Used	Price Each
Ephored	17B37	U1797	Saddle post cluster and spring bracket tube	1	\$.50
Estated	17A253	U1792	Saddle post cluster and rear fork crown bolt	1	.15
Attracted	G1320	N242	Saddle post cluster and rear fork crown bolt nut	2	.05
Auburned	19B116S	N246	Saddle post cluster and rear fork crown bolt lock washer	2	.01
Evented	17D19	U1814	Frame rear stay crown	1	3.00
Evoked	16C38	U1818	Frame rear stay tube	2	.90
Evolved	P17565	U1822	Frame rear fork crown	1	1.50
Exacted	P17570	N1820	Frame rear fork crown bushing	2	.50
Exalted	E17572	N1824	Frame rear fork crown bushing dowel	2	.02
Exceeded	E17575	N1828	Frame rear fork crown hinge pin	1	1.00
Excited	16C38	U1818	Frame rear fork crown side	2	.75
Exempted	17D17	U1848	Frame rear fork end, right (1917-18-19)	1	1.50
Contest	20D102	U1848P	Frame rear fork end, right (1920-21- 22-23)	1	2.00
Exerted	17D18	U1852	Frame rear fork end, left (1917-18-19)	1	1.50
Consult	20D103	U1852P	Frame rear fork end left (1920-21- 22-23)	1	2.00
Exhaled	16A160	N1856	Frame rear fork end chain adjusting screw	2	.05
Explored	A17350	N1860	Frame rear fork end chain adjusting screw washer	2	.05

SPRING FRAME GROUP

1916-17-18-19-20-21-22-23

Eager	H17500X	PH1750X	Frame front section (1916)	1	35.00
Exposed	17E11X	N1750X	Frame front section (1917)	1	35.00
Exposing	18E7X	N1750KX	Frame front section (1918-19)	1	35.00
Exposer	20E43X	N1750PX	Frame front section (1920-21)	1	35.00
Unkept	22E29X	N1750RX	Frame front section (1922-23)	1	35.00
Easy	G17510X	PH1754	Frame head with lugs (1916)	1	6.00
Extorted	17D2	N1754	Frame head with lugs (1917)	1	6.50
Extorting	18D3	N1754K	Frame head with lugs (1918-19-20- 21-22-23)	1	6.90
Earth	G17515	PH1758	Frame upper top tube (1916)	1	1.50
Eviled	17C2	*N1758	Frame upper top tube (1917-18-19-20- 21-22-23)	1	1.75
Exiling	17B94	N1760	Frame upper top tube saddle lug (1917-18-19-20-21-22-23)	1	1.00
Earn	P17125	PH1762	Frame lower top tube (1916)	1	.90
Existed	17B1	*N1762	Frame lower top tube (1917-18-19-20- 21-22-23)	1	1.25
East	A17130A	PH1763	Frame lower top tube front lug (1916)	1	.24
Eat	P17130B	PH1764	Frame lower top tube front lug rein- forcement (1916)	1	.12
Ebb	G17145	PH1766	Frame lower curved tube (1916)	1	4.50


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Expanded	17E3	*N1766	Frame lower curved tube (1917-18-19-20-21-22-23)	1	\$ 4.50
Extracted	A17150	*N1770	Frame lower curved tube spark and throttle lug (1916-17)	1	.80
Expelled	A3160X	N1670	Frame lower curved tube spark and throttle lug oiler (1916-17)	1	.10
Expired	G17170	*N1778	Frame lower curved tube motor lug	1	1.00
Explained	A17180	N1782	Frame lower curved tube motor lug reinforcement	2	.10
Exploded	17B57	N1786	Frame curved tube and head lug reinforcement (1917-18-19-20-21-22-23)	1	.10
Exulted	17D6	N1790	Frame hanger lug and speed box bracket (1917-18-19)	1	7.50
Exulter	20D45	N1790P	Frame hanger lug and speed box bracket (1920-21-22-23)	1	7.50
Examined	F17550	N1794	Frame upright tube	1	.90
Ear	16D1	PH1795	Frame hanger bracket (1916)	1	5.00
Evened	17B37	N1798	Frame saddle post cluster and spring bracket tube (1917-18-19-20-21-22-23)	1	.50
Evidenced	17D5	N1802	Frame saddle post cluster (1917)	1	4.00
Eventing	18D4	N1802K	Frame saddle post cluster (1918-19-20-21-22-23)	1	4.50
Evaded	P17535B	N1804	Frame saddle post cluster spring bracket	1	3.50
Unkind	21D36	N1804R	Frame saddle post cluster spring bracket (1922-23)	1	3.50
El'ed	P17535C	N1808	Frame saddle post cluster upper crown	1	1.25
W'ch	22D37	N1808R	Frame saddle post cluster rear crown (1922-23)	1	1.25
Pahled	H17565X	*N1812X	Frame rear fork crown with sides and ends (1916-17-18-19)	1	10.00
Fabler	20D62X	N1812PX	Frame rear fork crown with sides and ends (1920-21-22-23)	1	10.00
Paced	16C110	N1816	Frame rear fork crown (1916-17-18-19)	1	2.50
Pacer	20C103	N1816P	Frame rear fork crown (1920-21-22-23)	1	2.75
F'ced	P17570	*N1820	Frame rear fork crown bushing (1916-17-18-19)	2	.50
Padder	20B443	N1820P	Frame rear fork crown bushing (1920-21-22-23)	2	.50
Fagoted	E17572	N1824	Frame rear fork crown bushing dowel (1916-17-18-19)	2	.02
Fagoter	P18053	N1825P	Frame rear fork crown bushing set screw (1920-21-22-23)	2	.05
Candled	19B1136	N736	Frame rear fork crown bushing set screw lock washer (1920-21-22-23)	2	.01
Failed	E17573	*N1828	Frame rear fork crown hinge pin (1916-17-18-19)	1	1.00
Failer	20B442	N1828P	Frame rear fork crown hinge pin (1920-21-22-23)	1	1.25

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Fainted	16A178	N1832	Frame rear fork crown hinge pin set screw (1916-17-18-19)	1	\$.06
Fainter	20B441	N1832P	Frame rear fork crown hinge pin set screw (1920-21-22-23)	1	.10
Fairer	A1320	N1642	Frame rear fork crown hinge pin set screw lock nut (1920-21-22-23)	1	.05
Faked	F17587X	N1840X	Frame rear fork crown hinge pin oiler (1916-17-18-19)	2	.12
Faker	20B264X	N1670PX	Frame rear fork crown hinge pin grease cup (1920-21-22-23)	1	.90
Falled	16C38	N1844	Frame rear fork sides (1916-17)	2	.75
Falling	18C17	N1844K	Frame rear fork sides (1918-19-20-21-22-23)	2	1.25
Falied	16C26	*N1848	Frame rear fork end (right)	1	1.50
Faltered	16C27	*N1852	Frame rear fork end (left)	1	1.50
Famined	16A160	N1856	Frame rear fork end chain adjusting screw	2	.05
Fanged	A17350	N1860	Frame rear fork end chain adjusting screw washer	2	.05
Farmed	E17604X1	N1864X1	Frame rear springs complete, (state color)	2	4.50
Farmed	E17605	*N1868	Frame rear springs top leaf, (state color)	2	.40
Fasted	E17610	*N1872	Frame rear springs 2nd leaf, (state color)	2	.45
Fatted	E17615	*N1876	Frame rear springs 3rd leaf, (state color)	2	.50
Faulted	E17620	*N1880	Frame rear springs 4th leaf, (state color)	2	.55
Finged	E17630	*N1884	Frame rear springs 5th leaf, (state color)	2	.65
Favored	E17635	*N1888	Frame rear springs main leaf, (state color)	2	1.00
Favoring	E17640	N1892	Frame rear springs main leaf stud	2	.25
Feated	E17643	N1896	Frame rear springs main leaf stud sleeve	2	.10
Feasted	D24305	N1634	Frame rear springs main leaf stud oil hole screw	2	.03
Feaster	18A136	N1635	Frame rear springs main leaf stud oil hole screw washer	2	.01
Feeded	A19040	N1638	Frame rear springs main leaf stud oil hole screw leather washer	2	.01
Dneled	A1320	N1642	Frame rear springs main leaf stud nut	2	.05
F'lied	E17650	N1912	Frame rear springs main leaf rubber bumper	2	.05
Fmoed	18A197	N1916	Frame rear springs main leaf rubber bumper clip	4	.02
Ferryed	18A200	N1920	Frame rear springs main leaf rubber bumper clip screw	4	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Washer	A6210	N1298	Frame rear springs main leaf rubber bumper clip screw nut	4	\$.03
Washer	E17670	*N1928	Frame rear springs main leaf reinforcing leaf, (state color)	2	.90
Washer	E17675	*N1932	Frame rear springs rebound leaf, (state color)	2	.65
Washer	E17680	N1936	Frame rear spring rebound leaf clip	2	.05
Washer	E17683	N1940	Frame rear spring rebound leaf clip pin	2	.01
Washer	E17690	N1944	Frame rear spring plate	2	.15
Washer	E17695	N1948	Frame rear spring plate leather washer	2	.05
Washer	16A195	N1952	Frame rear spring front bolt (1916-17)	2	.15
Washer	18A59	N1952K	Frame rear spring front bolt (1918-19-20-21-22-23)	2	.15
Washer	F1320	N1956	Frame rear spring front bolt nut	4	.05
Washer	16A196	N1964	Frame rear spring and saddle bracket bolt (1916-17-18-19)	4	.15
Washer	G17705	N1964P	Frame rear spring rear bolt (1920-21-22-23)	4	.15
Washer	F1230	N210	Frame rear spring and saddle bracket bolt nut	8	.03
Washer	F17710X	PH1976X	Frame rear spring and fork end connecting link complete (1916)	2	1.80
Washer	18C9	N1976KX	Frame rear spring and fork end connecting link complete (1917-18-19-20-21)	2	2.25
Washer	22C49	N1976R	Frame rear spring and rear fork end connecting link (1922-23)	2	2.25
Washer	E17715	PH1980	Frame rear spring and fork end connecting link tube (1916)	1	.36
Washer	E17720	PH1984	Frame rear spring and fork end connecting link lower fitting (1916)	1	.48
Washer	17A62	N1988	Frame rear spring and fork end connecting link lower fitting pin	2	.15
Washer	E17730	N1992	Frame rear spring connecting link lower fitting pin lock ring	2	.01
Washer	E17735	N1996	Frame rear spring and fork end connecting link lower fitting pin bushing	2	.20
Washer	A3160X	N1670	Frame rear spring and fork end connecting link lower fitting pin bushing oiler	2	.10
Washer	E17745	PH2004	Frame rear spring connecting link upper fitting (1916)	2	.72
Washer	E17750	N2008	Frame rear spring connecting link stud (1916-17)	2	.20
Washer	18A138	N2008K	Frame rear spring connecting link stud (1918-19-20-21-22-23)	2	.20
Washer	E17752	N2010	Frame rear springs connecting link stud spacer	2	.08
Washer	A1320	N1642	Frame rear spring connecting link upper stud nut	2	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Daded	E16485	N1646	Frame rear spring connecting link upper stud nut lock ring	2	\$.01
Floored	16A309	N2020	Frame rear spring connecting link upper stud fibre sleeve	2	.05
Floored	P17760	N2024	Frame rear spring connecting link yoke (1916-17)	1	2.00
Flooreding	18C49	N2024K	Frame rear spring connecting link yoke (1918-19-20-21)	1	2.00
Travel	22C48	N2024R	Frame rear spring connecting link yoke (1922-23)	1	2.75

CLUTCH GROUP

1916-17-18-19-20-21-22-23

Pable	H19505X	H2100X1	Clutch complete (1916)	1	25.00
Florided	J19505X	N2100X1	Clutch complete (1917)	1	25.00
Folding	K19505X	N2100KX1	Clutch complete (1918-19-20-21-22-23)	1	25.00
Florided	G19512X1	*N2104X	Clutch sprocket with dust band and bearing ring	1	5.50
Folded	G19522	N2112	Clutch sprocket dust band	1	.30
Follyed	G19530	N2116	Clutch sprocket dust band rivet	3	.01
Fonded	E88	N2120	Clutch sprocket roller	22	.04
Forced	19B180	*N2124	Clutch sprocket roller retainer	1	1.60
Formed	G19565	*N2128	Clutch sprocket and roller bearing race	1	2.75
Forded	G19567	*N2132	Clutch sprocket and roller bearing race lock ring	1	.20
Forester	G19569	N2136	Clutch sprocket and roller bearing race lock ring washer	1	.03
Forger	G19575	*N2140	Clutch back plate	1	1.25
Fortun	G19575X	N2144X	Clutch back plate with lining	1	2.00
Fouled	G19582	*N2148	Clutch back plate lining	1	.45
Pounded	K26092	N2152	Clutch back plate lining rivet	9	.01
Past	G19607	H2156	Clutch front plate (1916)	1	1.25
Pounte ned	17C19	*N2156	Clutch front plate (1917-18-19-20-21-22-23)	1	1.25
Pat	G19607X	H2159X	Clutch front plate with dust band and lining (1916)	1	2.00
Powled	17C19X	N2160X	Clutch front plate with dust band and lining (1917-18-19-20-21-22-23)	1	2.00
Fault	G19607X1	H2163X	Clutch front plate complete with kick starter pinion shaft and ratchet plate (1916)	1	4.80
Pozed	17C19X1	N2164X	Clutch front plate complete with kick starter pinion shaft and ratchet plate (1917-18-19-20-21-22-23)	1	4.00
Fouled	G19582	N2148	Clutch front plate lining	1	.45
Pounded	K26092	N2152	Clutch front plate lining rivet	9	.01
Fressed	G19621	*N2176	Clutch inner disc	1	.40

Order by Number. Give Motor Number. *Indicates part is illustrated

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Freshed	G19621X	N2180X	Clutch inner disc with linings	1	\$ 1.63
Fressed	G19583	*N2184	Clutch inner disc lining	2	.45
Freshed	G19625	N2188	Clutch inner disc lining rivet	13	.01
Freshed	G19641	*N2192	Clutch outer disc	1	.75
Freshed	G19662	*N2196	Clutch tension spring	12	.05
Freshed	G19663	N2200	Clutch tension spring stud	16	.02
Freshed	16B50	*N2204	Clutch tension spring plate	1	1.00
Freshed	16A181	*N2208	Clutch tension spring plate screw	4	.08
Freshed	16B49	*N2212	Clutch tension spring plate screw lock ring	1	.35
Freshed	16A186	N2216	Clutch tension spring plate screw lock ring screw	2	.06
Freshed	19B111S	N2220	Clutch tension spring plate screw lock ring screw washer	2	.01
Freshed	G19666	*N2224	Clutch tension spring plate dust band	1	.50
Freshed	P70590	N2228	Clutch tension spring plate dust band rivet	4	.01
Freshed	16C46X	H2231X	Clutch hand operating lever with knob (1916)	1	1.20
Freshed	17C54X	*N2232X	Clutch hand operating lever with knob (1917-19)	1	2.00
Freshed	18C38X	N2232KX	Clutch hand operating lever with knob (1918)	1	2.00
Freshed	20B476X	N2232PX	Clutch hand operating lever with ball (1920-21-22-23)	1	2.00
Freshed	17C54	N2236	Clutch hand operating lever (1917-19)	1	1.75
Freshed	18C38	N2236K	Clutch hand operating lever (1918)	1	1.75
Freshed	D19790	N2240	Clutch hand operating lever knob (1916-17-18-19)	1	.25
Freshed	B21520	N2244	Clutch hand operating lever knob screw (1916-17-18-19)	1	.05
Freshed	G19813	N2248	Clutch hand operating lever screw	1	.15
Freshed	A28160	N2252	Clutch hand operating lever screw nut	1	.03
Freshed	C19815	N2260	Clutch hand operating lever fibre plate	1	.05
Freshed	16C52	H2263	Clutch hand operating lever quadrant (1916)	1	.90
Freshed	17C50	N2264	Clutch hand operating lever quadrant (1917-18-19-20-21-22-23)	1	.50
Freshed	B33560	N732	Clutch hand operating lever quadrant screw	2	.08
Freshed	19B113S	N736	Clutch hand operating lever quadrant screw lock washer	2	.01
Freshed	E19860	N2276	Clutch hand operating lever quadrant friction spring	1	.05
Freshed	E19862	N2280	Clutch hand operating lever quadrant friction spring cartridge	1	.05
Freshed	E19863	N2282	Clutch hand operating lever quadrant friction spring strap	1	.25

Order by Number. Give Motor Number. *Indicates part is illustrated

Cod.	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Forced	E19865	N2284	Clutch hand operating lever quadrant friction spring plate	1	.05
Forced	E19867	N2288	Clutch hand operating lever quadrant friction spring strap screw	2	.02
Forced	C19900	*N2292	Clutch hand operating lever clevis	1	.25
Forced	A26190	N2294	Clutch hand operating lever clevis pin	1	.05
Browed	A3230	N614	Clutch hand operating lever clevis pin cotter pin	1	.01
Fragled	B3280	N2302	Clutch hand operating lever clevis nut	1	.03
Fraild	16B45	N2306	Clutch release rod	1	.30
Fragled	B3280	N2302	Clutch release rod swivel nut	4	.03
Floor	G19909	H2314	Clutch release plunger adjusting screw (1916)	1	.12
Frashend	17A81	*N2314	Clutch release plunger adjusting screw (1917-18-19-20-21-22-23)	1	.10
Frittered	G19913	*N2318	Clutch release plunger adjusting screw nut	1	.08
Floral	16C54	H2322	Clutch release foot lever (1916)	1	1.80
Prosted	17C42	*N2322	Clutch release foot lever (1917)	1	1.00
Prosting	18C24	N2322K	Clutch release foot lever (1918-19)	1	1.00
Proster	20C98	N2322P	Clutch release foot lever (1920-21-22-23)	1	1.00
Purled	G19970	N2326	Clutch release foot lever spring (1916-17)	1	.10
Pur : g	18A140	N2326K	Clutch release foot lever spring (1918-19-20-21-22-23)	1	.10
Purter	18A139	N2327	Clutch release foot lever spring clip (1918-19-20-21-22-23)	1	.10
Purnaced	21B79X	*N2330X	Clutch release foot lever shaft with lever	1	1.00
Played	F1320	N1956	Clutch release foot lever shaft nut	1	.05
Ebbed	B16600	N1678	Clutch release foot lever shaft nut washer	1	.04
Potiled	G19958	N2348	Clutch release foot lever shaft motor base bushing	2	.35
Gabbed	G19972	N2357	Clutch release foot lever spring chain guard clip (1916-17-18)	1	.10
Futured	G19968	*N2154	Clutch release foot lever shaft friction spring	1	.06
Gahled	G19974	N2361	Clutch release foot lever spring chain guard clip reinforcement (1916-17-18)	1	.05
Capered	A7140	N752	Clutch release foot lever spring chain guard clip rivet (1916-17-18)	2	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

GASOLINE TANK GROUP

1910


	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
	H26000X2	PH2350X	Gasoline tank complete (Model-F)	1	\$11.20
	H20002X2	GH2350X	Gasoline tank complete (Model-G)	1	11.20
	G13600X	H1250X	Gasoline tank injector complete	1	1.20
	G26030	H2358	Gasoline tank cap ferrule	1	.25
	C20040	H2362	Gasoline tank transfer (script small)	2	.10
	J20045	H2366	Gasoline tank transfer (script large)	2	.10
	A20050X	H2370	Gasoline tank shut off valve	1	.30
	A20060	N2360	Gasoline tank shutoff valve top nipple	1	.10
	A20070	N2364	Gasoline tank shutoff valve top nipple leather washer	1	.01
	A20080	N2366	Gasoline tank shutoff valve top nipple check nut	1	.05
	A20090	N2368	Gasoline tank shutoff valve outlet nipple	1	.20
	D20105	H2390	Gasoline tank frame clip	2	.12
	F29470X1	H2394	Gasoline tank frame clip and magneto cable guide	1	.18
	F20111	H2398	Gasoline tank frame clip leather washer	3	.02
	A22150	H2402	Gasoline tank frame clip screw	6	.03
	D20127	H2406	Gasoline tank frame clip screw bushing	8	.23
	H20130X	H2410	Gasoline tank and carburetor tube with union nuts	1	.60
	A20160	N2406	Gasoline tank and carburetor tube tank cone	1	.05
	A20130	N2404	Gasoline tank and carburetor tube tank union nut	1	.06
	H20160	N2410	Gasoline tank and carburetor tube carburetor cone	1	.15
	H20150	N2408	Gasoline tank and carburetor tube carburetor union nut	1	.15

GASOLINE TANK GROUP

1917-18-19-20-21-22-23

GaTe	17E15BX2	*N2350XL	Gas tank left half complete (1917)	1	9.50
GaTed	17E15BKX2	N2350KXL	Gas tank left half complete (1918-19) (state color)	1	9.50
GaTer	20E61X2	N2350PXL	Gas tank left half complete (1920-21-22-23)	1	9.50
GaTis	17E15AX2	*N2350XR	Gas tank right half complete (1917)	1	9.50
GaTied	17E15AKX2	N2350KXR	Gas tank right half complete (1918-19) (state color)	1	9.50
GaTiner	20E61X2	N2350PXR	Gas tank right half complete (1920-21-22-23)	1	9.50

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Factor No.	Part No.	DESCRIPTION	Q. reqd.	Price Each
Galley	J13600X	*N1250X	Gas tank injector complete (1917-18-19)	1	\$ 1.25
Galley	20B247X	N1250PX	Gas tank injector complete (1920-21-22-23)	1	1.35
Galley	17A298X1	*N2352X	Gas tank filler cap (1917-18-19)	1	.50
Galley	20B245X1	N2352PX	Gas tank filler cap (1920-21-22-23)	1	.65
Galley	17A251	N2352A	Gas tank filler cap leather washer (1917-18-19)	1	.02
Galley	20B244	N2459P	Gas tank filler cap leather washer (1920-21-22-23)	1	.02
Galley	17A252	N2352B	Gas tank filler cap leather washer retainer (1917-18-19)	1	.03
Galley	G21020	N2353	Gas tank filler cap and injector ferrule (1917-18-19)	2	.20
Galley	20B241	N2353P	Gas tank filler cap and injector ferrule (1920-21-22-23)	2	.20
Galley	J20045	N2356	Gas tank transfer	2	.10
Galley	17A126X	*N2358X	Gas tank shutoff valve	2	.25
Fountain	A20060	N2360	Gas tank shutoff valve top nipple	2	.10
Fountain	17A148	N2362	Gas tank shutoff valve top nipple reinforcement	2	.05
Fountain	A20070	N2364	Gas tank shutoff valve top nipple leather washer	2	.01
Fountain	A20080	N2366	Gas tank shutoff valve top nipple check nut	2	.05
Fountain	A20090	N2368	Gas tank shutoff valve outlet nipple	2	.20
Fountain	17A131	*N2370	Gas tank rear clip	1	.25
Fountain	B33560	N732	Gas tank rear clip screw	3	.08
Fountain	19B113S	N736	Gas tank rear clip screw lock washer	3	.01
Fountain	17A132	*N2380	Gas tank front and center clip	2	.25
Fountain	B33560	N732	Gas tank front and center clip screws	4	.08
Fountain	19B113S	N736	Gas tank front and center clip screws lock washer	4	.01
Fountain	17A174	N2386	Gas tank and magneto cable front clip	1	.12
Fountain	A29480	N2388	Gas tank and magneto cable front clip insulator	1	.06
Fountain	17A175	N2390	Gas tank and magneto cable rear clip	1	.12
Fountain	A29480	N2388	Gas tank and magneto cable rear clip insulator	1	.06
Fountain	17A180	N2394	Gas tank clip screw bushing	11	.05
Fountain	17A153	N2396	Gas tank clip screw bushing reinforcement	7	.05
Fountain	17A154	N2398	Gas tank and clutch lever quadrant screw bushing reinforcement	2	.05
Fountain	J20130X	*N2400X	Gas tank and carburetor tube with union nuts	1	.75
Fountain	17A156	N2402	Gas tank and carburetor tube "T" connection	1	.20
Fountain	A20150	N2404	Gas tank and carburetor tube gas tank union nut	2	.08

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Prul	A20160	N2406	Gas tank and carburetor tube gas tank union nut nipple	2	.05
Frost	H20150	N2408	Gas tank and carburetor tube carburetor union nut	1	.15
Frown	H20160	N2410	Gas tank and carburetor tube carburetor union nut nipple	1	.15
G ¹ need	17A145	*N2412	Gas tank bottom clamping bracket	6	.30
C ¹ need	17A146	N2414	Gas tank bottom clamping bracket reinforcement	6	.05
C ¹ need	17A158	N2416	Gas tank bottom clamping bracket rivet	12	.01
Gleed	17A128	*N2418	Gas tank bottom clamping screw	3	.08
Candle	19B1135	N736	Gasoline tank bottom clamping screw lock washer	3	.01
Gleed	17A155	N2420	Gas tank bottom clamping screw nut	3	.03

OIL TANK AND HAND PUMP GROUP 1916-17-18-19-20-21-22-23

Prud	H21015X1	H2452X1	Oil tank complete with pump (1916)	1	7.00
Glimpsed	J21015X1	*N2452X1	Oil tank complete with pump, (state color) (1917-18-19)	1	7.50
Glimpsing	20D48X1	N2452PX1	Oil tank complete with pump, (state color) (1920-21-22-23)	1	8.50
Gloomed	17A298X1	N2454X1	Oil tank cap (1916-17-18-19)	1	.50
Gallanter	20B245X1	N2352PX	Oil tank cap assembly (1920-21-22-23)	1	.65
Galleed	G21020	N2353	Oil tank cap ferrule (1916-17-18-19)	1	.20
Galleer	20B241	N2353P	Oil tank cap ferrule (1920-21-22-23)	1	.20
Galler	20B244	N1267P	Oil tank cap washer (1920-21-22-23)	1	.03
Gleamed	B21690	N2460	Oil tank outlet elbow	1	.25
Gloved	B21692	N2462	Oil tank outlet elbow reinforcement	1	.05
Glewed	F21035	*N2464	Oil tank frame clip	1	.12
F ¹ ne	A22150	H2465	Oil tank frame clip screw (1916)	4	.03
G ¹ led	17A144	N2466	Oil tank frame clip screw (1917-18-19-20-21-22-23)	2	.05
Candle	19B1135	N736	Oil tank frame clip screw lock washer	2	.01
Gilded	D20127	N2470	Oil tank frame clip screw bushing	2	.05
Gouted	A21040X	N2472X	Oil pump complete	1	3.00
Govermed	A21050X1	N2474X1	Oil pump plunger rod complete	1	1.00
Graced	A21050X	N2476X	Oil pump plunger rod with grip	1	.50
G ¹ ded	A21060X	N2478X	Oil pump plunger rod upper washer with pin	1	.10
Grafted	A21060	N2480	Oil pump plunger rod upper washer less pin	1	.08
Grained	A21060A	N2482	Oil pump plunger rod upper washer pin	1	.01
Granded	A21070	N2484	Oil pump plunger rod lower washer	1	.05
Granted	A21080	N2486	Oil pump plunger rod leather washer	2	.05
Graped	A21090	N2488	Oil pump plunger rod flaring washer	1	.05


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Grasped	A21100	N2490	Oil pump plunger rod washer screw	1	.03
Grassel	A21110	N2492	Oil pump inlet valve screw	1	.04
Grated	A21120	N2494	Oil pump inlet valve screw lead washer	1	.02
Graveled	A21130	N2496	Oil pump inlet valve spring	1	.05
Graded	A21140	N2498	Oil pump inlet valve ball	1	.01
Graded	A21150	N2500	Oil pump outlet valve	1	.20
Griddled	A21160	N2502	Oil pump outlet valve spring	1	.03
Graded	A21140	N2498	Oil pump outlet valve ball	1	.01
Grimmed	P21172EX	*N2506X	Oil pump outlet tube with union nuts	1	.42
Gritted	A21190	N2508	Oil pump outlet tube cone	2	.05
Grained	A21180	N2510	Oil pump outlet tube union nuts	2	.05
Geomed	P21200	N2512	Oil pump outlet tube motor base elbow	1	.25
Granded	A21210	N2514	Oil pump base	1	1.25
Groved	A21220	N2516	Oil pump cylinder	1	.75
Grubbed	A21230X	N2518X	Oil pump cylinder and base	1	1.75
Grudged	A21225	N2520	Oil pump cylinder clip	1	.10
Grunted	A21240	N2522	Oil pump cap	1	.20
Guarded	17B72	N2524	Oil tank top (1917-18-19)	1	.25
Grander	20B448	N2524P	Oil tank top (1920-21-22)	1	.25
Grased	17B73	N2526	Oil tank body lower section (1917-18-19-20-21-22-23)	1	.25
Guided	17A179	N2528	Oil tank body lower section reinforcement (1917-18-19-20-21-22-23)	1	.10

AUTOMATIC OILER GROUP 1916-17-18-19-20-21-22-23

Gulfed	16A10	*N2600	Automatic oiler worm	1	.75
Gummed	A29522	N2604	Automatic oiler worm key	1	.05
Hacked	16A26	N2608	Automatic oiler worm collar	1	.05
Hailed	16A70X	*N2612X	Automatic oiler worm gear and pin	1	.75
Harbored	B21610	N2614	Automatic oiler worm gear pin	1	.05
Hanked	B21620	N2620	Automatic oiler worm gear pin roller	1	.05
Happed	16A66	N2624	Automatic oiler worm gear upper bushing	1	.30
Harked	16A39	*N2628	Automatic oiler worm gear lower bushing	1	.50
Harmed	16A40	*N2632	Automatic oiler worm gear motor base cap	1	.15
Hearted	16A41	*N2636	Automatic oiler plunger	1	.25
Harvested	16A42	*N2640	Automatic oiler plunger driving block	1	.40
Hasted	B21590	*N2644	Automatic oiler plunger driving block set screw	1	.01
Hatched	B21540	*N2648	Automatic oiler plunger driving block set screw gear case cover cap	1	.10
Hauled	16A43	N2652	Automatic oiler plunger head bushing	1	.20
Hawked	16A44	*N2656	Automatic oiler plunger head bushing cap	1	.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Flayed	16A45	*N2660	Automatic oiler plunger valve bushing	1	\$.90
Heaped	16A46	*N2664	Automatic oiler plunger valve bushing lock nut	1	.20
W. 2720	16A47	*N2668	Automatic oiler outlet tube elbow and valve seat	1	.25
W. 2720	A15060	N2672	Automatic oiler outlet tube elbow and valve seat ball	2	.01
W. 2720	B21730	N2676	Automatic oiler outlet tube elbow and valve seat ball spring	2	.05
W. 2720	B21740	N2680	Automatic oiler outlet tube elbow cap screw	1	.10
W. 2720	B21750	N2684	Automatic oiler outlet tube elbow and valve seat nipple	1	.25
W. 2720	16A293	*N2688	Automatic oiler outlet tube and front cylinder nipple	1	.20
W. 2720	16A329	N2692	Automatic oiler outlet tube and front cylinder nipple gasket	1	.02
W. 2720	H21790X	*N2696X	Automatic oiler outlet tube with union nuts	1	.40
W. 2720	A20150	N2404	Automatic oiler outlet tube union nut	2	.08
W. 2720	A20160	N2406	Automatic oiler outlet tube cone	2	.05
W. 2720	A21200	*N2708	Automatic oiler inlet tube elbow	1	.25
W. 2720	17A321	W2708	Automatic oiler and motor base inlet elbow (lower plus single)	1	.25
W. 2720	H21705X	*N2712X	Automatic oiler and oil tank connecting tube with union nuts	1	.40
W. 2720	B21710	N2716	Automatic oiler and oil tank connecting tube cone	2	.05
W. 2720	A21180	N2510	Automatic oiler and oil tank connecting tube union nuts	2	.05
W. 2720	D34370	N2724	Automatic oiler primer screw (R/32 x 1" long)	1	.01
W. 2720	B4231	N2728	Automatic oiler primer screw leather washer	1	.01

FRONT AND REAR MUDGUARD GROUP

1916

W. 2720	H22000X	H2750X	Front mud guard	1	3.20
W. 2720	E22070	N2754	Front mud guard brace	2	.30
W. 2720	A22210	N2758	Front mud guard brace nut	4	.03
W. 2720	16B43	N2794	Front mud guard brace clip	1	.15
W. 2720	C22110	N2766	Front mud guard brace clip rivet	3	.01
W. 2720	E22102	H2770	Front mud guard reinforcement	1	.05
W. 2720	D22104	H2774	Front mud guard reinforcement screw	2	.02
W. 2720	A22210	N2758	Front mud guard reinforcement screw nut	2	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Part No.	Motor No.	Description	Qty.	Price
Candled	19B113S	N736	Front mud guard reinforcement screw nut for washer	2	\$.01
Branding	K22005X	N2782X	Front mud guard extension	1	1.50
Honoring	18A60	N2786	Front mud guard extension rear clip	2	.15
Howled	D22007	N2790	Front mud guard extension brace	2	.15
Hired	A22110	N2758	Front mud guard extension brace nut	4	.03
Hulked	16B43	N2794	Front mud guard extension brace clip	1	.15
Honored	C22110	N2766	Front mud guard extension brace clip rivet	2	.01
Humbled	D22008	N2798	Front mud guard extension brace lower clip	2	.05
Hited	D29515	N2802	Front mud guard extension brace lower clip screw	2	.01
CL ed	A6210	N1298	Front mud guard extension brace lower clip screw nut	2	.03
Husked	19B112S	N2808	Front mud guard extension brace lower clip screw nut lock washer	2	.01
Hutted	G22003	N2812	Front mud guard extension safety clip	1	.05
Load	A22040	N2816	Front mud guard extension safety clip screw	2	.01
CL ed	A6210	N1298	Front mud guard extension safety clip screw nut	2	.03
Husked	19B112S	N2808	Front mud guard extension safety clip screw nut lock washer	2	.01
Imparted	D22009	N2820	Front mud guard extension license clip	2	.10
Honored	C22110	N2766	Front mud guard extension license clip rivet	2	.01
Implored	D22011	N2824	Front mud guard extension license clip rivet washer	2	.02
Implied	A22120	N2828	Front mud guard extension license clip screw	2	.01
Alleged	A1210	N202	Front mud guard extension license clip screw nut	2	.03
Grace	H22145X	PH2836X	Rear mud guard (Model-P)	1	3.60
Grade	H22146X	GH2836X	Rear mud guard (Model-G)	1	3.60
Incrusted	A26160	N2848	Rear mud guard lower rear fork crown screw	2	.05
Cr dled	19B113S	N736	Rear mud guard lower rear fork crown screw lock washer	2	.01
Ground	G22169	PH2848	Rear mud guard lower rear fork crown leather washer	2	.05
Camed	B33560	N732	Rear mud guard upper rear stay crown screw	2	.08
Candled	19B113S	N736	Rear mud guard upper rear stay crown lock washer	2	.01
Grasp	G22166	H2852	Rear mud guard lower reinforcement	1	.15
Gr s	E22168	N2858	Rear mud guard lower reinforcement rivet	5	.01
Grate	E22172	PH2860	Rear mud guard front brace	2	.30


Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Part No.	Motor No.	Description	Qty.	Price
Branded	A1230	N210	Rear mud guard front brace nut	4	\$.03
Branded	16B3	N2892	Rear mud guard front brace clip	1	.15
Branded	C22110	N2766	Rear mud guard front brace clip rivet	3	.01
Branded	E22202	N2884	Rear mud guard front brace screw	2	.05
Branded	G22176	N2908	Rear mud guard double brace (right)	1	.60
Branded	G22177	N2924	Rear mud guard double brace (left)	1	.60
Branded	A1230	N210	Rear mud guard double brace nut	8	.03
Branded	16B39	N2892	Rear mud guard double brace front clip	1	.15
Branded	C22110	N2766	Rear mud guard double brace front clip rivet	3	.01
Branded	16B42	N2940	Rear mud guard double brace rear clip	1	.15
Branded	C22110	N2766	Rear mud guard double brace rear clip rivet	2	.01
Branded	G22181	N2912	Rear mud guard double brace screw (right)	1	.10
Branded	G22182	N2928	Rear mud guard double brace screw (left)	1	.10
Grove	16D17	GH2896	Rear mud guard double brace (right)	1	.30
Grab	16D18	GH2900	Rear mud guard double brace (left)	1	.30
Hired	A22110	N2758	Rear mud guard double brace nut	8	.03
Hulked	16B43	N2794	Rear mud guard double brace front clip	1	.15
Honored	C22110	N2766	Rear mud guard double brace front clip rivet	3	.01
Guess	16B44	GH2908	Rear mud guard double brace rear clip	1	.15
Honored	C22110	N2766	Rear mudguard double brace rear clip rivet	1	.01
Gulf	B22200	GH2912	Rear mudguard double brace screw (right)	1	.05
Gum	B22201	GH2916	Rear mudguard double brace screw (left)	1	.05

FRONT AND REAR MUDGUARD GROUP (1917-18-19-20-21)

Hitching	17E4X	*N2750X	Front mudguard complete with clips	1	3.20
Hobbling	18B6	N2752	Front mudguard and fork crown clip	1	.15
Hiring	18A13	N2756	Front mudguard and fork crown clip reinforcement	1	.05
Hocking	C33120	N2755	Front mudguard and fork crown clip reinforcement rivet	2	.01
Hobbling	E2207D	*N2754	Front mudguard brace (1917-18-19)	2	.30
Hobbling	20B521	N2754P	Front mudguard brace (1920-21)	2	.30
Hired	A22110	N2758	Front mudguard brace nut	4	.03
Hired	17B2	N2762	Front mudguard brace clip	1	.12
Honored	C22110	N2766	Front mudguard brace clip rivet	3	.01
Hounding	K22005X	*N2782X	Front mudguard extension (state color)	1	1.50
Hounding	18A60	*N2786	Front mudguard extension rear clip	1	.15

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Part No.	Part No.	DESCRIPTION	No. Each	Price Each
Mounted	D22007	*N2790	Front mudguard extension brace	2	\$.15
Mounted	A22210	N2758	Front mudguard extension brace nut	4	.03
Mounted	16B43	N2794	Front mudguard extension brace clip	1	.15
Mounted	20B470S	N2795P	Front mudguard brace screw (1920-21)	2	.03
Mounted	A6210	N1298	Front mudguard extension brace screw nut (1920-21)	2	.01
Mounted	19B111S	N2220	Front mudguard extension brace screw lock washer (1920)	2	.01
Mounted	C22110	N2766	Front mudguard extension brace clip rivet	2	.01
Mounted	D22008	*N2798	Front mudguard extension brace lower clip (1917-18-19)	2	.05
Mounted	D2951S	N2802	Front mudguard extension brace lower clip screw (1917-18-19)	2	.01
Mounted	A6210	N1298	Front mudguard extension brace lower clip screw nut (1917-18-19)	2	.03
Mounted	19B112S	N2808	Front mudguard extension brace lower clip screw nut lock washer (1917-18-19)	2	.01
Mounted	G22003	*N2812	Front mudguard extension safety clip	1	.05
Mounted	A22040	N2816	Front mudguard extension safety clip screw	2	.01
Mounted	A6210	N1298	Front mudguard extension safety clip screw nut	2	.03
Mounted	19B111S	N2220	Front mud guard extension safety clip screw nut lock washer	2	.01
Mounted	D22009	N2820	Front mud guard extension license clip	1	.10
Mounted	C22110	N2766	Front mud guard extension license clip rivet	2	.01
Mounted	D22011	N2824	Front mudguard extension license clip rivet washer	2	.02
Mounted	A22120	N2828	Front mudguard extension license clip screw	2	.01
Mounted	A1210	N202	Front mud guard extension license clip screw nut	2	.03
Mounted	17E16X	*N2836X	Rear mud guard complete regular (state color)	1	3.50
Mounted	17E34X	U2836X	Rear mud guard complete (rigid) 1917-18-19	1	3.75
Mounted	20D109X	U2836PX	Rear mud guard complete (rigid) 1920-21-22-23	1	3.75
Mounted	17E16NEX	N2840X	Rear mud guard complete, electrically equipped, (state color)	1	3.75
Mounted	17B64	N2844	Rear mud guard crown clip	1	.12
Mounted	A26160	N2848	Rear mud guard crown clip screw (1917-18-19)	3	.05
Mounted	16A200	N2848P	Rear mud guard crown clip screw (1920-21)	3	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blank which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Endled	19B1135	N736	Rear mud guard crown clip screw lock washer (1917-18-19)	3	.01
Adured	19B1145	N214	Rear mud guard crown clip screw lock washer (1920-21)	3	.01
Induced	17D10	N2856	Rear mud guard front reinforcement	1	.15
Grass	E22168	N2858	Rear mud guard front reinforcement rivet	5	.01
Worship	16D17	GH2896	Rear mud guard brace right (rigid) 1917-18-19	1	.30
Worshiper	20D104	U2860P	Rear mud guard brace right (rigid) 1920-21-22-23	1	.35
Wretch	16D18	GH2900	Rear mud guard brace left (rigid) 1917-18-19	1	.30
Temper	20D105	U2862P	Rear mud guard brace left (rigid) 1920-21-22-23	1	.35
Indayed	16D32	*N2868	Rear mud guard front brace, left	1	.60
Allowed	A1230	N210	Rear mud guard front brace, left nut	4	.03
Allured	19B1145	N214	Rear mud guard front brace left nut lock washer	2	.01
In-ided	16D33	*N2880	Rear mud guard front brace, right	1	.60
Wood	A1230	N210	Rear mudguard front brace right nut	4	.03
Adured	19B1145	N214	Rear mud guard front brace right nut lock washer	2	.01
Intruded	E22202	N2884	Rear mud guard front brace right and left screw	2	.05
Adured	19B1145	N214	Rear mud guard front brace right and left screw lock washer	2	.01
I- arded	16B39	N2892	Rear mud guard front brace front or rear clip	1	.15
Honored	C22110	N2766	Rear mud guard front brace front or rear clip rivet	3	.01
illed	G22175	N2908	Rear mudguard rear brace right	1	.60
Allowed	A1230	N210	Rear mud guard rear brace right nut	4	.03
Allured	19B1145	N214	Rear mud guard rear brace right nut lock washer	2	.01
Inbued	G22181	N2912	Rear mud guard rear brace right screw	1	.10
Plaked	19B1155	N1960	Rear mud guard rear brace right screw lock washer	1	.01
Inwarded	16B39	N2892	Rear mud guard rear brace front clip	1	.15
Honored	C22110	N2766	Rear mud guard rear brace front clip rivet	3	.01
Imputed	G22177	N2924	Rear mud guard rear brace, left	1	.60
Allowed	A1230	N210	Rear mud guard rear brace left nut	4	.03
Allured	19B1145	N214	Rear mud guard rear brace left nut lock washer	2	.01
In-ied	G22182	N2928	Rear mud guard rear brace left and rear chain guard rear screw	1	.10
Dur-d	A1320	N1642	Rear mud guard rear brace left and rear chain guard rear screw nut	1	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Endled	19B1155	N1960	Rear mud guard rear brace left and rear chain guard rear screw nut washer	1	.50
Induced	16B42	N2940	Rear mud guard rear brace rear clip	1	.15
Grass	C22110	N2766	Rear mud guard rear brace rear clip rivet	3	.01
FRONT AND REAR MUD GUARD GROUP					
1922-23					
Front	22D30X1	N2750RX1	Front mud guard complete with braces and splashers	1	8.00
Front	22B158	N2752R	Front mud guard and fork crown clip	1	.15
Front	22B156	N2756R	Front mud guard and fork crown clip reinforcement	1	.05
	17A322	N9187	Front mud guard and fork crown clip rivet	2	.01
Front	22D27X	N2759RX	Front mud guard brace assembly	1	1.00
Fed	22D25	N2763R	Front mud guard upper brace	1	.40
Federal	22D26	N2767R	Front mud guard lower brace	1	.40
	17A322	N9187	Front mud guard and brace rivet	6	.01
Bolts	20H235	S2771	Front mud guard brace bracket	2	.10
Bolts	20H274S	S2773	Front mud guard brace bracket rivet	8	.01
	22B347	N2774R	Front mud guard splashers	1	.30
Claster	A6230	N875P	Front mud guard splashers screw	3	.01
Curved	A6210	N1298	Front mud guard splashers screw nut	3	.03
Curved	C13720	N1294	Front mud guard splashers screw washer	3	.03
Federate	22D41X	N2836RX	Rear mud guard complete	1	9.00
Fee	22C36X	N2838RX	Rear mud guard front section complete	1	4.25
Feeble	22C28	N2839R	Rear mud guard front section hinge	1	.30
Honing	C33120	N2755	Rear mud guard front section hinge rivet	1	.01
Pin-ling	22D38	N2868R	Rear mud guard front section front brace 1922 and center brace 1923	1	.40
Feeler	23D16	N2868S	Rear mud guard front section front brace (1923)	1	.40
Intruded	E22202	N2884	Rear mud guard front section front brace rivet	3	.01
	E33555	N9148	Rear mud guard front section front brace frame screw 1922	2	.05
	19B1145	N214	Rear mud guard front section front brace frame screw 1923	2	.05
Feeler	22C50	N2869R	Rear mud guard front section rear brace frame screw lock washer	2	.01
Feeler	22C51	N2870R	Rear mud guard front section rear brace (right)	1	.15
Feeler	F33400	N4582	Rear mud guard front section rear brace (left)	1	.15
Feeler	16A290	N2848P	Rear mud guard front section fork crown screw	4	.01
				3	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Motor	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Allure	19B114S	N214	Rear mud guard front section fork crown screw lock washer	3	\$.01
Innocent	17B64	N2844	Rear mud guard front section fork crown screw clip	1	.12
Perment	22C57X	N1896RX	Rear mud guard rear section complete	1	4.50
Ferris	22C29	N2898R	Rear mud guard rear section hinge	1	.30
Hooking	C33120	N2755	Rear mud guard rear section hinge rivet	5	.01
Perret	22D39	N2908R	Rear mud guard rear section brace	1	.40
Innocent	17A322	N9187	Rear mud guard brace rivet	2	.01
Ferrous	22B171	N2910R	Rear mud guard hinge pin	1	.06
Ferrule	22B155	N2913R	Rear mud guard brace frame stud	2	.20
Played	F1320	N1956	Rear mud guard brace frame stud nut	4	.05
Flaked	19B115S	N1960	Rear mud guard brace frame stud nut lock washer	4	.01


FRONT WHEEL GROUP
1916-17-18-19-20-21-22-23

Black	H23000X	H2950X	Front wheel complete less tire (1916)	1	10.20
Black	J23000X	N2950X	Front wheel complete less tire (1917)	1	10.00
Incepting	K23000X	N2950KX	Front wheel complete less tire (1918-19)	1	10.00
Traveler	20B401X1	N2950PX1	Front wheel complete less tire (1920-21)	1	10.00
Traverse	22E34X	N2950RX	Front wheel complete less tire (1922-23)	1	10.00
Hail	H23010X	H2954X	Front wheel hub complete, 36-hole (1916)	1	5.40
Directed	J23010X	N2954X	Front wheel hub complete, 36-hole (1917)	1	5.00
Infecting	K23010X	N2954KX	Front wheel hub complete, 40-hole (1918-19)	1	5.00
Nature	20B401X	N2954PX	Front wheel hub complete (1920-21)	1	5.00
Natural	22B144X	N2954RX	Front wheel hub complete (1922-23)	1	5.00
Happy	H23020X	H2957X	Front wheel hub cone with dust cap (1916)	2	.60
Infested	J23020X	N2958X	Front wheel hub cone with dust cap (1917-18-19-20-21)	2	.60
Temperate	22B145X	N2958RX	Front wheel hub cone and dust cap (1922-23)	2	.60
Harm	H23021	H2961	Front wheel hub cone dust cap (1916)	2	.30
Idled	J23021	N1962	Front wheel hub cone dust cap (1917-18-19-20-21-22-23)	2	.25
Temperance	22B151	N1961R	Front wheel hub cone lock nut 1922-23	2	.10
Idling	J23023	N1961	Front wheel hub cone lock nut (1917-18-19-20-21)	2	.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Motor	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Red	J23022	N3004	Front wheel hub cone lock washer (1917-18-19-20-21)	2	\$.02
Core	22B150	N3004R	Front wheel hub cone lock washer (1922-23)	2	.02
Rated	J23040	N2966	Front wheel hub hollow axle (1916-17-18-19-20-21)	1	.40
Nation	22B148	N2966R	Front wheel hub hollow axle (1922-23)	1	.40
Harvest	E23051	H2969	Front wheel hub center axle (1916)	1	.30
Used	J23051	N2970	Front wheel hub center axle (1917-18-19)	1	.20
Frontal	20B384	N2970P	Front wheel hub center axle 1920-21	1	1.80
22B146	N2970R		Front wheel hub center axle (1922-23)	1	.30
Haste	A23060	H2973	Front wheel hub center axle nut (1916)	2	.06
Insighted	J23060	N2974	Front wheel hub center axle nut (1917-18-19-20-21)	2	.10
Adipom	20B158S	\$332	Front wheel hub center axle nut 1922-23	2	.05
Thiked	19B115S	N1960	Front wheel hub center axle nut lock washer (1917-18-19-20-21)	2	.01
Asburned	19B116S	N246	Front wheel hub center axle nut lock washer (1922-23)	2	.01
	B16481	N2975	Front wheel hub center axle nut cotter pin (1917-18-19-20-21)	2	.01
Exer	B16601S	N5355	Front wheel hub center axle nut cotter pin (1922-23)	2	.01
Harbor	H23080X	H2981	Front wheel hub shell (1916)	1	2.85
Armed	J23080X	N2982X	Front wheel hub shell (1917)	1	3.00
Jarring	K23080X	N2982KX	Front wheel hub shell (1918-19-20-21-22-23)	1	3.00
Used	H23081	N2986	Front wheel hub shell ball cup	2	.60
Used	H23082	N2990	Front wheel hub shell ball cup washer	2	.05
Used	A25195	N2994	Front wheel hub ball (1")	20	.02
Used	D23095X	N2998X	Front wheel hub oiler	1	.10
Used	H23120	N3000	Front wheel rim, 36-hole (1916-17)	1	1.75
Used	K23120	N3000K	Front wheel rim, 40-hole (1918-19-20-21-22-23)	1	1.75
Used	F23130	N3012	Front wheel spoke (1916-17)	36	.04
Used	K23130	N3012K	Front wheel spoke (1918-19-20-21-22-23)	40	.04
Used	H23140	N3020	Front wheel spoke nipple (1916-17)	36	.02
Used	H23142	N3020K	Front wheel spoke nipple (1918-19-20-21-22-23)	40	.02

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



REAR WHEEL GROUP

1916-17-18-19-20-21-22-23

	Part No.	DESCRIPTION	No. Used	Price Each
1	H21007X	H3050X Rear wheel complete with brake less tire (1916)	1	\$30.00
2	J24007X	N3050X Rear wheel complete with brake less tire (1917)	1	30.00
3	K24007X	N3050KX Rear wheel complete with brake less tire (1918-19-20)	1	30.00
4	21C5N4	N3050QX Rear wheel complete with brake less tire (1921-22-23)	1	30.00
5	21C9X1	N3052QX Rear wheel with ball cups less brake and tire (1921-22-23)	1	10.50
6	H23120	N3000 Rear wheel rim, 36 hole (1916-17)	1	1.75
7	K23120	N3000K Rear wheel rim, 40 hole (1918-19-20-21-22-23)	1	1.75
8	H23132	N3012 Rear wheel spoke (1916-17)	36	.04
9	K23130	N3012K Rear wheel spoke (1918-19-20)	40	.04
10	21B15	N3012Q Rear wheel spoke (1921-22-23)	40	.06
11	H23142	N3026K Rear wheel spoke nipple	36	.02

BRAKE GROUP

1916-17-18-19-20-21-22-23

1	H24100X	H4000X Brake complete less driving sprocket (1916)	1	24.00
2	J24100X	N4000X Brake complete less driving sprocket (1917)	1	20.00
3	18E12X	N4000KX Brake complete less driving sprocket (1918-19-20)	1	20.00
4	21E22X	N4000QX Brake complete less sprocket (1921-22-23)	1	20.00
5	16C31X	N4004X Hub shell with ball cups (1916-17)	1	5.50
6	18C31X	*N4004KX Hub shell with ball cups (1918-19-20)	1	5.50
7	21C8X	N4004QX Hub shell with ball cups (1921-22-23)	1	5.50
8	F24107	N4008 Hub shell ball cup	2	.60
9	F24111	*N4012 Hub stationary cone	1	.45
10	F24115	*N4016 Hub stationary cone dust cap	1	.05
11	F24112	*N4024 Hub adjusting cone	1	.50
12	F24116	*N4028 Hub adjusting cone dust cap	1	.20
13	D35615	N4034 Hub bearing ball	22	.05
14	17A134	*N4020 Hub bearing grease retainer	2	.05
15	17A135	*N4032 Hub bearing grease felt retainer	2	.05
16	E24120	*N4036 Hub hollow axle	1	1.00
17	D24130	*N4040 Hub hollow axle bushing	2	.20
18	E24135	*N4044 Hub center axle	1	.30
19	A25280	*N4048 Hub center axle nut	2	.10

Order by Number. Give Motor Number.

Co	Factory No.	Part No.	Used	Each
K	G24140	N4056	1	\$ 2.00
Kalag	18C3	*N4056K	1	2.00
Kirked	A25230	*N4060	1	.50
Knackred	16A177	*N4064	1	.10
Laced	G24145X	N4068X	1	4.00
Knatching	18C47X	*N4068KX	1	3.00
			1	.10
Laced	16B64	N4072	1	.15
Laping	17A159X	N4073X	1	.03
Lacing	17A162	N4074	1	.03
Laded	16A204	N4076	1	.03
Laded	D10470	N4080	1	.03
Alaped	A1210	N202	1	.03
Hosed	19B112S	N2808	1	.01
Laded	D24160	N4088	2	.05
Hred	A22210	N2758	2	.03
Caded	19B113S	N736	1	.01
Laped	D24165X	N4096X	1	1.80
Laping	18C5X1	*N4096KX	1	1.80
Laced	D24170X	N4100X	1	1.25
Lding	18C5X	N4100KX	1	1.25
Larvad	D24170	N4104	1	.50
Landing	18C3	N4104K	1	.50
Lted	D24175	N4108	1	.45
Lwed	D24180	N4112	2	.01
Lrmed	D24185	N4120	1	.50
Larning	18A115	N4120K	1	.55
Laded	C19585	N4124	7	.01
Lining	K26091	N4128K	7	.01
Lined	A26091	N4128	1	.01
Lc lining	K26093	N4124K	1	.01
Lined	B16480	N4132	1	.01
Lined	D24190	*N4136	1	.40
Flastra	22B243	N4136R	1	.40
Lred	D24195	N4140	1	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

1124200	N4144	Internal brake band anchor stud outside washer	1	\$.08
112424	N4144S	Internal brake band anchor stud outside washer (1922-23)	1	.03
A1320	N1642	Internal brake band anchor stud nut	1	.05
B16480	N4132	Internal brake band anchor stud cotter pin	1	.01
1124205	N4156	Internal brake band anchor stud adjusting screw	1	.05
A1210	N202	Internal brake band anchor stud adjusting screw nut	1	.03
D24210	N4164	Internal brake band inside operating lever with shaft (1916-17)	1	.60
18A1	*N4164K	Internal brake band inside operating lever with shaft (1918-19-20-21-22-23)	1	.60
E24215	N4168R	Internal brake band outside lever (1916 to 1922)	1	.60
A1320	N1642	Internal brake band outside operating lever nut	1	.05
B16480	N4132	Internal brake band outside operating lever nut cotter pin	1	.01
D24225X	N4200X	External brake band with ends and lining (1916-17)	1	2.25
18C4X1	*N4200KX	External brake band with ends and lining (1918-19-20-21-22-23)	1	2.25
D24230X	N4204X	External brake band with ends less lining (1916-17)	1	1.60
18C4X	N4204K	External brake band with ends less lining (1918-19-20-21-22-23)	1	1.60
D24230	N4208	External brake band (1916-17)	1	.50
18C4	N4208K	External brake band (1918-19-20-21-22-23)	1	.50
D24235	N4212	External brake band lining (1916-17)	1	.55
18A116	N4212K	External brake band lining (1918-19-20-21-22-23)	1	.55
C19585	N4216	External brake band lining rivet, short (1916-17)	5	.01
K26090	N4216K	External brake band lining rivet, short (1918-19-20-21-22-23)	5	.01
A26091	N4220	External brake band lining rivet, medium (1916-17)	2	.01
A26090	N4224	External brake band lining rivet, long (1916-17)	2	.01
K26092	N4220K	External brake band lining rivet, long (1918-19-20-21-22-23)	4	.01
D24240	N4228	External brake band front end	1	.40
D24180	N4112	External brake band front end rivet, long	1	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

It	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Mastering	B26385	N4236	External brake band front end rivet, short	1	\$.01
Mealed	D24245	N4240	External brake band front end stud, (1916-17)	1	.10
Mealing	18A3	N4240K	External brake band front end stud (1918-19-20-21-22-23)	1	.15
Messed	D24250	N4244	External brake band front end stud washer	1	.02
Limped	B16480	N4132	External brake band front end stud washer cotter pin	1	.01
Mended	D24255	N4252	External brake band rear end	1	.45
Mastering	B26385	N4236	External brake band rear end rivet	2	.01
Ladding	17A162	N4074	External brake band spring (1918-19-20-21-22-23)	2	.03
Maling	18A124	N4196A	External brake band spring stud (1918-19-20-21-22-23)	2	.10
Musked	D24345	N4066	External brake band spring stud washer (1918-19-20-21)	4	.05
Spattered	16A199	N4866	External brake band spring stud washer (1922-23)	4	.01
Browed	A3230	N614	External brake band spring stud washer cotter pin (1918-19-20)	2	.01
Mr.oring	18B33	N4197K	External brake band spring clip (1918-19-20-21-22-23)	2	.08
In. dyed	A32120	N2828	External brake band spring clip screw (1918-19-20-21-22-23)	4	.01
Husked	19B1125	N2808	External brake band spring clip screw lock washer (1918-19-20-21-22-23)	4	.01
Memed	B26395	N4264	External brake band rear end connecting link adjusting screw	1	.10
Mettled	B26400	N4268	External brake band rear end connecting link adjusting screw pin	1	.03
Browed	A3230	N614	External brake band rear end connecting link adjusting screw pin cotter pin	1	.01
Miled	D24260	N4276	External brake band rear end connecting link adjusting screw pin clevis	1	.25
Mixed	B26570	N4280	External brake band rear end connecting link adjusting screw pin clevis pin	1	.05
Browed	A3230	N614	External brake band rear end connecting link adjusting screw pin clevis pin cotter pin	1	.01
Invade	E24265	H4216	External brake bell crank (1916)	1	.72
Minked	17A139	N4288	External brake bell crank (1917-19-20-21-22-23)	1	.60
Minking	18A44	*N4288K	External brake bell crank (1918)	1	.50
Minored	D24270	N4292	External brake bell crank stud (1916-17)	1	.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Part No.	Part No.	DESCRIPTION	No. Used	Price Each
18A2	N4292K	External brake bell crank stud (1918-19-20-21-22-23)	1	\$.15
D24275	N4296	External brake bell crank stud washer	1	.01
B16480	N4132	External brake bell crank stud washer cotter pin	1	.01
18A125	N4291K	External brake bell crank spring (1918)	1	.05
18C14	*N4290K	External brake rod (1918)	1	.40
D26920	*N4274	External brake rod clevis (1918)	1	.35
17A159	N4184	External brake rod clevis pin (1918)	1	.10
17A160	N4188	External brake rod clevis pin key (1918)	1	.02
17A161	N4192	External brake rod clevis pin key pin (1918)	1	.01
17A162	N4074	External brake rod clevis pin key pin spring (1918)	1	.03
A22210	N2758	External brake rod clevis nut (1918)	1	.03
18A31	N4111K	External brake rod and hand lever swivel (1918)	1	.25
18A32	N4113K	External brake rod and hand lever swivel rivet (1918)	1	.03
A22210	N2758	External brake rod adjusting nut (1918)	2	.03
16C40	*N4304	Rear sprocket 36-teeth	1	3.00
16C20	*N4308	Rear sprocket 40-teeth	1	3.50

EXTERNAL BRAKE HAND OPERATING LEVER
1916-17-19-20-21-22-23

P24270X	H4002	Coaster brake external brake hand operating lever complete with cables (1916)	1	6.00
17B91X1	N4002X1	Coaster brake external brake hand operating lever complete with cables (1917-19-20-21)	1	6.00
22C72X	N4002RX1	External brake hand operating lever complete with cable 1922-23	1	6.00
D24280	N4006	Coaster brake external brake hand operating lever (1916 to 1921)	1	1.50
22C46	N4006R	External brake hand operating lever	1	1.00
D24285	N4010	Coaster brake external brake hand operating lever screw (1916 to 1921)	1	.05
D24290	N4014	Coaster brake external brake hand operating lever screw lock washer (1916 to 1921)	1	.05
18A31	S626	External brake hand operating lever stud (1922-23)	1	.25
A22210	N2758	External brake hand operating lever stud nut (1922-23)	1	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

It	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Mastering	B26385	N4236	External brake band front end rivet, short	1	\$.01
Mealed	D24245	N4240	External brake band front end stud, (1916-17)	1	.10
Mealing	18A3	N4240K	External brake band front end stud (1918-19-20-21-22-23)	1	.15
Measured	D24250	N4244	External brake band front end stud washer	1	.02
Limped	B16480	N4132	External brake band front end stud washer cotter pin	1	.01
Mended	D24255	N4252	External brake band rear end	1	.45
Mastering	B26385	N4236	External brake band rear end rivet	2	.01
Ladding	17A162	N4074	External brake band spring (1918-19-20-21-22-23)	2	.03
Maling	18A124	N4106A	External brake band spring stud (1918-19-20-21-22-23)	2	.10
Musked	D24345	N4066	External brake band spring stud washer (1918-19-20-21)	4	.05
Sputtered	16A199	N4866	External brake band spring stud washer (1922-23)	4	.01
Browed	A3230	N614	External brake band spring stud washer cotter pin (1918-19-20)	2	.01
Mr.oring	18B33	N4107K	External brake band spring clip (1918-19-20-21-22-23)	2	.08
In. dyed	A22120	N2828	External brake band spring clip screw (1918-19-20-21-22-23)	4	.01
Husked	19B112S	N2808	External brake band spring clip screw lock washer (1918-19-20-21-22-23)	4	.01
Memed	B26395	N4264	External brake band rear end connecting link adjusting screw	1	.10
Mettled	B26400	N4268	External brake band rear end connecting link adjusting screw pin	1	.03
Browed	A3230	N614	External brake band rear end connecting link adjusting screw pin cotter pin	1	.01
Miled	D24260	N4276	External brake band rear end connecting link adjusting screw pin clevis	1	.25
Mined	B26570	N4280	External brake band rear end connecting link adjusting screw pin clevis pin	1	.05
Browed	A3230	N614	External brake band rear end connecting link adjusting screw pin clevis pin cotter pin	1	.01
Invade	E24265	H4216	External brake bell crank (1916)	1	.72
Minked	17A139	N4288	External brake bell crank (1917-19-20-21-22-23)	1	.60
Minking	18A44	*N4288K	External brake bell crank (1918)	1	.50
Minored	D24270	N4292	External brake bell crank stud (1916-17)	1	.10

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Part No.	Part No.	DESCRIPTION	No. Used	Price Each
18A2	N4292K	External brake bell crank stud (1918-19-20-21-22-23)	1	\$.15
D24275	N4296	External brake bell crank stud washer	1	.01
B16480	N4132	External brake bell crank stud washer cotter pin	1	.01
18A125	N4291K	External brake bell crank spring (1918)	1	.05
18C14	*N4290K	External brake rod (1918)	1	.40
D26920	*N4274	External brake rod clevis (1918)	1	.35
17A139	N4184	External brake rod clevis pin (1918)	1	.10
17A160	N4188	External brake rod clevis pin key (1918)	1	.02
17A161	N4192	External brake rod clevis pin key pin (1918)	1	.01
17A162	N4074	External brake rod clevis pin key pin spring (1918)	1	.03
A22210	N2758	External brake rod clevis nut (1918)	1	.03
18A31	N4111K	External brake rod and hand lever swivel (1918)	1	.25
18A32	N4113K	External brake rod and hand lever swivel rivet (1918)	1	.03
A22210	N2758	External brake rod adjusting nut (1918)	2	.03
16C40	*N4304	Rear sprocket 36-teeth	1	3.00
16C20	*N4308	Rear sprocket 40-teeth	1	3.50

EXTERNAL BRAKE HAND OPERATING LEVER 1916-17-19-20-21-22-23

F24270X	H4002	Coaster brake external brake hand operating lever complete with cables (1916)	1	6.00
17B91X1	N4002X1	Coaster brake external brake hand operating lever complete with cables (1917-19-20-21)	1	6.00
22C72X	N4002RX1	External brake hand operating lever complete with cable 1922-23	1	6.00
D24280	N4006	Coaster brake external brake hand operating lever (1916 to 1921)	1	1.50
22C46	N4006R	External brake hand operating lever	1	1.00
D24285	N4010	Coaster brake external brake hand operating lever screw (1916 to 1921)	1	.05
D24290	N4014	Coaster brake external brake hand operating lever screw lock washer (1916 to 1921)	1	.05
18A315	S626	External brake hand operating lever stud (1922-23)	1	.25
A22210	N2758	External brake hand operating lever stud nut (1922-23)	1	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCR	No. Used	Price Each
Nobility	22B191	N4015R	External brake hand operating lever handle bar bracket (1922-23)	1	\$.50
Patroled	A7160	N4408	External brake hand operating lever handle bar bracket rivet (1922-23)	2	.01
Nobleness	22B192	N4017R	External brake hand operating lever handle bar bracket block (1922-23)	1	.25
Notion	22B193	N4019R	External brake hand operating lever handle bar bracket block pin (1922-23)	1	.10
Acrid	17A140	S635	External brake hand operating lever handle bar bracket clamp (1922-23)	1	.25
Imp	D24295	H4018	Coaster brake external brake hand operating lever cable casing upper stop (1916)	1	1.75
Mooded	17B91	N4018	Coaster brake external brake hand operating lever cable casing upper stop (1917-19-20-21)	1	1.75
Notional	22B194	N4018R	External brake hand operating lever cable casing upper stop (1922-23)	1	.20
Import	D24300	H4022	Coaster brake external brake hand operating lever stud and wire cable casing upper stop clip (1916)	1	.42
Moused	17A297	N4022	Coaster brake external brake hand operating lever stud and wire cable casing upper stop clip (1917-19-20-21)	1	.50
Impress	D24305	H4026	Coaster brake external brake hand operating lever stud and wire cable casing upper stop clip screw (1916)	2	.01
Impressing	A10470	N4026	Coaster brake external brake hand operating lever stud and wire cable casing upper stop clip screw (1917-19-20-21)	2	.03
Impete	P24312	N4030	Coaster brake external brake wire cable 764"	1	.60
Moulded	D24315	N4033	Coaster brake external brake wire cable end sleeve	2	.01
Indite	P24322	N4038	Coaster brake external brake wire cable casing 70 1/2"	1	1.00
Mourned	D24325	N4041	Coaster brake external brake wire cable casing end cap	2	.05
Incus	D24330	H4046	Coaster brake external brake wire cable casing handle bar clip (1916)	2	.05
Mored	17A181	N4046	Coaster brake external brake wire cable casing handle bar clip (1917-19-20-21-22-23)	2	.05
Muched	20B499	N4054	Coaster brake external brake wire cable casing lower stop	1	.15
Hired	A22210	N2758	Coaster brake external brake wire cable casing lower stop nut	1	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Musled	D24340	N4062	Coaster brake external brake wire cable casing lower stop stud	1	\$.15
Musked	D24345	N4066	Coaster brake external brake wire cable casing lower stop stud washer	1	.05
Musled	A22210	N2758	Coaster brake external brake wire cable casing lower stop stud washer nut	1	.03
Musled	E24350	N4075	Coaster brake external brake wire cable casing lower stop frame clamp	1	.50
Musled	E24355	N4078	Coaster brake external brake wire cable casing lower stop frame clamp clip	1	.40
Naled	D24160	N4088	Coaster brake external brake wire cable casing lower stop frame clamp clip screw	2	.05
Naling	A19090	N4086	Coaster brake external brake wire cable casing lower stop frame clamp clip screw nut	2	.03
Necked	D24350	N4090	Coaster brake external brake wire cable casing spring	1	.05
Needed	D24365	N4093	Coaster brake external brake wire cable casing spring dust cap	1	.25
Nerved	E24370	N4094	Coaster brake external brake wire cable casing spring socket	1	.25
Nerving	17A163X	N4098X	Coaster brake external brake wire cable casing spring socket pin complete	1	.15
Newed	17A163	N4098	Coaster brake external brake wire cable casing spring socket pin	1	.10
Niced	17A164	N4102	Coaster brake external brake wire cable casing spring socket pin key	1	.01
Nicked	17A165	N4106	Coaster brake external brake wire cable casing spring socket pin key pin	1	.01
Nohled	17A166	N4110	Coaster brake external brake wire cable casing spring socket pin spring	1	.06

FOOT BRAKE GROUP
1916-17-18-19-20-21-22-23

Jar	G26906	FH4250	Foot brake pedal (1916-P)	1	1.80
Jarring	16C47	GH4250	Foot brake pedal (1916-G)	1	1.80
Nodded	17C39	N4250	Foot brake pedal (1917-18-19)	1	1.50
Nudding	20C97	N4250P	Foot brake pedal (1920-21-22-23)	1	1.50
Nud	16A227	PH4254	Foot brake pedal stud (1916) Model-P	1	.90
Nudging	16A187	GH4254	Foot brake pedal stud (1916) Model-G	1	.90
Nuded	17A143	N4254	Foot brake pedal pin (1917-18-19-20-21-22-23)	1	.15
Nooked	17A108	N4258	Foot brake pedal pin cotter pin (1917-18-19-20-21-22-23)	1	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

In	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Nooking	16A189	H4259A	Foot brake pedal lock ring (1916)	1	\$.02
Nooker	16A188	H4259B	Foot brake pedal washer (1916)	1	.03
Noveled	F35820	N4262	Foot brake pedal stop screw (1917-18-19)	1	.05
Notoriety	20B870	N4262P	Foot brake pedal stop screw (1920-21-22-23)	1	.03
Hired	A22210	N2758	Foot brake pedal stop screw nut	1	.03
Jump	16B47	H4268	Foot brake pedal stop (1916)	1	.12
ry	16A232	H4270	Foot brake pedal spring (1916)	1	.10
Imbed	17A300	N4270	Foot brake pedal spring (1917-18-19-20-21-22-23)	1	.10
Oaked	D26920	*N4274	Foot brake pedal clevis (right hand thread) (1916-17-18)	1	.35
Oaker	19A45	N4274M	Foot brake pedal clevis (right hand thread) (1919-20-21-22-23)	1	.50
Hired	A22210	N2758	Foot brake pedal clevis nut (right hand thread) (1916-17-18)	1	.03
Caring	19A37	N4278M	Foot brake pedal clevis nut (right hand thread) (1919-20-21-22-23)	1	.03
Obtained	C26925	N4282	Foot brake pedal clevis pin	1	.05
Limped	B16480	N4132	Foot brake pedal clevis pin cotter pin	1	.01
Join	E26940	PH4290	Foot brake pedal and brake connecting rod (1916) (Model-F)	1	.65
Joke	D26940X	GH4290X	Foot brake pedal and brake connecting rod (1916) (Model-G)	1	.65
Oceaned	17A245	*N4290	Foot brake pedal and brake connecting rod (1917-18)	1	.40
Oceaner	19A47	N4290MX	Foot brake pedal and brake connecting rod (1919-20-21-22-23)	1	.40
Loved	D24220	N4180	Foot brake pedal and brake connecting rod clevis (left thread) (1916-17-18)	1	.35
Odder	19A46	N4294M	Foot brake pedal and brake connecting rod clevis (left thread) (1919-20-21-22-23)	1	.50
O-dealed	D26948	N4298	Foot brake pedal and brake connecting rod clevis nut (left thread) (1916-17-18)	1	.03
Credealing	19A48	N4298M	Foot brake pedal and brake connecting rod clevis nut (left thread) (1919-20-21-22-23)	1	.03
Lagging	17A159X	N4073X	Foot brake pedal and brake connecting rod clevis pin assembled	1	.15
Loyaled	17A159	N4184	Foot brake pedal and brake connecting rod clevis pin	1	.10
Lucked	17A160	N4188	Foot brake pedal and brake connecting rod clevis pin key	1	.02
Madded	17A161	N4192	Foot brake pedal and brake connecting rod clevis pin key pin	1	.01
Ladding	17A162	N4074	Foot brake pedal and brake connecting rod clevis pin spring	1	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

CHAIN AND CHAIN GUARD GROUP

1916-17-18-19-20-21-22-23

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Unaired	G28000X	N4320X	Duckworth chain (long)	1	\$5.50
Unaired	G28028X	N4324X	Duckworth chain (short)	1	3.75
Unaired	G28030	N4328	Duckworth chain, 1 pitch, 1 roller		.05
Unaired	G28040	N4332	Duckworth chain, 1 pitch, 1 roller bushing		.05
Unaired	G28050	N4336	Duckworth chain, 1 pitch, 1 roller inside plate		.05
Unaired	G28060	N4340	Duckworth chain, 1 pitch, 1 roller outside plate		.05
Unaired	G28070	N4344	Duckworth chain, 1 pitch, 1 roller pin		.02
Unaired	G28080X	N4348X	Duckworth chain, 1 pitch, 1 double link		.45
Unaired	G28081X	N4352X	Duckworth chain, 1 pitch, 1 link block		.15
Unaired	G28090X	N4356X	Duckworth chain, 1 pitch, 1 connecting link		.30
Unaired	G28100X	N4360X	Duckworth chain, 1 pitch, 1 half connecting link		.30
Unaired	G28104	N4364	Duckworth chain, 1 pitch, 1 half connecting link bolt		.05
Unaired	B16480	N4132	Duckworth chain, 1 pitch, 1 half connecting link bolt cotter pin		.01
Unaired	G27050X	N4372X	Duckworth chain, 1 pitch, 1 link side with pins		.08
Unaired	G27060	N4376	Duckworth chain, 1 pitch, 1 link center link side		.05
Unaired	G27070	N4380	Duckworth chain, 1 pitch, 1 link spring		.03
Unaired	18D8X1	N4384X1	Front chain guard complete	1	2.50
Unaired	H28129X	GH4368	Front chain guard complete, (1916-G)	1	3.00
Unaired	18D9X1	N4386X1	Front chain guard complete, electrically equipped		2.60
Unaired	A28146	N4388	Front chain guard upper and lower front clip	2	.10
Unaired	16A166	GH4376	Front chain guard upper front clip (1916-G)	1	.12
Unaired	16A167	GH4380	Front chain guard lower front clip (1916-G)	1	.12
Unaired	A28150	N4392	Front chain guard front clip rivet	6	.01
Unaired	A28160	N2252	Front chain guard front clip screw nut	2	.03
Unaired	19B113S	N736	Front chain guard front clip screw nut lock washer	2	.01
Unaired	18A78	N4402	Front chain guard upper center clip	1	.10
Unaired	G28142	N4404	Front chain guard rear clip	1	.10
Unaired	16A168	GH4400	Front chain guard rear clip (1916-G)	1	.12
Unaired	A7160	N4408	Front chain guard rear clip rivet	2	.01
Unaired	A22150	N4412	Front chain guard rear clip screw	1	.03

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Candled	19B113S	N736	Front chain guard clip screw lock washer	1	.03
Plated	J28175X	N4420X	Rear chain guard complete	1	1.50
Plated	E28175X	GH4408X	Rear chain guard complete (1916-G)	1	1.80
Obtrude	17D27X	U4420X	Rear chain guard (rigid) 1917-18-19	1	1.80
Obtrusion	20D111X	U4420PX	Rear chain guard (rigid) 1920-21-22-23	1	1.80
Plated	E28185	N4424	Rear chain guard front brace	1	.10
Lan	16B118	GH4412	Rear chain guard front brace (1916-G)	1	.12
Honored	C22110	N2766	Rear chain guard front brace rivet	2	.01
Candled	B33560	N732	Rear chain guard front brace screw	1	.08
Candled	19B113S	N736	Rear chain guard front brace screw lock washer	1	.03
Poemmed	G28195	N4440	Rear chain guard rear brace	1	.10
Poemmed	16B119	GH4416	Rear chain guard rear brace (1916-G)	1	.12
Honored	C22110	N2766	Rear chain guard rear brace rivet	2	.01
Induded	G22182	N2928	Rear chain guard rear brace and rear mud guard rear brace screw	1	.10
Ducled	A1320	N1642	Rear chain guard brace screw nut	1	.05
Flaked	19B115S	N1960	Rear chain guard rear brace and rear mud guard lock washer	1	.01

REAR STAND GROUP 1916-17-18-19-20-21-22-23

Pined	G33000X	N4500X	Rear stand	1	4.00
Plaided	G33012	N4504	Rear stand right leg tube	1	.60
Planned	G33013	N4508	Rear stand right leg upper fitting	1	.50
Plaked	G33014	N4512	Rear stand leg and connecting tube corner brace	2	.15
Plated	G33022	N4516	Rear stand left leg tube	1	.60
Played	G33023	N4520	Rear stand left leg upper fitting	1	.50
Pleaded	G33090	N4524	Rear stand right leg lower reinforcement	1	.20
Pleaded	G33095	N4528	Rear stand left leg lower reinforcement	1	.20
Pledged	G33100	N4532	Rear stand leg connecting tube	1	.50
Putured	G19968	N2354	Rear stand friction spring	2	.06
Pointed	16A175	N4540	Rear stand friction spring sleeve	2	.10
Ponded	G33106	N4544	Rear stand friction spring sleeve washer	2	.02
Poored	E22204	N4548	Rear stand friction spring sleeve screw	2	.08
Porched	G33110	N4552	Rear stand spring carrier	1	.25
Honored	C22110	N2766	Rear stand spring carrier rivet (short)	2	.01
Praised	F33400	N4582	Rear stand spring carrier rivet (long)	1	.01

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

FRONT STAND GROUP 1916-17-18-19-20-21-22-23


	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
	F33300X1	N4562X1	Front stand complete with spring carrier	1	\$ 4.50
	22D29X1	N4562RX	Front stand complete with carrier, (1922-23)	1	4.50
	G33370	N4572	Front stand spring carrier, inside	1	.20
	G33380	N4574	Front stand spring carrier, outside	1	.20
	G33385	N4576	Front stand spring carrier tension spring	1	.03
	G33387	N4578	Front stand spring carrier tension spring screw	1	.03
	G33395	N4580	Front stand spring carrier tension spring screw wing nut	1	.20
	F31032	S4582	Front stand spring carrier rivet	2	.01
	D22011	N2824	Front stand spring carrier rivet washer	2	.01
	18A55	N4585	Front stand and spring fork bell crank stud (1916-17-18-19)	2	.40
	20B425	N4585P	Front stand and spring fork bell crank stud (1920-21)	2	.50
	F33430	N4586	Front stand and spring fork bell crank stud nut (1916-17-18-19)	2	.15
	20B472	N4587P	Front stand and spring fork bell crank stud sleeve (1920-21)	2	.05
	20B426	S4587	Front stand and spring fork bell crank stud sleeve (1922-23)	2	.10
	20B165S	N1690P	Front stand and spring fork bell crank stud nut (1920)	2	.10

NOTE—Eliminate spring fork and mud guard brace spacing washer

LUGGAGE CARRIER GROUP 1916-17-18-19-20-21-22-23

Plated	F33700X1	N4600X	Luggage carrier complete	1	7.00
Obtrusion	22D52X1	N4600RX	Luggage carrier complete (1922-23)	1	7.00
Plated	F33705	N4604	Luggage carrier right side	1	2.50
Plated	F33710	N4608	Luggage carrier right side brace	1	.20
Plated	F33715	N4612	Luggage carrier right side brace rivet	1	.01
Peppered	F33720	N4616	Luggage carrier left side	1	2.50
Peppered	F33725	N4620	Luggage carrier left side brace	1	.20
Plated	F33735	N4624	Luggage carrier left side brace rivet	1	.01
Plated	F33730	N4628	Luggage carrier cross strap	3	.12
Plated	22B199	N4628R	Luggage carrier cross strap (1922-23)	3	.15
Plated	F33735	N4632	Luggage carrier cross strap rivet	12	.01
Pettyed	16A197	N4636	Luggage carrier and frame rear spring front bolt	2	.20

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
FL7	N191	Luggage carrier and frame rear apr. front bolt nut	4	\$.05
16A195	N4648	Luggage carrier and frame rear spring rear bolt	2	.10
P1230	N210	Luggage carrier and frame rear spring rear bolt nut	4	.03

KICK STARTER GROUP

1916-17-18-19-20-21-22-23

Unfinished	17C41X2	N4700X	Kick starter complete (1916-17)	1	12.00
Unfinished	201261X	N4700PX	Kick starter complete (1918 to 1923)	1	12.00
Unfinished	17C41X1	*N4704X	Kick starter crank and gear segment (1916-17)	1	5.00
Unfinished	18C8X1	N4704KX	Kick starter crank and gear segment (1918-19-20-21-22-23)	1	5.00
Unfinished	18C8	N4708K	Kick starter crank	1	2.50
Unfinished	G34530	N4712	Kick starter crank rivet	3	.01
Unfinished	19B61	N4716P	Kick starter crank foot lever (1916 to 1923)	1	.50
Unfinished	E34204	N4720	Kick starter crank foot lever screw (1916-17-18-19)	1	.12
Unfinished	19B106S	N4720P	Kick starter crank foot lever screw (1920-21-22-23)	1	.15
Unfinished	F34206	N4724	Kick starter crank foot lever screw spring (1916-17-18-19)	1	.05
Unfinished	E34209	*N4728	Kick starter crank foot lever rubber	1	.20
Unfinished	B16610	*N1688	Kick starter crank foot lever rubber inside washer	1	.03
Unfinished	G34531	*N4736	Kick starter crank foot lever rubber outside washer	1	.03
Unfinished	A22150	N4412	Kick starter crank foot lever rubber screw	1	.03
Unfinished	G34540	*N4744	Kick starter crank spring	1	.10
Unfinished	G34530	B16738	Kick starter crank stop (1916)	1	.30
Unfinished	17C44	N4748	Kick starter crank stop (1917-18-19-20-21-22-23)	1	.25
Unfinished	G34535	*N4756	Kick starter crank stop reinforcement	1	.10
Unfinished	A7140	N752	Kick starter crank stop rivet	3	.01
Unfinished	17C41X	N4768	Kick starter gear segment with bushing (1916-17)	1	2.50
Unfinished	18C7X	N4768KX	Kick starter gear segment with bushing (1918-19-20-21-22-23)	1	2.75
Unfinished	16A372	N4769	Kick starter gear segment bushing	1	.20
Unfinished	16A384	*N4772	Kick starter gear segment stud	1	.65
Unfinished	A25290	*N4776	Kick starter gear segment stud washer	1	.05
Unfinished	G34600	*N4780	Kick starter gear segment stud nut	1	.12
Unfinished	16A38X	*N4784X	Kick starter gear segment stud sleeve	1	1.00

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

Ct	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Retained	G34620	N4788	Kick starter gear segment stud sleeve	1	.05
Retained	G34630	N4792	Kick starter gear segment stud sleeve stop pin	1	.03
Retained	G34612	*N4796	Kick starter gear segment stud sleeve washer	1	.05
Mop	16C13	H4772	Kick starter gear segment stud bracket (1916)	1	.75
Retained	17C23	*N4800	Kick starter gear segment stud bracket (1917-18-19)	1	.60
Retaining	20C119	N4800P	Kick starter gear segment stud bracket (1920-21-22-23)	1	.60
Riched	16B51	N4804	Kick starter pinion (1916-17)	1	1.25
Riching	18B2	*N4804K	Kick starter pinion (1918-19-20-21-22-23)	1	1.50
Ride	G34660	*N4808	Kick starter pinion spring	1	.10
Rigged	G34670	*N4812	Kick starter pinion spring dust cap	1	.10
Mote	16B52	H4788	Kick starter pinion ratchet plate (1916)	1	1.20
Ring	17B32	*N4816	Kick starter pinion ratchet plate (1917-18-19-20-21-22-23)	1	.75
Moss	16B53	H4792	Kick starter pinion shaft (1916)	1	1.20
Risked	17B31	*N4820	Kick starter pinion shaft (1917-18-19-20-21-22-23)	1	1.00
Mpurn	P35810	H4796	Kick starter pinion shaft and clutch plate rivet (1916)	4	.01
Robbed	17A80	N1824	Kick starter pinion shaft and clutch pl. rivet (1917-18-19-20-21-22-23)	4	.01

FOOT BOARD GROUP

1916-17-18-19-20-21-22-23

Spunked	20C237X1	N4850X	Foot board complete right and left	2	2.00
Spurred	20C136	N4854	Foot board right and left side	2	1.25
Squabbled	D36010	N4858	Foot board rubber mat	2	.35
Squabbler	16A405	N4859	Foot board rubber mat rivet	24	.01
Spurred	16B35	N4862	Foot board cleat	4	.30
Spoattered	16A199	N4866	Foot board cleat rivet washer (1916 to 1921)	8	.01
Spyed	16A193	N4870	Foot board cleat rivet	8	.01
Splined	16B37	N4874	Foot board front bracket	2	.30
Squabbled	16A165	N4878	Foot board bracket hinge pin	4	.07
Limpe	B16480	N4132	Foot board bracket hinge pin cotter pin	4	.01
Muse	16C66	H4886	Foot board rear bracket (1916)	1	1.20
Squabbled	17C35	N4886	Foot board rear bracket (1917-18-19)	1	2.00
Squabbled	20C96	N4886P	Foot board rear bracket (1920-21-22-23)	1	2.00
Mutt	E36100	H4890	Foot board rear bracket frame lug (1916)	1	.40
Squabbled	17B60	N4890	Foot board rear bracket clip (1917-18-19)	1	.40

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application


Ct	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Used	E22204	N4548	Foot board rear bracket clip screw (1916-17-18-19)	2	.08
Used	19B114S	N216	Foot board rear bracket clip screw lock washer (1916-17-18-19)	2	.01
Used	E60310	N4894P	Foot board rear bracket and frame lug screw (1920-21-22-23)	2	.10
Used	19B115S	N1960	Foot board rear bracket and frame lug screw lock washer (1920-21-22-23)	2	.01

THREE SPEED GROUP

1916-17-18-19-20-21-22-23

Used	20D58X	N4930PX	Three speed complete less clutch (1916-17-18-19-20-21-22-23)	1	55.00
Used	20E70X	N4954PX	Three speed complete with clutch (1916-17-18-19-20-21-22-23)		70.00
Used	H75030X	H4958X	Three speed complete with clutch and operating levers (1916)	1	75.00
Used	K75030X	N4958X	Three speed complete with clutch and operating levers (1917-18-19)	1	75.00
Used	20E76X	N4958PX	Three speed complete with clutch and operating levers (1920-21-22-23)	1	75.00
Used	18E6X	*N4962	Three speed gear case (1916-17-18-19)	1	10.00
Used	20D56X	N4962P	Three speed gear case (1920-21-22-23)	1	10.00
Used	16A158	*N4966	Three speed gear case anchor stud	4	.10
Used	E35050	N4970	Three speed gear case anchor stud nut	4	.05
Used	E35055	N4974	Three speed gear case and frame bracket strap	2	.12
Used	G75040	*N4978	Three speed gear case countershaft bushing (1916-17-18-19)	1	.10
Used	20B433	N4978P	Three speed gear case countershaft bushing (1920-21-22-23)	1	.20
Used	G75045	*N4982	Three speed gear case shifter fork segment shaft bushing	1	.30
Used	B21750	N2684	Three speed gear case air relief nipple	1	.25
Used	G75065X	N4990X	Three speed gear case air relief tube with cone	1	.15
Used	A20160	N2406	Three speed gear case air relief tube cone	1	.05
Used	A20150	N2404	Three speed gear case air relief tube union nut	1	.08
Used	G75070	N5006	Three speed gear case cover stud	6	.06
Used	A28160	N2252	Three speed gear case cover stud nut	6	.03
Used	19B26	N5007P	Three speed gear case oil inlet elbow (1920-21-22-23)	1	.40
Used	A26160	N2848	Three speed gear case oil inlet elbow screw (1920-21-22-23)	2	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application



	Factory No.	Part No.	DESCRIPTION	QTY	Price Each
Coiled	19B1138	N736	Three speed gear case oil inlet elbow screw lock washer (1920-21-22-23)	2	\$.01
Coiled	16A40	N2632	Three speed gear case oil inlet elbow cap (1920-21-22-23)	1	.15
Coiled	18D2X	*N5014	Three speed gear case cover (1916-17-18-19)	1	3.00
Coiled	20D43X	N5014P	Three speed gear case cover (1920-21-22-23)	1	3.00
Coiled	G75080	*N5014	Three speed gear case cover counter-shaft bushing (1916-17-18-19)	1	.20
Coiled	20B434	N5018P	Three speed gear case cover counter-shaft bushing (1920-21-22-23)	1	.20
Coiled	E35060	N262	Three speed gear case cover oil inlet screw	2	.05
Coiled	E35061	N266	Three speed gear case cover oil inlet screw leather washer	2	.01
Coiled	16C12X	*N5030X	Three speed main shaft with thrust bearing collar	1	3.50
Coiled	16A82	N5038	Three speed main shaft thrust bearing collar	1	.25
Coiled	F35120X	*N5042X	Three speed main shaft ball bearing complete (right)	1	5.00
Coiled	F35130X	*N5046X	Three speed main shaft ball bearing complete (left)	1	6.00
Coiled	17A364	N5047	Three speed main shaft ball bearing shim .003 thick, (left side)	1	.05
Coiled	17A366	N5048	Three speed main shaft ball bearing shim .010 thick, (left side)	1	.05
Coiled	16B33	*N5050	Three speed main shaft ball bearing lock nut (left side)	1	.50
Coiled	16C10X	*N5054X	Three speed main shaft countershaft sprocket driver with bushing	1	5.50
Coiled	16A142	N5062	Three speed main shaft countershaft sprocket driver bushing	1	.60
Coiled	16A81	N5066	Three speed countershaft sprocket driver thrust bearing collar	1	.20
Coiled	16A152	N5068	Three speed countershaft sprocket driver collar	1	.12
Coiled	16A291	N5072	Three speed main shaft thrust bearing ring	1	.35
Coiled	16A161	*N5076	Three speed main shaft countershaft sprocket driver oil deflector	1	.15
Coiled	16A164	*N5080	Three speed main shaft countershaft sprocket driver oil felt washer	1	.05
Coiled	16A162	*N5084	Three speed main shaft countershaft sprocket driver oil felt washer retainer washer	1	.05
Coiled	17A363	N5085	Three speed countershaft sprocket driver shim .005 thick	1	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
 The order blank which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	QTY	Price Each
	17A362	N5086	Three speed countershaft sprocket driver shim .010 thick	1	\$.05
Tiareed	16B40	*N5088	Three speed main shaft countershaft sprocket (21-Tooth)	1	1.50
Ticked	F35230	N5092	Three speed main shaft countershaft sprocket lock nut	1	.20
Tickete	G35241	N5096	Three speed main shaft driver	1	1.75
Tickel-	G35250	N5100	Three speed main shaft driver key	1	.08
Tidaler	G35260	N5104	Three speed main shaft driver nut	1	.10
Tided	C35270	N5108	Three speed main shaft driver nut lock washer	1	.05
Tidyed	16B7X	*N5112X	Three speed countershaft gear with bushing (1916-17-18-19)	1	7.00
Tidyer	19B32X	N5112PX	Three speed countershaft gear with bushing (1920-21-22-23)	1	7.00
Spheru	G75135	N5120	Three speed countershaft gear bushing (1916-17-18-19)	2	.50
Sphering	19A59	N5120P	Three speed countershaft gear bushing (1920-21-22-23)	2	.60
Spheroided	16A79	N5124	Three speed countershaft gear bushing spacer (1916-17-18-19)	1	.18
	19A49	N5124P	Three speed countershaft gear bushing spacer (1920-21-22-23)	1	.25
Sphinzed	16A80	*N5128	Three speed countershaft gear center shaft (1916-17-18-19)	1	.75
Sphinzex	19A60	N5128P	Three speed countershaft gear center shaft (1920-21-22-23)	1	.75
Spiceryed	C35330	N5132	Three speed countershaft gear center shaft key	1	.05
Spicilyed	16B6	*N5136	Three speed driving dog with second and low speed gear	1	4.00
Spiked	16B12	*N5140	Three speed gear shifter fork	1	2.25
Sploul-	16A71	*N5144	Three speed gear shifter fork shaft	1	.40
Spider-	16B8	*N5148	Three speed gear shifter fork segment with shaft	1	1.25
Spigoted	16B74	*N5152	Three speed gear shifter fork segment outside operating lever	1	1.25
Spiled	16B75	*N5156	Three speed gear shifter rod outside operating lever safety lock	1	.70
Spiled	G75195	*N5160	Three speed gear shifter rod outside operating lever safety lock stud	1	.30
Spinar	G75196	N5164	Three speed gear shifter rod outside operating lever safety lock stud washer	1	.06
Spenced	F1230	N210	Three speed gear shifter rod outside operating lever safety lock stud nut	1	.03
Spined	G75198	*N5170	Three speed gear shifter rod outside operating lever safety lock spring	1	.06


Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Spinneyed	G75197	N5177	Three speed gear shifter rod outside operating lever safety lock spring reinforcement	1	\$.05
Persist	G75202	N5178	Three speed gear shifter lever safety lock spring stud	1	.10
Fritted	A28160	N2252	Three speed gear shifter lever safety lock spring stud nut	1	.03
Persistent	E34209	N5179	Three speed gear shifter lever safety lock spring stud nut washer	1	.03
Spineted	G75204	N5180	Three speed gear shifter rod outside operating lever safety lock release block	1	.25
Fragiled	B3280	N2302	Three speed gear shifter rod outside operating lever safety lock release block nut	1	.03
Spenced	A1230	N5188	Three speed gear shifter fork segment outside operating lever nut	1	.03
Spiraled	D35530	N5192	Three speed gear shifter fork segment outside operating lever nut washer	1	.03
Browed	A3230	N614	Three speed gear shifter fork segment outside operating lever nut cotter pin	1	.01
Spirited	16A77	N5198	Three speed gear shifter fork lock	1	.25
Spited	16A76	N5202	Three speed gear shifter fork lock guide pin	1	.05
Splashed	16A78	N5204	Three speed gear shifter fork lock spring	1	.03
Splasheded	16A74	*N5208	Three speed gear shifter fork lock case bushing	1	.60
Splayed	16A75	*N5212	Three speed gear shifter fork lock cap	1	.25
Splendidid	16A157	N5216	Three speed clutch release plunger rod	1	.25
Splendored	D35600	N5220	Three speed clutch release plunger rod thrust bearing back plate	1	.03
Spliced	D35615	N4034	Three speed clutch release plunger rod thrust bearing ball (1/4")	1	.05
Splinted	D35620	N5228	Three speed clutch release plunger rod thrust bearing ball retaining ring	1	.03
Splintered	D35630X	*N5232X	Three speed clutch release plunger worm with ball	1	1.00
Spoilered	C35640	*N5240	Three speed clutch release plunger worm nut	1	.75
Sponged	C35650	*N5244	Three speed clutch release plunger worm nut dust cap	1	.25
Sponsored	G35660X	N5248X	Three speed clutch release plunger worm lever with swivel	1	.85
Spooled	C35660	N5252	Three speed clutch release plunger worm lever	1	.65
Spooned	G35680	N5256	Three speed clutch release plunger worm lever swivel	1	.20

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Spriter	19A36	N5338P	Three speed operating rod clevis (1920-21-22-23)	1	\$.45
Obtained	C76925	N4282	Three speed operating rod clevis pin (1917-18-19-20-21-22-23)	1	.05
Brown	A3230	N614	Three speed operating rod clevis pin cotter pin	1	.01
Frigit	B3280	N2302	Three speed operating rod nut (1917-18-19)	1	.03
Spryer	19A37	N2302P	Three speed operating rod nut (1920-21-22-23)	1	.03
Spryed	17B55	N5354	Three speed operating rod (1917-18-19)	1	.35
Sprying	19B24	N5354P	Three speed operating rod (1920-21-22-23)	1	.50
	B16601	N5355	Three speed operating rod cotter pin (1917-18-19-20-21-22-23)	1	.01
Sprinting	18B5	N5360	Three speed adjusting strap (1917-18-19-20-21-22-23)	1	.35
Sprocting	18A10	N5362K	Three speed adjusting strap nut (1917-18-19-20-21-22-23)	1	.20
Spruzing	18A11	N5364K	Three speed adjusting strap stud (1917-18-19-20-21-22-23)	1	.20
Flayed	F1320	N1956	Three speed adjusting strap stud nut (1917-18-19-20-21-22-23)	1	.05
Flaked	19B115S	N1960	Three speed adjusting strap stud nut lock washer (1917-18-19-20-21-22-23)	1	.01

TOOL BOX GROUP 1916-17-18-19-20-21-22-23

Rutter	F32510X2	H5350X1	Tool box complete with contents (1916)	1	9.60
Rutted	17D11X2	N5400X	Tool box complete with contents (1917-18-19)	1	9.00
Rutting	20D64X1	N5400PX	Tool box complete with contents (1920-21-22-23)	1	9.00
Sacker	F32510X1	H5354X	Tool box less contents (1916)	1	3.00
Sack	17D11X1	N5404X	Tool box complete less contents (1917-18-19)	1	3.00
Sack	20D64X	N5404PX	Tool box complete less contents (1920-21-22-23)	1	3.00
Safer	F32520	H5358	Tool box body (1916)	1	.60
Safed	17D11	N5408X	Tool box body (1917-18-19-20-21-22-23)	1	1.00
Sag	17A167	N5412	Tool box front (1917-18-19-20-21-22-23)	1	.30
Sanded	17C58	N5416	Tool box door (1917-18-19-20-21-22-23)	1	.40
Sapp	F32540	N5366	Tool box cover (1916)	1	.40
Sapp	G73870	N5420	Tool box cover (1917-18-19)	1	.30
Sapp	20C114	N5420P	Tool box cover (1920-21-22-23)	1	.30
Sawed	J32551	N5424	Tool box hinge wire, .109 diam. 1/4" long	1	.05

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Scaled	F32600X	N5428	Tool box lock	1	\$.65
Scalped	F32605	N5432	Tool box lock rivet	3	.01
Scanned	F32610	N5436	Tool box lock link	1	.15
Scened	F32615	N5440	Tool box lock link rivet	2	.01
Seared	F32620	N5444	Tool box lock key	1	.10
Scrapped	F32630	N6803	Tool box and battery box screw, long	2	.05
Screamed	F73940	N6805	Tool box and battery box screw, short	2	.05
Fritted	A28160	N2252	Tool box and battery box screw nut	4	.03
Paupered	A22150	N4412	Tool box and gasoline tank screw (1916)	2	.03
Candled	19B113S	N736	Tool box and gasoline tank screw lock washer (1916)	2	.01
Seeked	B32111X	N5402X	Monkey wrench	1	.60
Seemed	16B76	N5406	Spark plug wrench	1	.40
Sereneing	18B11	N5411K	Head adjusting cone and exhaust tube nut wrench (1918-19)	1	.30
Sewed	A32140X	N5414	Screw driver	1	.25
Shacked	E32150X	N5418	Oil can (accessory)	1	.30
Shadded	A32160X	N5422X	Tire repair outfit	1	.50
Shaded	E32170X	N5426	Pump clips (accessory) . . . per pair	2	.25
Shammed	E32175X	N5430	Pump (accessory)	1	1.25
Sparing	16B111	N5434KA	Chain tool body (1916-17-18)	1	.45
Sharling	16B112	N5434KB	Chain tool screw (1916-17-18)	1	.20
Sharker	23Q833X	N5434M	Chain tool (1919-23)	1	.75
Sharked	H32580X	N5438	Combination wrench set	1	.60
Sharken	E32580	N5438A	Open end wrench, 41/64-1/2"	1	.20
Sharkent	E32582	N5438B	Open end wrench, 45/64-29/64	1	.20
Sharko	E32586	N5438C	Open end wrench, 49/64-37/64	1	.20
Sharkes	A32100A	N5439P	Socket wrench (accessory)	1	.30
Sharket	A32100B	N5441P	Socket wrench pin (accessory)	1	.10
Sharped	F32593	N5442A	Gear stud socket wrench	1	.20
Shedded	F32596	N5442B	Gear stud socket wrench pin	1	.10
Sheeped	H32598X	N5446	Pliers	1	.50
Shined	F32650	N5450	Tool roll	1	.50
Shooked	17B46	N5454	Inlet and exhaust valve hole plug and sleeve wrench (1917-18-19-20-21-22-23)	1	.40
Shored	16B77	N5458	Breather pipe nipple wrench and valve tappet screw wrench	1	.20
Shouted	16A224	N5462	Cylinder stud nut wrench	1	.25
Shrilled	E29485X	N5466	Magneto wrench (accessory)	1	.25
Pained	G28080X	N4348X	Chain repair link (accessory)	1	.45
Paining	16A359	N5467K	Valve extractor tool (accessory)	1	.15



DIXIE #2 MAGNETO PARTS

1016-17-18-19

MAGNETS AND COVER

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Shrugged	G47000X	N5500X	Magneto complete (1916-17)	1	\$36.00
Shrugging	K47000X	N5500KX	Magneto complete (1918-19)	1	36.00
Shutted	3258	N5502	Side plate screw with lock washer	1	.05
Shyed	4078	N5504	Magnets	1	5.00
Sided	4123	N5506	Magnets cover	1	.60
Sghed	8112	N5508	Side plate studs	2	.10
Singed	8113	N5510	Side plate rod	1	.05
Sinked	4181	N5512	Side plate left hand	1	1.00
Skated	4212	N5514	Side plate stud washers	2	.05
Skiffed	4283	N5516	Side plate right hand	1	.60

FRONT AND BACK PLATE

Skilled	226	N5518	Plate screw with lock washer	1	.05
Skinned	340	N5520	Screws with lock washers for back plate cap	4	.05
Skipped	1979	N5522	Brush holder screws with lock washer	6	.05
Slacked	4396	N5524	Carbon brush with spring	1	.15
Slapped	2922	N5526	Terminal hood	1	.05
Slated	3250	N5528	Brush holder screws	3	.05
Slaved	4073	N5530	Magneto base	1	2.25
Sledded	4074	N5532	Front plate	1	1.75
Sleeted	4109	N5534	Back plate	1	2.00
Slided	4457	N5536	Back plate cap with gasket	1	2.25
Slined	4111	N5538	Brush holder support R. H.	1	.20
Slipped	4113	N5540	Brush holder support L. H.	1	.20
Smarted	4133	N5544	Rubber gasket round	1	.05
Smashed	4134	N5546	Rubber gasket flat	1	.05
Smiled	4206	N5548	Secondary distributor brush holder complete with brushes	1	1.50
Promote	18826	N5542P	Secondary collector brush holder complete R. H.	1	1.50
Promoter	18856	N5543P	Secondary collector brush holder complete L. H.	1	1.50
Snapped	4366	N5552	Cover spring and post	1	.40
Spowed	44800N	N5554	Cable short front	1	.40
Smushed	44800N1	N5556	Cable long rear	1	.45
Soaped	9433	N5558	Carbon brush with spring	1	.15

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

ROTATING POLE STRUCTURE

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Soared	7	N5560	Woodruff key	1	.05
Solard	247	N5562	Cam screw	1	.10
Sofned	1949	N5564	Shaft nut	1	.10
Surmised	1950	N5568	Shaft washer	1	.05
	2788		Key, drive end	1	.05
Surpassed	4077	N5570	Secondary spool R. H.	1	1.05
Surreyed	4094	N5572	Rotating pole structure	1	5.00
Surveyed	4144	N5574	Cam 42°	1	1.00
Suspected	4153	N5576	Shaft ring	1	.05
Sustained	4177	N5578	Cam washer	1	.05
Sutlered	4214	N5580	Cam 180° right hand	1	1.00
Suttled	4215	N5582	Cam 180° left hand	1	1.00
Swagged	4216	N5584	Cam 45° right hand	1	1.00
Swaged	4217	N5586	Cam 45° left hand	1	1.00
Swained	4235	N5588	Cam 50° left hand	1	1.00
Swamped	4238	N5590	Secondary spool L. H.	1	1.65

HIGH TENSION WINDING

Swapped	3107	N5594	Ground connection screw	1	.05
Swarded	3703	N5596	High tension winding screw with washer	2	.05
Swarmed	4114	N5598	Gap protector	1	.50
Swarted	4151	N5600	Safety gap holder	1	.85
Swayed	4161	N5602	High tension winding	1	6.50
Swealed	8408	N5604	Primary ground clip	1	.05

BREAKER BOX

Sweeped	2139	N5606	Screw with washer (3033) for advance lever	1	.05
Sweeted	2652	N5608	Magneto wrench	1	.15
Sweetened	4121	N5610	Breaker box complete with platinum	1	3.75
Swelled	4209	N5612	Advance lever	1	1.25
Sweltured	4182	N5614	Insulation housing for 3260	1	.15
Swerved	3260	N5618	Bracket screw with washer	1	.05
Swifted	10959	N5620	Breaker bar spring	1	.10
Swinned	3104	N5622	Buffer spring	1	.05
Swinged	4102	N5624	Breaker bar bearing screw	1	.15
Swiped	4105	N5628	Contact screw bracket only	1	.00
Swirled	4106	N5630	Contact screw bracket insulation	1	.05
Swissed	4119	N5632	Breaker box cover with hinge pin top	1	.25
Swormed	12479	N5634	Breaker box with cover spring	1	1.25
Sworded	4492	N5638	Primary lead fastening screw	1	.05

INDIAN MOTOCYCL

RTS LIST

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Sylvaned	4191	N5640	Breaker bar spring screw and nut (2212)	1	\$.05
Synoded	4192	N5642	Contact screw lock nuts		.05
Syntaxed	4210	N5646	Contact screw with platinum and lock nuts	1	2.50
Syrnaed	4367	N5648	Breaker box cover front	1	.10
Syrtised	4442	N5650	Contact screw bracket complete with platinum screw	1	4.40

FIELD POLES

Systemed	16774	N5652	Bearing holder screw, long	1	.05
Tabbed	1638	N5654	Bearing holder screw, short	1	.05
Tabared	4071A	N5656	Bearing holder with bearing breaker end	1	6.00
Tabled	4071A	N5658	Bearing holder with bearing driving end	1	3.00
Tableted	4189	N5660	Field poles	1	4.50
Tabored	4483	N5662	Primary lead	1	.40
Tacited	4555	N5664	Primary lead strap with screw	1	.05
Tacked	14612	N5668	Field pole cover with screws (3493)	1	.05

CONDENSER

Tackled	1976	N5670	Condenser screw and washer	1	.05
Tacted	4143	N5672	Condenser box complete with condenser (1915) model	1	2.50
Taffyed	4160	N5674	Condenser box screw (1915) model	1	.05
Tagged	4196	N5676	Condenser box screw with ferrule (1915) model	1	.10
Tailed	4218	N5678	Condenser (1916-17-18-19)	1	2.50
Tailored	4361	N5680	Condenser stud post top	1	.10
Tained	4362	N5682	Condenser stud post bottom	1	.10

CABLE AND BASE SCREW AND PINION
(1916-17-18-19 20-21-22-23)

Taked	16A22	N5684	Magneto anchor screw	4	.05
Flaked	19B115S	N1960	Magneto anchor screw lock washer	4	.01
Taled	A29650	N5688	Magneto anchor screw sub base	1	.10
Talented	16B10	N5690	Magneto pinion	1	1.15
Talked	A29560	N5692	Magneto pinion key	1	.01
Talled		N5564	Magneto pinion nut	1	.15
	P29499	N5696	Magneto shaft felt washer	1	.05
	16A391	N5698	Magneto shim (.006" thick)		.03
	16A392	N5700	Magneto shim (.008" thick)		.03
	16A393	N5702	Magneto shim (.029" thick)		.05

*Indicates part is illustrated

HENDEE ANVY NG CO.

AERO MAGNETO PARTS
1920-21

Code	Part No.	Description	No. Used	Price Each
Shutter	2002150X	Aero magneto complete	1	\$38.00
Shutter	2102152X	Aero magneto complete with threaded terminal	1	38.00

MAGNETS AND COVER

Shutter	3258	N5502	Magneto cover screws with lock washers	4	.05
Shutter	18 5	N5504P	Magnets	per pair	5.00
Shutter	18 7	N5506P	Magnet cover	1	2.75

FRONT AND BACK PLATE

Shutter	226	N5518	Plate screws with lock washers	4	.05
Shutter	340	N5520	Screws with lock washers for back plate cap	4	.05
Shutter	1979	N5522	Brush holder screws with lock washers	6	.05
Shutter	3250	N5528	Distributor brush holder screws	2	.05
Shutter	18807	N5530P	Magneto base	1	2.25
Shutter	18809	N5532P	Front plate with oiler	1	2.50
Shutter	18833	N5534P	Back plate with oiler	1	3.00
Shutter	18150	N5535P	Oiler	1	.20
Shutter	18884	N5536P	Back plate cap with gasket	1	2.25
Shutter	4206	N5548	Secondary distributor brush holder complete	1	1.50
Shutter	18826	N5542P	Secondary collector brush holder complete R. H.	1	1.50
Shutter		N5542Q	Secondary collector brush holder complete R. H. (for threaded terminal)	1	1.50
Shutter	18856	N5543P	Secondary collector brush holder complete L. H.	1	1.50
Shutter		N5543Q	Secondary collector brush holder complete L. H. (for threaded terminal)	1	1.50
Shutter	133	N5544	Rubber gasket, round	1	.05
Shutter	4134	N5546	Rubber gasket, flat	1	.15
Shutter	4396	N5524	Carbon brush with spring	1	.15
Shutter	9433	N5538	Carbon brush with spring	1	.40
Shutter	H4800X1	N5554	Cable 16' long	1	.45
Shutter	210455	N5554Q	Cable short with threaded terminal 1921-22	1	.45
Shutter	748000X1	N5556	Cable, 24 1/2' long	1	.45

INDIAN MOTORCYCLE PARTS LIST

Code	Part No.	Description	No. Used	Price Each
Reclusion	21Q454	N5556Q Cable long with threaded terminal 1921-22	1	\$.50
Slapped	2922	N5526 Terminal hood	1	.05
Snapped	4366	N5552 Cover spring and post	1	.40

HIGH TENSION WINDING

Swapped	3107	N5594	Primary lead and ground connection screw	1	.15
Swapped	3703	N5596	High tension winding screws with washers	2	.15
Swapped	4114	N5598	Gap protector	1	.50
Swapped	18882	N5599P	Gap protector bushing	1	.05
Swapped	4151	N5600	Safety gap holder	1	.55
Swapped	18333	N5601P	Safety gap holder screw	4	.05
Swapped	4161	N5602	High tension winding	1	6.50
Swapped	14698	N5603P	Ground clip	1	.05

ROTATING POLE STRUCTURE

Soared	72	N5560	Key for cam	1	.05
Soaring	8888	N5562P	Cam screw	1	.10
Soaring	8889	N5563P	Cam washer	1	.05
Soaring	1949	N5564	Shaft nut	1	.10
Soaring	1950	N5568	Shaft washer	1	.05
Soaring	4077	N5570	Secondary spool R. H.	1	1.65
Soaring	4238	N5571P	Secondary spool L. H.	1	1.65
Soaring	18196	N5569P	Key for secondary spool	1	.05
Soaring	18858	N5572PX	Rotating poles and field structure	1	22.00
Soaring	18885	N5572P	Rotating pole structure	1	6.25
Soaring	18836	N5574P	Cam R. H.	1	1.00
Soaring	23322	N5575P	Drive key	1	.05
Soaring	4153	N5576	Shaft ring	1	.05

BREAKER BOX

Shouting	1638	N5606P	Screw for advance lever	1	.05
Siding	19109	N5607P	Bracket fastening screws	2	.05
Sighing	18850	N5609P	Breaker base	1	1.50
Sighing	9161	N5610P	Breaker bar complete with platinum	1	3.50
Sinking	18820	N5612P	Advance lever	1	1.50
Skating	9588	N5618P	Bracket lock screw	1	.05
Skimming	3796	N5619P	Breaker bar spring screw	1	.05
Slaving	8445	N5620P	Breaker bar spring	1	1.10
Slodding	14847	N5621P	Bracket insulating washer	2	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
 and order blanks which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Swimming	8104	N5622	Buffer spring	1	.05
Sleeting	18881	N5623P	Finger spring	1	.05
Skipped	1979	N5522	Breaker bar spring screw	1	.05
Sliding	180	N5638P	Primary lead fastening screw	1	2.50
Slipping	8058	N5646P	Contact screw with platinum	2	.10
Snacking	14846	N5647P	Bracket insulating bushing	1	.60
Smashing	18846	N5648P	Breaker cover	1	.05
Smiling	14791	N5649P	Contact screw bracket insulation	1	.05
Snoking	18859	N5650P	Contact screw bracket complete with platinum screw	1	4.35
		N5651P	Contact screw bracket only	1	.60
Snapping	18847	N5607P	Breaker base fastening screw	2	.05
Snowing	19109				

FIELD POLES

		N5600P	Field poles	1	5.25
Scubbing	12490	N5652	Bearing holder screws, long	1	.05
Systemed	16774	N5654	Bearing holder screws, short	1	.05
Tabbed	1638	N5656P	Bearing holder with bearing, breaker end	1	6.00
Soaping	18854				
		N5658P	Bearing holder with bearing driving end	1	5.00
Soiling	18835				
		N5662P	Primary lead	1	.40
Solaring	18886	N5664	Primary lead strap with screw	1	.05
Tacited	4555	N5668P	Field pole cover	1	.05
Soleding	14724				

CONDENSER

		N5678	Condenser	1	2.50
Tailed	4218	N5670P	Condenser screw with washer	2	.05
Soliciting	2942	N5679P	Condenser support	1	.05
Solving	18842				

MAGNETO GROUP
SPLITDORF MODEL S-2 (1922-23)

		N5500RX	Magneto complete	1	42.50
Filmy	22Q457X	N5554R	Magneto cable short (front)	1	.40
Filter	22Q458X	N5556R	Magneto cable long (rear)	1	.45
Filth	22Q459X				

MAGNETS AND COVER

		N5703R	Magnet cover screws with lock washer	4	.05
Filthy	16788		1672	1	3.00
		N5704R	Magnet	2	.10
Filtrate	50008	N5706R	Magnet cover clamps	1	.80
Flia	50033	N5708R	Magnet cover		
Finance	50034				

FRAME AND FRONT AND BACK PLATE

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Pinch	29557	N5710R	Back and front plate fastening screws with lock washer 23287	6	\$.05
				1	7.50
Habit	52275	N5712R	Frame	1	.05
Habitant	50098	N5714R	Rotation stamp	3	.05
Habitudo	52016	N5716R	Cover nuts with lock washer 274	1	3.00
Hackle	52280	N5718R	Breaker end plate	1	2.50
Hackney	52040	N5720R	Drive end plate assembly R. II.	1	.05
Hag	52042	N5722R	Oil stamp disc	2	.05
Haggard	52043	N5724R	Oil hole screws	3	.10
Hair	52047	N5726R	Cover studs	1	1.50
Halberd	52115	N5728R	Drive end plate assembly L. H.	1	1.50
Hall	52020	N5730R	Cover for breaker end plate	1	.20
Halyard	52128	N5732R	Breaker end plate gasket	1	.05
Ham	52129	N5734R	Grounding terminal gasket	1	.05
Hamlet	52132	N5736R	Grounding terminal screw	1	.05
Hand	52133	N5738R	Grounding terminal spring	1	.05
Handy	52134	N5740R	Grounding terminal snap ring	1	10.50
Handily	52285	N5742R	Frame and front plate assembly	1	.25
Handiness	52235	N5744R	Grounding terminal assembly		

HIGH TENSION WINDING

		N5746R	High tension winding clamp screws	4	.05
Handiwork	2075	N5748R	High tension connector spring	1	.05
Handle	8312	N5750R	Safety gap screws with lock washers 3033	2	.05
Hang	8460				
		N5752R	High tension winding with primary leads	1	6.50
Hanged	50060			2	.10
		N5754R	High tension winding clamps	1	.05
Hangar	50061	N5756R	Ground clip	1	.75
Hamperer	50068	N5758R	High tension connector	1	.25
Hanker	52050	N5760R	Safety gap	1	.40
Map	52101	N5762R	Primary lead	1	.05
Hard	52120	N5764R	Primary lead clip		
Harden	52121				

ROTATING POLE STRUCTURE

		N5766R	Ball bearings	2	1.50
Harder	363A	N5564	Shaft nut	1	.10
Softed	1949	N5568	Shaft nut washer	1	.05
Surmised	1950	N5562P	Cam screw	1	.10
Soaring	8888	N5563P	Cam screw lock washer	1	.05
Softing	4212	N5574P	Cam 42" (R. H.)	1	1.00
Shedding	18836	N5575P	Key for drive end	1	.05
Shining	23322				

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

100

Code	Factory No.	Part No.	DESCRIPTION	Price Each
Shining	23322	N5575P	Key for pinion	.05
Hardly	51037	N5770R	Felt washer for bearings	.05
Harmful	52010	N5772R	Rotating pole structure—less bearings	6.00
Hardness	52105	N5774R	Rotating pole and bearings assembly	9.00

BREAKER

Hardship	2075	N5776R	Contact point bracket screws	.05
Sledding	14847	N5621P	Contact point bracket insulating washers	.05
Hardware	50110	N5778R	Breaker base assembly	9.00
Harom	50115	N5780R	Contact point bracket assembly	4.00
Harmonic	50118	N5782R	Condenser stud	.05
Harmonize	50119	N5784R	Cam wick	.05
Harness	50120	N5786R	Breaker bar assembly	4.50
Harp	50125	N5788R	Contact point bracket insulation	.05
Harper	50134	N5790R	Condenser fastening nuts with lock washer 3033	.05
Harjung	50135	N5792R	Breaker base and stud assembly	.50
Harpoon	50140	N5794R	Condenser assembly	2.50
Harmer	52024	N5796R	Advance lever tightening screw	.05
Harrow	52245	N5798R	Advance lever assembly	.50
Harsh	52048	N5800R	Breaker base clamps	.10
Hash	52110	N5802R	Advance lever crank	.50

DISTRIBUTOR

Soaped	9433	N5558	Distributor disc brush and spring	.15
Soap	18309	N5804R	Distributor gear spider fastening screw	.05
Hascock	52022	N5806R	Distributor pinion	1.40
Hat	52055	N5808R	Distributor gear shaft snap ring	.05
Hatchet	52055	N5810R	Distributor gear spider assembly	5.00
Hate	52060	N5812R	Distributor disc	1.50
Hateful	52190	N5814R	Distributor gear	3.50
Hated	52063	N5816R	Distributor bearing washers	.05
Haughty	52124	N5818R	Distributor block gasket	.05
Haulage	52124	N5820R	Distributor block cover gasket	.05
Haunch	52140	N5822R	Distributor block less cover and brushes	2.00
Haunt	52145	N5824R	Distributor block cover	.50
Haven	52158	N5826R	Distributor block clamping spring	.05
Have	52139	N5828R	Distributor block clamping spring pins	.05
Hawer	52255	N5830R	Distributor block assembly	2.50
Hawthorn	52240	N5832R	Distributor block brush	.15
Haward	62010	N5834R	Thrust button	.15

*Indicates part is illustrated

MAG-DYNAMO PARTS
1916-17

CRADLE

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Templed	5523	N6500	Cover screw		.05
Templed	5505	N6502	Cradle		10.00
Tenable	5522	N6504	Cover		1.00
Tenanted	5533	N6506	Regulator cover		.60

FRONT PLATE

Tempested	227	N6508	Plate screw with lock washer		.05
Tended	5526	N6510	Conn. stud long		.05
Tendered	5527	N6512	Conn. stud short		4.75
Tendoned	5802	N6514	Front plate		.10
Tendried	8013	N6516	Oil cup		

FRONT BEARING PLATE

Teneted	5563	N6518	High tension armature bearing		3.00
Tennised	5803	N6520	Front bearing plate (no bearing)		3.00
Tensed	5806	N6522	Conn. stud insulation		.05

BACK PLATE

Tented	226	N6524	Plate screw		.05
Tepided	227	N6526	Plate screw with lock washer		.05
Termed	340	N6528	Brush holder screw		.10
Terraed	515	N6530	Hex nut		.10
Ternood	1492A	N6532	Carbon brush with spring		.05
Terrored	2075	N6534	Terminal cover screw with lock washer		.05
Tersed	2432	N6536	Hex nut		.10
Tested	2509	N6538	Oil cup		.85
Testered	H49002X	N6540	Cable 19" long		.05
Thanned	2922	N6542	Terminal hood		1.50
Thanked	5523	N6544	Terminal cover		3.00
Thawed	5563	N6546	High tension armature bearing		.05
Theired	5628	N6548	Safety gap screw		.05
Themmed	5713	N6550	Brush holder gasket		6.00
Theyed	5966	N6552	Back plate with bearing		.90
Thicked	5807	N6554	Brush holder with brush R H		.90
Thicketed	5808	N6556	Brush holder with brush L H		

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

REGULATOR BOX

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Somewhat	888	N6630	Hex nut		\$.05
Somewhat	226	N6631	Plate screw		.05
Somewhat	514	N6634	Hex nut		.05
Somewhat	575	N6636	Washer		.15
Somewhat	538	N6640	Plate screw		.10
Somewhat	544	N6642	Adjusting screw with lock nut		.25
Somewhat	549	N6644	Contact screw with lock nut		1.00
Somewhat	554	N6646	Regulator box cover		.15
Somewhat	5632	N6648	Plate screw		.05
Somewhat	5696	N6650	Contact spring insulation		.15
Somewhat	5697	N6652	Control spring complete		.15
Somewhat	5706	N6654	Regulator contact screw holder		.05
Somewhat	5788	N6656	Auxiliary spring		.20
Somewhat	5794	N6658	Governor spring complete		3.50
Somewhat	5936	N6660	Regulator box complete		.10
Somewhat	5859	N6662	Auxiliary spring support		

SHUNT FIELD COILS

Thorned	5598	N6664	Shunt field coils, complete R. H.		3.50
Threaded	5922	N6668	Regulator coil		3.50
Thrilled	5602	N6670	Shunt field coils, complete L. H.		3.50
Throbbled	5612	N6672	Regulator terminal end		.10
Sontagged	5623	N6674	Armature negative jumper lead		.20
Sonned	5634	N6676	Battery negative jumper lead		.20

CIRCUIT BREAKER

Sooted	2613A	N6678	Ground spring		.25
Soothed	2644	N6680	Contact screw with platinum and lock nut		3.75
Sootyed	3099	N6682	Contact screw bracket insulation bushing		.15
Sopped	3149	N6684	Contact screw bracket R. H.		.60
Sophisted	3155	N6686	Breaker bar spring		.05
Sopranoed	3157	N6688	Breaker bar bumper		.15
Sorcered	3160	N6690	Breaker bar complete R. H.		4.75
Sorceryed	3163	N6692	Face plate fastening screw		.05
Sordised	3161	N6694	Contact screw bracket insulation		.05
Sordided	3171	N6696	Contact screw bracket L. H.		.50
Sordined	3176	N6698	Breaker bar complete L. H.		4.75
Sored	3302	N6700	Face plate R. H.		1.25
Sorried	3303	N6702	Face plate L. H.		1.25
Sorlyed	3305	N6704	Contact screw bracket fastening screw		.05

FUSE BLOCK

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Sorrensed	5692	N6706	Fuse		\$.20
Sorhuned	5833	N6708	Fuse block complete		2.50
Soritesed	5834	N6710	Fuse block base		.75
Soroesed	5835	N6712	Fuse block cover		.40

BATTERY GROUP

1916-1917-1918-1919-1920-1921-1922-23

Sparsed	G73800X	N6781X	Battery complete with cables	1	13.00
Sturdy	20Q804X	N6781PX	Battery complete with cables (1920-21-22)	1	13.00
Sturded	23Q653X	N67815X	Battery complete with cables	1	11.50
Sturding	23B43	N6782S	Battery box block	1	.03
Spartaned	G73820X	N6783X	Battery and conn. block positive cable with battery connection	1	.15
Spasmed	G73830X	N6785X	Battery and frame negative ground cable with battery and frame connection	1	.20
Spatted	P71200	N6787	Battery and frame negative ground cable frame connection	1	.05
Spated	A6230	N675P	Battery and frame negative ground cable frame conn. screw	1	.03
Spattered	J73840X	N6791X	Battery box complete. (state color) (1916-17-18-19)	1	2.50
Spattling	20D63X	N6791PX	Battery box complete (1920-21-22-23)	1	2.50
Spawnd	G73860	N6793	Battery box front slide	1	.30
Speaked	G73870X	N6795X	Battery box cover (1916-17-18-19)	1	.30
Trick	20C113X	N6795QX	Battery box cover with insulator (1920-21-22-23)	1	.35
Speared	G73850	N6797	Battery box less slide and cover	1	1.50
Specialed	F73910	N6799	Battery box cover holding spring	1	.05
Specied	F73920	N6801	Battery box saddle strap	1	.30
Scrapped	F73930	N6803	Battery box binding screw (long)	2	.05
Screamed	F73940	N6805	Battery box binding screw (short)	2	.05
Fristed	A28160	N2252	Battery box binding screw nut	2	.03
Specking	18B15	N6809K	Battery box and battery top insulator	1	.10

HEAD LAMP GROUP

Trickery	23Q123X	N6810PX	Head lamp complete (1916-17-18-19)	1	6.00
Trickish	22Q122X	N6810QX	Head lamp complete (1920-21-22-23)	1	6.00
Unique	17C46R	N6812	Head lamp bracket (right) 1917	1	.85
Spalting	18C44	N6812K	Head lamp bracket (right) (1918-19)	1	.85
Spalter	20C108	N6812P	Head lamp bracket (right) (1920-21-22-23)	1	.85

Order by Number. Give Motor Number. *Indicates part is illustrated in application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Unison	17C46L	N6814	Head lamp bracket (left) 1917	1	.85
Spanning	18C45	N6814K	Head lamp bracket (left) (1918-19)	1	.85
Spanner	20C109	N6814P	Head lamp bracket (left) (1920-21-22-23)	1	.85
Aftered	46A61	N382	Head lamp bracket nut (1918-19-20-21-22-23)	2	.08
Flaked	19B115S	N1960	Head lamp bracket nut lock washer (1918-19-20-21-22-23)	2	.01
Spangling	18A117	N6815K	Head lamp bracket and handle bar bracket binding nut (1918-19)	1	.15
Unite	20B665S	N6815Q	Head lamp bracket screw (1920-21-22-23)	2	.10
Unity		N6828Q	Door only less glass (Indiana lamp) 1921-22	1	1.00
Renouncing	B6751	N6828R	Door only less glass (Corcoran-Victor) (1923)	1	.50
Renovate	B7158-2	N6829R	Door ring with bolt and nut, (Corcoran-Victor) (1923)	1	.40
Renounce		N6830P	Glass only (Solar)	1	.40
Renown		N6830Q	Glass only (Indiana lamp) (1921-22)	1	.40
Renovated	A6754	N6830R	Glass only (Corcoran-Victor) (1923)	1	.40
Renovating	A7086-2	N6831R	Bolt and nut for door ring, (Corcoran-Victor) (1923)	1	.10
Renowned		N6832P	Glass retainer (Solar)	1	.80
Repeal		N6834P	Glass retainer catch (Solar)	1	.30
Repet		N6836P	Glass paper washer (Solar)	1	.10
Retailed	A5013	N6836R	Gasket for glass (Corcoran-Victor) (1923)	1	.10
Retail		N6836Q	Glass cork gasket (Indiana Lamp) (1921-22)	1	.12
Resound		N6838P	Glass reflector (Solar)	1	1.75
Resource		N6838Q	Glass reflector (Indiana Lamp) 1921-22	1	1.75
Retailing	C6865	N6838R	Reflector (Corcoran-Victor) (1923)	1	1.50
Respire		N6840P	Focus tube and connector (Solar)	1	.50
Retailer	A6552	N6840R	Focus socket (Corcoran-Victor) (1923)	1	.50
Retrieve		N6842P	Switch tube and connector (Solar)	1	.60
Rigging	A6799	N6842R	Dimmer socket (Corcoran-Victor) (1923)	1	.40
Retriever	F74200X	N6844X	Switch plug (1916-17)	1	.40
Leisure	K74200X	N6844KX	Switch plug (1918-19)	1	.40
Incess	20Q110X	N6844P	Switch plug and cap (1920)	1	.60
Intended	21Q120AX	N6844Q	Switch plug (1921-22)	1	.75
Rigg	G74200X	N6844R	Switch plug (Corcoran-Victor) (1923)	1	.25
Palric	20Q113X	N6846P	Head lamp dimmer switch (Solar)	1	1.50
Fabricate	F74180X	N6848	Head lamp main bulb	1	.50
	22440X	N6849	Head lamp dimmer bulb	1	.35

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Fabulous	20Q130X	N6820QX	Tail light complete (1916-17-18-19-20-21)	1	\$1.75
Facade	22C71X	N6820RX	Tail light complete 1921-23	1	1.75
Facial	K74430	N6821	Tail light ruby glass	1	.30
Facing	K74431	N6823	Retaining ring	1	.10
Faction	F74200X	N6844X	Switch plug (1916-17)	1	.40
Factor	K74201X	N6825KX	Switch plug (1918-19)	1	.40
Faculty	20Q131X	N6825PX	Switch plug (1920-21-22-23)	1	.60
Fag	F74440X	N6849	Tail lamp bulb	1	.35
Faupered	A22150	N4412	Tail lamp bracket and mud guard screw	3	.03
Fritted	A28160	N2252	Tail lamp bracket screw nut	3	.03
Candled	19B113S	N736	Tail lamp bracket screw nut lock washer	3	.01
	22B207	N6826R	Tail lamp rear mud guard clip (1922)	5	.03
Implied	A22120	N2828	Tail lamp rear mud guard clip screw (1922)	5	.01
Adamite	17A365	3733	Tail lamp rear mud guard clip screw nut (1922)	5	.03

Note:—When desiring parts for other type lamps order from manufacturers

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
			HORN (GARFORD) 1916-17-18-19-20		
			Horn complete	1	3.50
Sparring	19Q200X	N6850X	Horn switch complete	1	.50
Sorryed	19Q202X	N6851			
			HORN GROUP 1921-22-23		
	21Q206X	N6850QX	Motor driven horn with bracket and switch	1	8.75
	21Q206	N6850Q	Motor driven horn only	1	7.75
	21Q206BX	N6851QX	Motor driven horn switch	1	.50
	17A181	N4046	Switch cable handle bar clip	2	.03
Mored	21B57	N6853Q	Horn bracket	1	.50

Note:—When desiring parts for horns order from manufacturers

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
			AMMETER (HOYT) 1916-17-18-19-20		
			Ammeter complete	1	3.50
Spaceding	20Q225	N6860PX	Ammeter bracket	1	.40
Souped	17B53	N6862	Ammeter bracket screws	2	.05
Incrusted	A26160	N2848	Ammeter bracket screw lock washer	2	.01
Candled	19B113S	N736			
			AMMETER AND WIRING GROUP 1921-22-23		
	21C14X1	N6860QX	Ammeter complete with bracket switch, and cables assembled	1	10.00
	22Q227X	N6860Q	Ammeter only	1	3.50
	21C14	N6862Q	Ammeter and switch bracket	1	2.00
	F74340	N6863	Ammeter anchor screw	3	.01
	A26160	N2848	Ammeter bracket anchor screw	2	.05
Incrusted	21Q805X1	N6869QX	Lighting switch complete	1	2.00
		N6869QA	Lighting switch plate with knob	1	1.25

Code	Factory No.	Part No.	DESCRIP. N	No. Used	Price Each
		N6869QB	Lighting switch disc	1	\$.75
	20B200S	N6971Q	Lighting switch anchor screw	2	.03
	11B35X	N6873Q	Ammeter to switch cable assembly	1	.25
	11B36X	N6875Q	Ammeter to connection block cable	1	.30
	21B37X	N6877Q	Ammeter to horn and generator cable	1	.50
	21B38X	N6879Q	Switch to tail lamp cable	1	.40
	21B39X	N6881Q	Head lamp to switch cable	1	.35
	18A127	N6878	Ammeter terminal		.05
	21B14	N6883Q	Switch terminal		.05

Note:—When desiring parts or repairs for ammeters communicate with the manufacturers.

SIDE CAR LAMP GROUP

Fagened	20Q160X	N6864X	Side car lamp with cable and switch plug	1	3.50
Fairly		N6865	Side car lamp bracket	1	.60
Faith	E17705	N6866	Side car lamp bracket bolt	1	.08
Allowedwing	19A38-	N211	Side car lamp bracket bolt nut	1	.03
Allure	19B114S	N214	Side car lamp bracket bolt nut lock washer	1	.01
Faction	F74200X	N6844X	Side car lamp switch plug	1	.40
Faithful	D29512	N6869	Side car lamp bracket and body screw	4	.03
Curred	A6210	N1298	Side car lamp bracket and body screw nut	4	.03
Husked	19B112S	N2808	Side car lamp bracket and body screw nut lock washer	4	.01

WIRING GROUP

1916-17-18-19-20

18B34X	N6870X	Generator to ammeter, ammeter to horn and ammeter to headlight cables assembled		.75
18B34A	N6872	Generator to ammeter cable 31" long		.20
18B34B	N6874	Ammeter to horn cable 14 1/2" long		.10
18B34C	N6876	Ammeter to headlight cable 12" long		.10
18A127	N6878	Generator cable terminal		.05
F71200	N6880	Ammeter cable terminal		.05
18B35X	N6882X	Ammeter to battery connection block and tail light cable assembled	1	.70
18B35B	N6884	Tail light cable 47" long	1	.25
18B35A	N6886	Ammeter to battery cable 30 1/2" long		.20

SPEEDOMETER GROUP

1916-17-18-19-20-21-22-23

F50353X	N6900X	Corbin-Brown speedometer complete (1916-17)		17.00
K50255X	N6900KX	Corbin-Brown speedometer complete (1918-19-20-21-22-23)		17.00
F50390X	N6902X	Corbin-Brown speedometer head	1	8.50
F50295X	N6904X	Corbin-Brown speedometer head bracket	1	.75
F50296	N6906	Corbin-Brown speedometer head bracket clip	2	.15

Order by Number. Give Motor Number. *Indicates part is illustrated

Code	Factory No.	Part No.	DESCRIPTION	Price Each
F50297	N6908	Corbin-Brown speedometer head bracket clip screw	2	\$.05
F50298	N6910	Corbin-Brown speedometer head bracket clip screw nut	2	.03
F50300X	N6912X	Corbin-Brown speedometer head glass spun in ring and bezel	1	1.00
F50305X	N6914X	Corbin-Brown speedometer cable with casing (state length)	1	5.00
F50307	N6916	Corbin-Brown speedometer cable and casing frame clip	1	.15
F50310X	N6918X	Corbin-Brown speedometer cable only (state length)	1	2.00
F50315X	N6920X	Corbin-Brown speedometer cable casing (state length)	1	3.00
F50330	N6922	Corbin-Brown speedometer driving cable upper connection	1	.35
F50350	N6924	Corbin-Brown speedometer cable lower connection	1	.15
F50355X	N6926X	Corbin-Brown speedometer gear section with small sprocket and bracket (1916-17)	1	3.30
K50355X	N6926KX	Corbin-Brown speedometer gear section with small sprocket and bracket (1918-19-20-21-22-23)	1	3.30
F50360X	N6928X	Corbin-Brown speedometer gear section with small sprocket (1916-17)	1	2.15
K50360X	N6928KX	Corbin-Brown speedometer gear section with small sprocket (1918-19-20-21-22-23)	1	2.15
F50375	N6934	Corbin-Brown speedometer gear section small sprocket (1916-17)	1	.50
K50375	N6934K	Corbin-Brown speedometer gear section small sprocket (1918-19-20-21-22-23)	1	.50
F50380	N6936	Corbin-Brown speedometer steel spring for rear clutch (1916-17)	1	.03
F50385	N6938	Corbin-Brown speedometer steel spring stud (1916-17)	1	.05
F50390X	N6940X	Corbin-Brown speedometer large split gear (1916-17)	1	1.50
K50390X	N6940KX	Corbin-Brown speedometer large split gear (1918-19-20-21-22-23)	1	1.50
F50395	N6942	Corbin-Brown speedometer large split gear clamps	2	.15
F50400	N6944	Corbin-Brown speedometer large split gear clamps screws	4	.05
F50405	N6946	Corbin-Brown speedometer large split gear spoke clips	5	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

HENDEMAN MANU

FIRING CO.

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
P50410		N6948	Corbin-Brown speedometer large split gear spoke clip screws	5	\$.01
" 50415		N6950	Corbin-Brown speedometer large split gear spoke clip screw nut	5	.01
" 50420X		N6952X	Corbin-Brown speedometer gear bracket complete	1	1.15
F50425		N6954	Corbin-Brown speedometer gear bracket clamp	1	.30
P50430		N6956	Corbin-Brown speedometer gear bracket cap	1	.20
P50435		N6958	Corbin-Brown speedometer gear bracket screws, large	2	.03
P50440		N6960	Corbin-Brown speedometer gear bracket screws, small	4	.03

SADDLE GROUP

1916-17

TROXEL

Tallowed	H30500X	N6300	Saddle complete (1916 P-1917)	9.00
Surpass	H30505X	GH6300	Saddle complete (1916-G)	9.00
Tallyed	G30510	N6302	1/2 Special yoke	.80
Talmaed	H30515	N6304	Clips right and left side (1916 P-1917)	.45
Taloned	G30520	N6306	Truss right and left (1916 P-1917)	.45
Saddle	G30635	GH6306	Truss right and left (1916-G)	.45
Tamed	G30525	N6308	1/2 center (1916 P-1917)	.15
Tempered	G30530	N6310	Buttons (1916 P-1917)	.15
Tamponed	G30535	N6312	Upper spiral spring right and left	.25
Tamoned	G30540	N6314	Lower cushions right and left	.45
Swarm	16B73	GH6324	Lower cushions on eye bolt (1916-G)	.60
Tanged	G30545	N6316	Yoke clip	.15
Taugented	G30550X	N6318	Front truss bolt (1-19/32 x 1/2)	.25
Taugled	H30555	N6320	Truss clip	.10
Tannered	G30570	N6322	Clamp stud nut	.30
Tasylal		N6324	Upper wire truss	.15
Taped	G30330	N6326	Clamp stud washer (1916 P-1917)	.15
Sweet	192	GH6334	Clamp stud washer (1916-G)	.15
Tapered	G30590X	N6328	15/16 x 1/2 bolt and nut (1916 P-1917)	.06
Tarred	G30365	N6330	Clamp bolt (2 1/2 x 1) (1916 P-1917)	.15
Sweep	G30595	GH6332	Clamp bolt (2 1/2 x 1) (1916-G)	.15
Tardyed	210	N6332	Adj. plug—Perrule right and left (1917)	.15
Sweeten		GH6336	Clamp for Hendon attachment (1916-G)	.60
			Clamp centers (1916-G)	.15
Swell		GH6338	2 1/2 x 1/2 cushion and eye bolt (1916-G)	.15
Swim		GH6354	Eye bolt (1916-G)	.35
Sworn	16B73	GH6356	Shoulder washer (1916-G)	.30
Swoop	170	GH6358		

*Indicates part is illustrated

INDIAN MOTORCYCLE PARTS LIST

SADDLE GROUP

1916-19-20

MESSINGER

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Tallowing	K30500X	N7000	Saddle complete	1	\$10.00
Tallying	G30740	N7002	Compression spring	2	.40
Talning	K30750	N7004	Yoke post	1	.50
Taloning	K30755	N7006	Back connection each	2	.10
Taming		N7008	Spring support with tube right	1	.50
Tampering		N7010	Spring support with tube left	1	.50
Tamponing	K30515	N7012	Frame clip right	1	.20
Tamming	K30515	N7014	Frame clip left	2	.10
Tanging		N7016	Frame clip bolt	2	.10
Tangling		N7018	Frame clip nut	2	.05
Tannering		N7020	Frame clip washer	1	.10
Tansying	G30570	N7022	Front nut	1	1.00
Tapering	18B21	N7026K	Saddle front connection		.08
Tarring	18A122	N7028K	Saddle front connection bolt		.03
Allowed	P1230	N210	Saddle front connection bolt nut		
Allured	19B114S	N214	Saddle front connection bolt nut lock washer		.01

SADDLE GROUP

(Persons 1922-23)

Pertile	22Q412X	N7000RX	Persons saddle complete	1	7.00
Tamponing	K30515	N7012	Frame clip	2	.20
Tanging		N7016	Frame clip bolt	2	.10
Tangling		N7018	Frame clip bolt nut	2	.10
Tannering		N7020	Frame clip bolt nut washer	2	.05
Tapering	18B21	N7026K	Front hinge connection	1	1.00
Tarring	18A122	N7028K	Front hinge connection bolt	1	.08
Allowing	19A58	N211	Front hinge connection bolt nut	1	.03
Pervent		N7007	Saddle support rear clip right	1	.30
Pestal		N7011	Saddle support rear clip left	1	.30
Pester		N7023	Saddle bridge	1	.25
Centaur		S7027	Saddle extension spring right	1	.30
Feetoon		S7029	Saddle extension spring left	1	.30
Petch	K30755	N7006	Saddle bridge clips	2	.10
Cerite		S7035	Saddle bridge and spring nuts	4	.05
Flaked	19B115S	N1960	Saddle bridge and spring nut lock washer	2	.01
Cerolite		S7039	Saddle spring and bracket bolt	2	.10
Ceroin		S7043	Saddle spring and bracket bolt nut	2	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blanks which will be furnished on application

	HEND	MANI	TRING CO.		
Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Allured	19B114S	N214	Saddle spring and bracket bolt nut lock washer	2	.01
		S7043	Saddle bridge clip nut	2	.05
Cerolin	19B114S	N214	Saddle bridge clip nut lock washer	2	.01
Allured	G10570	S7061	Front top bolt nut	1	.10
Feud					

NOTE—For Messenger air cushion saddle 1921-22-23 see page 113

ELECTRIC GENERATOR AND ATTACHMENTS 1918-19-20-21-22-23

Faithless	18C11X	N7100QX	Generator complete with pulley and bracket	1	31.50
					30.00
Templing	20Q750X	N7100X	Electric generator only	1	2.25
Templing	18C11	N7102K	Generator bracket	2	.08
Tenabling	B33555	N7104	Generator bracket binding screw	2	.01
Candle	19B113S	N736	Generator bracket binding screw lock washer	2	.01
Tenancing	18C35	N7108K	Generator bracket and motor front anchor plate (1918-19)	2	.40
Tenator	20C101	N7108P	Generator bracket and motor front anchor plate (1920)	2	.40
Tending	17A253	N7112	Generator bracket and motor front anchor plate stud	1	.15
Attracted	G1320	N242	Generator bracket and motor front anchor plate stud nut	2	.05
Auburned	19B116S	N246	Generator bracket and motor front anchor plate stud lock washer	2	.01
				1	.75
Tendering	18B24	N7114K	Generator pulley (1918-19)	1	.75
Falcon	20B616	N7114Q	Generator pulley 1920-21-22-23	1	.70
Tendoning	18B23X	N7118KX	Generator driving pulley	8	.01
Teneting	A32025	N7122	Generator driving pulley rivet	6	.01
Teneting	A32025	N7122	Generator driving pulley and driving shaft sprocket rivet	6	.01
Tenning	18B22	N7124	Generator and motor driving shaft sprocket only 17-tooth	1	1.50
Tenting	18B22X	N7132X	Generator pulley and motor driving shaft sprocket assembled, 17-tooth	1	2.25
Tensing	18B37	N7128	Generator and motor driving shaft sprocket only 15-tooth	1	1.50
Tepiding	18B37X	N7136X	Generator pulley and motor driving shaft sprocket assembled, 15-tooth	1	2.25
Fallacy	18B73	N7138	Generator and motor driving shaft sprocket only 14-tooth	1	1.50
Falselwood	18B73X	N7138X	Generator and motor driving shaft sprocket assembled 14-tooth	1	2.25
				1	.40
Tennir	20B872X	N7140	Generator belt (wire)	1	.60
Falsity	21C27	N7140Q	Generator belt (leather)	1	.60

*Indicates part is illustrated

INDIAN MOTORCYCLE PARTS LIST

Code	Factory No.	Part No.	DESCRIPTION	Uses	Price Each
Terraing	18C33X	N7140X	Generator belt upper guard complete (1918-19-20)	1	\$ 2.00
Falsity	20C202X	N7144QX	Generator belt upper guard complete (1921-22-23)	1	2.00
				1	.05
Terraing	18A90	N7148	Generator belt upper guard clip	2	.01
Terraing	E7089	N7152	Generator belt upper guard clip rivet	1	.01
Waived	D24305	N5445	Generator belt upper guard clip screw	1	.01
Huaked	19B112S	N2808	Generator belt upper guard clip screw lock washer	1	.01
Waived	D24305	N1634	Generator belt upper guard and chain guard screw	1	.01
Deared	A14140	N1408	Generator belt upper guard and chain guard screw nut	1	.01
Huaked	19B112S	N2808	Generator belt upper guard and chain guard screw nut lock washer	1	.01
Testing	18C34	N7156	Generator belt lower guard (1918-19-20)	1	1.80
Fame	20C203	N7156Q	Generator belt lower guard (1921-22-23)	1	1.80
iced	A22040	N2816	Generator belt guard clamping screw	2	.01
Huaked	A6210	N2804	Generator belt guard clamping screw nut	2	.03
Funned	19B111S	N2220	Generator belt guard clamping screw nut lock washer	1	.01
				1	.40
Theiring	18A99X	N7172	Cable connection block	2	.03
Therning	A6110	N7176	Cable connection block screw	2	.03
Huaked	A6210	N2804	Cable connection block screw nut	2	.01
Funned	19B111S	N2220	Cable connection block screw nut lock washer	2	.01
Huaked	D34370	N2724	Cable connection block cable binding screw	1	.01

SADDLE GROUP

1921-22-23 (Messenger Air Cushion)

Feudal	21Q406X	N7300QX	Saddle complete (Messenger Air Cushion) 1921	1	10.00
Feudalise	22Q411X	N7300RX	Saddle complete (Messenger Air Cushion) 1922-23	1	10.00
				1	.15
Pever	3B	N7305Q	Pommel 1921-22-23	1	.10
Peverish	3	N7310Q	Pommel bolt 1921-22-23	1	.05
Piasco	1	N7315Q	Adjusting screw 1921-22-23	1	.05
Piat	1B	N7320Q	Stay spring cap 1921-22-23	1	.10
Piver	G30570	N7325Q	Pommel bolt nut 1921-22-23	1	.50
Pibrous	56	N7330Q	Cancel 1921-22-23	1	.40
Pickle	P30695	N7335Q	Stay spring 1921-22-23	2	.05
Plection	5	N7340Q	Stay spring bolt 1921-22-23	2	.03
Piddle	5A	N7345Q	Stay spring bolt nut 1921-22-23	2	.03
F-oller		N7347Q	Stay spring bolt nut washer 1921-22-23	2	.03
F-olity	75	N7350Q	Yoke post 1921-22-23	2	.50

Order by Number. Give Motor Number. *Indicates part is illustrated
When order blanks which will be furnished on application

HENDEE MANUFACTURING CO.

INDIAN MOTORCYCLE PARTS LIST

Code	Factory No.	Part No.	DESCRIPTION	Qty. Used	Price Each
Pidget	K30755	N7355Q	Yoke post clip 1921	2	.10
Flend		N7355R	Yoke post clip 1922	2	.10
Pierce		N7357Q	Yoke post clip bolt 1921-22-23	2	.05
Piercy	5A	N7345Q	Yoke post clip bolt nut 1921-22-23	2	.03
Pile	71	N7360Q	Top cups 1921-22-23	2	.35
Fig	78	N7365Q	Bottom cups 1921-22-23	2	.35
Piglit	79	N7370Q	Leather and iron washer 1921-22-23	2	.20
Fighter	82	N7372Q	Top leather washer 1921-22-23	2	.02
Fighting	83	N7375Q	Center post 1921-22-23	2	.25
Filament	83A	N7380Q	Center post nut 1921-22-23	2	.10
Piery		N7345Q	Center post top nut 1921-22-23	4	.03
Pilbert	4	N7385Q	Compression spring 1921-22-23	2	.30
Pile		N7390Q	Attaching bracket right 1921-22-23	1	.50
Pilal		N7395Q	Attaching bracket left 1921-22-23	1	.50
Filler		N7410Q	Attaching bracket bolt 1921-22-23	2	.10
Filling		N7415Q	Attaching bracket bolt nut 1921-22-23	2	.05
Pilly		N7420Q	Attaching bracket bolt nut washer 1921-22-23	2	.05
Tampooing	K30515	N7012	Motorcycle frame clip (1921-22-23)	2	.20
Tapring	18B21	N7026K	Saddle front hinge connection 1921-22-23	1	1.00
Tarring	18A122	N7028K	Saddle front hinge connection bolt 1921-22-23	1	.08
Alloweding	19A58	N211	Saddle front hinge connection bolt nut 1921-22-23	1	.03

SIDE CAR
NOTE


Parts for adjustable axle and stationary axle models are identical except where notation "adjustable axle" or "stationary axle" appears.

Parts which enter into the construction of the Parcel Car chassis are identical with the Side Car chassis except the springs and spring fittings.

SIDE CAR CHASSIS
1916-17-18-19-20-21-22-23

Waban	H60020X	H9000	Side car frame (1916)	1	30.00
Wabbling	19E41X	N9000	Side car frame (1917-18-19-20-21-22-23) adjustable and (1918) stationary axle	1	30.00
Wablier	19E16X	N9000M	Side car frame (1919) stationary axle	1	30.00
	20E77X	N9000P	Side car frame (1920-21)	1	30.00
Familiar	22E53X	N9000R	Side car frame (1922-23)	1	30.00
Family	20B517S	N9001P	Side car frame rear corner lug clamping screw 1920-21-22-23	1	.12
Furish	20B518S	N9004P	Side car frame rear corner lug clamping screw nut 1920-21-22-23	1	.05

Order by Number. Give Motor Number. *Indicates part is illustrated



Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Anglefy	19B117S	S2177	Side car frame rear corner lug clamp- ing screw nut lock washer 1920-21 22-23	1	\$.01
Wacking	16E17X1	N9004X1	Long rear brace assembled	1	7.50
Wadding	16E17X	*N9004X	Long rear brace with upper and lower fittings	1	4.20
Wafering	F60438X	N9008X	Long rear brace upper frame connec- tion assembled	1	1.25
Wafting	F60438	*N9008	Long rear brace upper frame connec- tion	1	.70
Wagging	F60432X	N9012X	Long rear brace upper fitting pin assembled	1	.35
Wagering	F60436	N9014	Long rear brace upper fitting pin spring	1	.05
Wagoeing	E60450	N9016	Long rear brace upper fitting connec- tion nut	1	.25
Waiding	19B119S	N9020	Long rear brace upper fitting connec- tion nut lock washer	1	.02
Waifing	E60510X	*N9024X	Long rear brace lower fitting clamp assembled	1	1.75
Wailing	E60510	N9024	Long rear brace lower fitting clamp	1	1.00
Waining	E60520	N9028	Long rear brace lower fitting clamp strap	1	.50
Allumined	20B228S	*N211P	Long rear brace lower fitting clamp strap screw nut	2	.03
Waisting	E60320	N9036	Long rear brace lower fitting clamp strap screw	2	.10
Wagoeing	E60450	N9016	Long rear brace lower fitting clamp nut	1	.25
Waiding	19B119S	N9020	Long rear brace lower fitting clamp nut lock washer	1	.02
Waiving	16D35X1	N9048X1	Long front brace with fittings assem- bled	1	6.75
Waking	16D35X	*N9048X	Long front brace with end fittings	1	3.00
Waifing	E60510X	N9024X	Long front brace and side car frame clamp assembled	1	1.75
Walckerig	16B101X	*N9056X	Long front brace motorcycle frame clamp complete	1	1.75
Walding	16B101	N9056	Long front brace and motorcycle frame clamp	1	.90
Waling	F60526	N9060	Long front brace motorcycle frame clamp strap	1	.50
Walking	F60527	N9064	Long front brace motorcycle frame clamp strap screw	2	.10
Allured	19B114S	N214	Long front brace motorcycle frame clamp strap screw lock washer	2	.01
Wagging	F60432X	*N9012X	Long front brace motorcycle frame clamp pin assembled	1	.35
Wagering	F60436	N9014	Long front brace motorcycle frame clamp pin spring	1	.05

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Walloping	18C43X	N9080X	Short rear brace assembled (1918)	1	\$ 4.00
	20C112X	N9080PX	Short rear brace assembled (1916-17-19-20-21-22)	1	4.00
Wallowing	18C43	*N9080	Short rear brace only (1918)	1	2.75
	20C112	N9080P	Short rear brace only (1916-17-19-20-21-22-23)	1	2.75
Walming	E60370	*N9084	Short rear brace clamp, right	1	.60
Walzing	E60380	*N9088	Short rear brace clamp, left	1	.70
Wamping	E60350	*N9092	Short rear brace clamp nut	1	.15
Wambling	19B120S	*N9096	Short rear brace clamp lock washer	1	.05
Wanning	17B98X1	*N9100X1	Short rear brace and motorcycle frame connection assembled	1	3.50
Waning	17B98	N9100	One half connection (smooth hole)	1	1.25
Wanding	17B99	N9104	One half connection (threaded hole)	1	1.25
Wandering	17A335	N9108	Connection bolt	1	.35
Kaled	A25280	N4048	Connection bolt nut	1	.10
Wanting	E60210	N9116	Connection end nut	2	.45
Wambling	19B120S	N9096	Connection end nut washer	2	.05
Wanning	17B98X	*N9100X1	Side car and motorcycle frame head connection	1	3.50
Wanner	E60110	N9120X	Side car axle (1916)	1	2.75
Warding	17C72	N9122X	Side car adjustable axle (1917-18-19-20-21-22)	1	6.00
Warded	23C23	N9122S	Side car adjustable axle (1923)	1	6.00
Wardent	18C42X	N9120KX	Side car stationary axle (1918)	1	3.00
Warder	18C72	N9120MX	Side car stationary axle (1919)	1	2.50
	20C136	N9126PX	Side car stationary axle (1920-21)	1	2.50
Famous	22C93	N9120R	Side car axle (1922)	1	3.00
Famoused	23C22	N9120S	Side car axle (1923)	1	3.00
Warking	18A112	N9124	Side car axle stud adjustable models and (1918) and 1912 stationary	1	.08
Warming	18B76	N9128	Side car axle set screw, adjustable models	1	.25
Warmed	18A214	N9128K	Side car axle set screw (1918-19) stationary	1	.25
	G17705	N1964P	Side car axle bolt (1920-21-22-23) stationary	1	.15
Warmer	18A215	N9129K	Side car axle set screw nut (1918-19) stationary and adjustable models	1	.05
Oaking	19A37	N4278M	Side car stationary axle bolt nut (1920-21-22-23)	1	.03
Alhured	19B114S	N214	Side car stationary axle bolt nut lock washer (1920-21-22-23)	1	.01
Warning	16B109X	N9132X	Extension axle brace complete	1	3.50
Warping	16B109	N9132	Extension axle brace	2	.50
Warting	16A298	N9136	Extension axle brace front clevis	1	1.00
Washing	09/A48	N9140	Extension axle brace front clevis nut	2	.15
Wasping	F60310	N9144	Extension axle brace and front clevis bolt	1	.10
Adornined	20B228S	N211P	Extension axle brace and clevis bolt nut	1	.03

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Flaked	19B115S	N1960	Extension axle brace and clevis bolt nut lock washer	1	.01
Wasting	E33555	N9148	Extension axle brace bolt	2	.06
Allowed	F1230	N210	Extension axle brace bolt nuts	2	.03
Altered	19B114S	N214	Extension axle brace bolt nut lock washer	2	.01
Wasting	16A294	N9152	Extension axle brace rear clevis	1	.80
Wasting	E60320	N9036	Extension axle brace and rear clevis bolt	1	.10
Wasting	A1120	N1642	Extension axle brace and rear clevis bolt nut	1	.05
Flaked	19B115S	N1960	Extension axle brace and rear clevis bolt lock washer	1	.01
Wasting	16A296	N9156	Mudguard clevis and axle clamping sleeve	2	.20
Aluminized	20B228S	N211P	Extension axle brace rear clevis nut	1	.05
Flaked	19B115S	N1960	Extension axle and rear clevis nut lock washer	1	.01

MUD GUARD GROUP

1916-17-18-19-20-21 stationary and adjustable axle models

Waving	18A120X1	N9160X1	Stationary mud guard assembled with fan and tube (1918) only	1	8.00
Waiver	19D29X	N9160MX	Stationary mud guard (1916-19-20-21)	1	6.00
Waived	19D34	N9161M	Stationary mud guard and side car body brace (1919-20-21)	1	.50
Incruated	A26160	N2848	Mudguard and brace bolt (1919-20-21)	2	.03
Printed	A26160	N2252	Mud guard and brace bolt nut (1919-20-21)	2	.03
Candled	19B113S	N736	Mud guard and brace bolt nut lock washer (1919-20-21)	2	.01
	19B98S	N9163M	Brace and body bolt and nut (1919-20)	1	.10
Candled	19B113S	N736	Brace and body bolt nut lock washer (1919-20-21)	1	.01
Wasting	16C90X1	N9162X1	Adjustable axle mud guard assembled with guide tube (1916-17-18-19-20-21-22)	1	10.00
Waxing	16B98X	N9164X	Adjustable axle mud guard guide tube and frame clamp assembled	1	1.50
Weaking	16B98	N9164	Adjustable axle mud guard guide tube and frame clamp right or left	2	.50
Wealdic	E60400	*N9168	Adjustable axle mud guard guide tube and frame clamp bolt	2	.12
Aluminized	20B228S	N211P	Adjustable axle mud guard guide tube and frame clamp bolt nut	2	.03
Flaked	19B115S	N1960	Adjustable axle mud guard guide tube and frame clamp bolt nut washer	2	.01
Weaning	18A120X	N9172X	Stationary mud guard tube and fan assembled (1918) only	1	1.75

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Wearing	16B18X	N9174X1	Mud guard with shield adjustable models and (1918) stationary	1	5.75
Weaving	17D16	N9178	Mud guard center brace adjustable models and (1918) stationary	1	.80
Webbing	16D52	N9182	Mud guard end brace adjustable models and (1918) stationary	2	.70
Wedding	16A320	N9186	Mud guard brace and fan rivet adjustable models and (1918) stationary	6	.01
Honored	17A322	N9187	Mud guard, shield and brace rivets adjustable models and (1918) stationary	15	.01
Wedging	16A296	N9190	Mud guard and axle clamp (1918) stationary	2	.20
Weeping	E17700	N9194	Mud guard axle clamp bolt (1918) stationary	1	.12
Aluminized	20B228S	N211P	Mud guard axle clamp bolt nut (1918) stationary	1	.03
Flaked	19B115S	N1960	Mud guard axle clamp bolt nut lock washer (1918) stationary	1	.01
Weeding	17A222	N9198	Mud guard outside brace rod adjustable models and (1918) stationary	1	.40
Allowed	F1230	N210	Mud guard outside brace rod upper nut adjustable models and (1918) stationary	2	.03
Altered	19B114S	N214	Mud guard outside brace rod upper nut lock washer adjustable models and (1918) stationary	1	.01
Allowed	F1230	N210	Mud guard outside brace rod axle stud nut adjustable models and (1918) stationary	1	.03
Weeking	E33075	N9202	Mud guard outside brace rod axle stud nut lock ring adjustable models and (1918) stationary	1	.01
Weeting	18C46X	N9204	Mud guard front and chassis brace assembled (1918) stationary	1	.85
Wefting	18C46	N9208	Brace, (1918) stationary	1	.60
Washing	09/A48	N9140	Brace nut (1918) stationary	1	.15
Weighing	B22200	N9212	Brace and mud guard bolt (1918) stationary	1	.05
Painted	A28160	N4396	Brace and mud guard bolt nut (1918) stationary	1	.03
Candled	19B113S	N736	Brace and mud guard bolt nut lock washer (1918) stationary	1	.01

MUD GUARD GROUP

1922-23 Stationary & Adjustable

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Panatic	21D45X	N9214RX	Side car mud guard (1922)	1	\$ 9.00
Panel	21D13X	N9214SX	Mud guard (1923)	1	9.00
Paning	21D74X	N9215RX	Adjustable axle mud guard assembled with guide tube (1922)	1	11.00
Fangioz	21D14X	N9215SX	Adjustable axle mud guard assembled with guide tube (1923)	1	11.00
Fanciful	22C69X	N9216RX	Side car mud guard inside brace assembled	1	1.75
Fancy	22C69	N9216R	Side car mud guard inside brace only	3	.35
Honored	17A322	N9187	Side car mud guard and inside brace rivet	6	.01
Fantasy	22B246	N9218R	Side car mud guard inside brace plate	1	.30
Farced	22C124X	N9218RX1	Adjustable axle mud guard inside brace bracket and guide tube (1922-1923)	1	2.00
Parcing	22C124	N9218RX	Adjustable axle mud guard inside brace bracket (1922-1923)	1	.50
Wedding	16A320	N9186	Adjustable axle mud guard inside brace bracket rivet (1922-1923)	6	.01
Farce	22B249	N9219R	Side car mud guard inside brace and plate rivet	6	.01
Fishing	18A59	N1952K	Side car mud guard inside brace plate and frame bolt	1	.15
Alumined	0B2285	N211P	Side car mud guard inside brace plate and frame bolt nut	1	.03
Flaked	19B115S	N1960	Side car mud guard inside brace plate and frame bolt nut lock washer	1	.01
Waxing	16B98X	N9164X	Adjustable axle mud guard guide tube and frame clamp assembled (1922-1923)	1	1.50
Weaking	16B98	N9164	Adjustable axle mud guard guide tube and frame clamp right or left (1922-1923)	2	.60
Wealding	E60600	N9168	Adjustable axle mud guard guide tube and frame clamp bolt (1922-1923)	2	.12
Alumined	20B228S	N211P	Adjustable axle mud guard guide tube and frame clamp bolt nut (1922-1923)	2	.03
Flaked	19B115S	N1960	Adjustable axle mud guard guide tube and frame clamp bolt nut washer (1922-1923)	2	.01
Farming	22B247X	N9220RX	Side car mud guard outside brace assembled (1922)	1	1.50
Farmed	22B36X	N9220SX	Side car mud guard outside brace assembled (1923)	1	1.50

Number Give Motor Number. *Indicates part is illustrated

INDIAN MOTORCYCLE PARTS LIST

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Faro	22B247	N9220R	Side car mud guard outside brace	3	\$.25
Weighing	B22200	N9212	Side car mud guard and outside brace screw	3	.05
Pitted	A28160	N2252	Side car mud guard and outside brace screw nut	3	.03
Candle	19B113S	N736	Side car mud guard and outside brace screw nut lock washer	3	.01
Fashion	22B245	N9222R	Side car mud guard outside brace plate (1922)	1	.25
Fashioned	23B36	N9222S	Side car mud guard outside brace plate (1923)	1	.25
Paaten	22B249	N9219R	Side car mud guard outside brace and plate rivet	6	.01
Allowed	P1230	N210	Side car mud guard outside brace plate and axle stud nut (1922)	1	.03
Kaled	A25280	N4048	Side car mud guard outside brace plate axle nut (1923)	1	.10
Allured	19B114S	N214	Side car mud guard outside brace plate and axle stud nut lock washer (1922)	1	.01
Chedo	19B117S	S2177	Side car mud guard outside brace plate axle nut lock washer (1923)	1	.01
Weeding	E33075	N9202	Side car mud guard outside brace plate and axle stud nut lock ring (1922)	1	.01
Fasting	22C94	N9224R	Side car mud guard front brace	1	.75
Fated	22C123	N9225R	Adjustable axle side car mud guard front brace	1	1.50
Camed	B33560	N732	Side car mud guard and front brace screw	2	.08
Pitted	A28160	N2252	Side car mud guard and front brace screw nut	2	.03
Candle	19B113S	N736	Side car mud guard and front brace screw nut lock washer	2	.01
Washing	9A48	N9140	Side car mud guard front brace nut	2	.15
Anglefy	19B117S	S2177	Side car mud guard front brace nut lock washer	1	.01
Fathering	22B507	N9226	Adjustable axle side car mud guard front brace lug	1	1.00
Fathered	20B1000	N9227	Adjustable axle side car mud guard front brace set screw		.20
Alumined	20B228S	N211P	Adjustable axle side car mud guard front brace set screw lock nut	1	.03

SIDE CAR WHEEL GROUP

1916-17-18-19-20-21-22-23

Weired	J60720X	H9230X	Side car and van wheel assembled less tire (1916-17)	1	\$ 9.00
Weiring	K60720X	N9230X	Side car and van wheel assembled less tire (1918)	1	9.00

Order by Number. Give Motor Number. *Indicates part is illustrated
Use order blank which will be furnished on application

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Weirer	18C62X1	N9230MX	Side car and van wheel assembled less tire (1919-20-21-22-23)	1	\$9.00
Weirent	J60730	H9234	Side car and van wheel hub shell (1916-17)	1	3.60
Weirding	18B32	N9234	Side car and van wheel hub shell (1918)	1	3.60
Weinder	18C62X	N9234M	Side car and van wheel hub shell only (1919-20-21-22-23)	1	4.00
Kneched	F24107	N4008	Hub shell ball cap (1919-20-21-22-23)	2	.60
Weend	F40740	H9233	Side car and van wheel hub shell end cap (1916)	1	.50
Welding	A107	N9238	Side car and van wheel hub shell end cap (1917-18)	1	.45
Welder	18A169	N9238M	Side car and van wheel hub shell end cap (1919-20-21)	1	.45
Fan	18A230	N9238R	Side car hub shell end cap, 1918-19-20-21-22 adjustable axle models and 1922 regular	1	.45
Faulting	B37	N9238S	Side car hub shell end cap adjustable and stationary (1923)	1	.45
Welking	E60750	N9242	Side car and van wheel hub shell stationary cone (1916-17-18)	1	.50
Welker	18A162	N9242M	Side car and van wheel hub shell stationary cone (1919-20-21-22-23)	1	.50
Welting	E60760	N9246	Side car and van wheel hub shell adjusting cone (1916-17-18)	1	.45
Welker	18A162	N9242M	Side car and van wheel hub shell adjusting cone (1923 late type)	1	.50
Welter	18A164	N9246M	Side car and van wheel hub shell adjusting cone (1919-20-21-22)	1	.45
Wenching	17A106	N9250	Side car and van wheel hub shell adjusting cone nut (1916 to 1922)	1	.12
Wenched	23B38	N9250S	Side car and van wheel hub shell adjusting cone nut (1923)	1	.12
Wending	16A182	N9254	Side car and van wheel hub shell adjusting cone nut washer 1916-1922	1	.02
Wended	23B35	N9254S	Side car and van wheel hub shell adjusting cone nut splined washer	1	.03
Wensing	17A108	N9258	Side car and van wheel hub shell adjusting cone nut cotter pin 1916-22	1	.01
Wenmed	20R681S	N9258S	Side car and van wheel hub shell adjusting cone nut cotter pin	1	.01
Dejected	C18120	N1520	Side car and van wheel hub shell ball (1916-17-18)	32	.01
Kenmed	D33615	N4034	Hub shell ball pin (1919-20-21-22-23)	22	.05
Wented	18A161	N9260M	Hub shell ball retaining ring (1919-20-21-22-23)	2	.03
Wenter	18A167	N9262M	Hub shell felt washer (1919-20-21-22-23)	2	.02
Wentus	18A168	N9264M	Hub shell dust cap (1919-20-21-22-23)	2	.10
Kenped	1123120	N3000	Side car and van wheel rim, 36 hole, (1916-17)	1	1.75

Code	Factory No.	Part No.	DESCRIPTION	No. Used	Price Each
Werking	K23120	N3000K	Side car and van wheel rim (1918-19-20-21-22-23)	1	\$ 1.75
Keyed	H23132	N3012	Side car and van wheel spoke (1916-17)	36	.04
Jugging	K23130	N3012K	Side car and van wheel spoke (1918-19-20-21-22-23)	40	.04
Kicked	H23142	N3020	Side car and van wheel spoke nipple (1916-17)	36	
			(1918-19-20-21-22-23)	40	.02

SIDE CAR SPRING GROUP 1916-17-18-19-20-21-22-23

Patross	E60530X	H9268X	Side car spring assembled (1916)	2	9.00
Whacking	17E25X	N9268X	Side car spring assembled (three leaves) (1917-18)	2	9.00
Fatal	E60540	H9272	Side car spring main leaf (1916)	2	3.50
Whaling	17E25A	*N9272	Side car spring main leaf (1917-18)	2	3.50
Fate	E60560	H9274	Side car spring reinforcing leaf (1916)	2	3.00
Wharping	17E25B	*N9274	Side car spring reinforcing leaf (1917-18)	2	3.00
Patelul	E60580	H9276	Side car spring lower leaf (1916)	2	1.50
Whoealing	17E25C	*N9276	Side car spring lower leaf (1917-18)	2	1.50
Whoeating	17E25D	*N9278	Side car spring short leaf (1917-18)	2	1.75
Wheedle	18D17X	N9268MX	Side car spring front complete (1919-20-21-22)	2	4.00
Ydest	22D77X	N9268RX	Side car spring front complete (late 1922-1923)	2	4.00
Wheedled	18D17A	N9268MA	Side car spring front main leaf (1919-20-21-22)	2	1.50
Ydfex	22D77A	N9268RA	Side car spring front main leaf (late 1922-1923)	2	1.50
Wheedlent	18D17B	N9268MB	Side car spring front top leaf (1919-20-21-22)	2	1.25
Ydfoc	22D77B	N9268RB	Side car spring front top leaf (late 1922-1923)	2	1.25
Wheedler	18D17C	N9268MC	Side car spring front bottom leaf (1919-20-21-22)	2	.75
Ydgac	22D77C	N9268RC	Side car spring front bottom leaf (late 1922-1923)	2	.75
Wheedlered	18D18X	N9269MX	Side car spring rear complete (1919-20-21-22-23)	2	3.75
Wheedless	18D18A	N9269MA	Side car spring rear main leaf (1919-20-21-22-23)	2	2.00
Wheedling	18D18B	N9269MB	Side car spring rear reinforcing leaf (1919-20-21-22-23)	2	1.75
Patber	18D18C	N9269MC	Side car spring extra reinforcing leaf (1919-20-21-22-23)	2	1.50
Wheeler	E60550	N9270M	Side car spring rear main leaf bushing	2	.10
Whoeeling	E60570	N9282	Side car main spring and reinforcing spring clip (1916-17-18)	2	.05

Order by Number. Give Motor Number. *Indicates part is illustrated
The order blank which will be furnished on application

Code	Part No.	Part No.	DESCRIPTION	No. Used	Price Each
Washer	19C38	N9388M	Spring and body front connecting bar (1919-20-21-22)	1	\$ 2.00
Washer	23C20	N9388S	Spring and body front connecting bar (1923)	1	2.00
Washer	17C65	*N9404X	Spring rear connecting bar 1916 to 1922	1	1.75
Washer	23C24	N9404S	Spring and body rear connecting bar (1923)	1	1.75
Kalol	A25280	N4048	Spring front and rear connecting bar nut	4	.10
Washer	17A213	N9408	Spring front and rear connecting bar nut lock ring	4	.01
Pawn	*C98	N9410R	Spring front connecting bar floor cleat (1922-23)	1	.40
Pawning	*B79S	N9414R	Spring front connecting bar floor cleat screw	3	.03
Pay	19B82S	N9416M	Spring front connecting bar bolt with nut (1919-20-21)	2	.10
Fear	19B192S	N9416R	Spring front connecting bar bolt with nut (1922)	2	.10
Washer	23B55S	N9416S	Spring front connecting bar bolt and nut (1923)	2	.10
Allured	19B114S	N214	Spring front connecting bar bolt nut lock washer	2	.01
Fearful	19B168S	N9418M	Spring rear connecting bar bolt with nut (1919-20-21)	2	.10
Washer	23B36S	N9418S	Spring rear connecting bar bolt and nut (1923)	2	.10
Allured	19B114S	N214	Spring rear connecting bar bolt nut lock washer	2	.01
Fearless	22Q902X	N9422RX	Rear compartment door with hinges less catch (1922)	1	3.00
Wipe	E61170X	N9389	Rear compartment door catch (1922)	1	1.50

PARTS TO ATTACH 1917 OR LATER TYPE SIDE CARS TO SPRING FRAME MODELS PREVIOUS TO 1917

Wooling	E60160X	N9412X	Side car and frame head connection	2.50
Wooling	18C43X	N9080X	Side car and frame short rear brace	4.00
Wooling	*B103X1	N9420X1	Side car short rear brace and motor-cycle frame connection	2.00
Wooling	*C95X1	N9424X1	Short rear brace complete for (1916) rigid frame machines only	4.75

PARTS TO ATTACH SIDE CARS PREVIOUS TO 1917 TO 1917 OR LATER TYPE POWER PLUS MACHINES

Wooling	17D15X	N9428X	Side car and frame head connection	2.50
Wooling	*C43X	N9080X	Side car short rear brace	4.00
Wooling	*B98X1	*N9100X1	Side car short rear brace and motor-cycle frame connection	3.50

INDEX

Aero Magneto	96
Ammeter (1916-17-18-19-20)	107
Ammeter (1921-22-23)	107
Automatic Oiler Group	57
Bars, Handle (1916-17)	31
Bars, Handle (1918-19-20-21-22-23)	33
Base Motor	9
Battery Group	105
Boards, Foot	82
Box, Tool	90
Brake Group	69
Brake, Foot	75
Brake, Hand	73
Cable and Base Screw and Pinion (1916-17-18-19-20-21-22-23)	95
Carburetor Group (Schebler)	27
Carrier, Luggage	79
Chain and Chain Guard Group	77
Chassis, Side Car	115
Clutch Group	30
Compression Release Group (1918-19)	19
Compression Release Group (1920) (included in valve group)	17
Cradle Spring Fork Group	37
Cylinder and Piston Group	12
Dixie-Magneto (M-2)	93
Electric Generator and attachments	112
Exhaust Valve Group	15
External Brake Hand Operating Lever Group	73
Fly Wheel and Crank Motion Group	7
Foot Boards	82
Foot Brake	75
Fork Group (Cradle Spring)	37
Frame, Cradle Spring	45
Frame, Rigid (1916)	42
Frame, Rigid (1917-18-19-20-21-22-23)	43
Front and Rear Mudguards (1916)	59
Front and Rear Mudguards (1917-18-19-20-21)	61
Front and Rear Mudguards (1922-23)	65
Front Stand	79
Front Wheel	66
Gasoline Injector	29
Gasoline Tank (1916)	53
Gasoline Tank (1917-18-19-20-21-22-23)	53
Generator and Attachments	112
Goods Returned	3
Guarantee	4
Guards, Chain	77
Guards, Mud	61
Handle Bars, (1916-17)	31
Handle Bars, (1918-19-20-21-22-23)	33
Head Fitting Group	105
Head Lamp	107
Horn	29
Injector, Gasoline	15
Intake and Exhaust Valve Group	1
Instructions for Ordering	1
Introduction	81
Kick Starter Group	105
Lamp, Head	108
Lamp, Side Car	107
Lamp, Tail	79
Luggage Carrier	96
Magneto, Aero	96

Magneto, Dixie M-2	93
Magneto (1922-23)	98
Mag. Dynamo (1916-17)	101
Magneto and Throttle Grip Control Group	24
Motor Base Group	9
Mudguards, Front and Rear (1916)	59
Mudguards, Front and Rear (1917-18-19-20-21)	61
Mudguard (Side Car)	118
Mudguard Group	20
Oil Tank and Hand Pump	56
Oil, Automatic	57
Ordering Instructions	1
Parts for Models Previous to 1916	2
Piston Group	12
Plugs, Spark	19
Primer Group	31
Priming Gun—see injector Group	29
Pump Oil, Hand	56
Rear Wheel	69
Rear Stand	78
Replacements	3
Return of Goods	3
Rigid Frame (1916)	42
Rigid Frame (1917-18-19-20-21-22-23)	43
Saddle (1916-17)	110
Saddle (1918-19-20)	111
Saddle (1921-22-23)	113
Saddle (V. sons 1922-23)	111
Schebler Carburetor Group	27
Service	4
Side Car Body Group	125
Side Car Chassis Group	115
Side Car Lamp Group	108
Side Car Spring Group	123
Side Car Wheel Group	121
Spark Plug Group	19
Speed and Throttle Control Group (1916-17)	21
Speedometer	108
Spring Frame	45
Spring, Side Car	123
Stand, Front	79
Stand, Rear	78
Starter, Kick	81
Tail Lamp	107
Tank, Gasoline	53
Tank, Oil	56
Terms	2
Three-speed Transmission	83
Throttle Control Group (1916-17)	21
Tool Box	90
Valve, Exhaust and Group	15
Valve, Intake and Group	15
Warning	3
Wheels, Fly	7
Wheel, Front	66
Wheel, Rear	69
Wheel, Side Car	121
Wiring Group (1916-17-18-19-20)	108
Wiring Group (1921-22-23)	107